Index to volume 179

Author index*

A

Abe K (*see* Ota et al). 1998;179:1075-8
Abramowicz JS (*see* Miller et al). 1998;179:241-54 (AJOG reviews)
Addis A (*see* Lalkin et al). 1998;179:727-30
Addison A (*see* Cundiff et al). 1998;179:1451-7
Adelantado JM (*see* García-Patterson et al). 1998;179:481-5
Adra AM (*see* Nassar et al). 1998;179:1210-3
Adzick NS, Harrison MR, Crombleholme TM, Flake AW, Howell LJ. Fetal lung lesions: management and outcome. 1998;179:884-9
Agarwal S (*see* Ferguson et al). 1998;179:1186-92
Ahn JJ (*see* Kim et al). 1998;179:146-9
Alamia V Jr, Royek AB, Jaekle RK, Meyer BA. Preliminary experience with a prospective protocol for planned vaginal delivery of triplet gestations. 1998;179:1133-5
Allanson JE. Measurement of fetal nasal width by ultrasonography. 1998;179:277-8 (Letter)
Allen M (*see* Quintero et al). 1998;179:71-6
Al-Mufti R, Howard C, Overton T, Holzgreve W, Gaenshirt D, Fisk NM, Bennett P. Detection of fetal messenger ribonucleic acid in maternal blood to determine fetal RhD status as a strategy for noninvasive prenatal diagnosis. 1998;179:210-4
Alon E (*see* Weiss et al). 1998;179:1643-53 (AJOG reviews)
Alsulyman OM (*see* Safari et al). 1998;179:921-4
Altirriba O (*see* García-Patterson et al). 1998;179:481-5
Amini SB (*see* Catalano et al). 1998;179:156-65
Amstey MS (*see* Cheon-Lee and Amstey). 1998;179:77-9
Anai T (*see* Tanaka et al). 1998;179:644-9
Ananth CV (*see* Vintzileos et al). 1998;179:1214-9
Ananth CV (*see* Vintzileos et al). 1998;179:1220-4
Andersen RA (*see* Egerman et al). 1998;179:1234-6
Andersen WA (*see* Veljovich et al). 1998;179:382-90
Andreas S (*see* Bonatz et al). 1998;179:591-6
Andrews WW (*see* Kimberlin et al). 1998;179:846-51
Angel JL (*see* Quintero et al). 1998;179:71-6
Angioli R, Estape R, Cantuaria G, Mirhashemi R, Williams H, Martin J, Penalver M. Urinary complications of Miami pouch: trend of conservative management. 1998;179:343-8
Ångström T (*see* Kjellberg et al). 1998;179:1497-502
Antolin E (*see* Borrell et al). 1998;179:1612-7
Araki T (*see* Yoneyama et al). 1998;179:750-5
Arici A (*see* Zeyneloglu et al). 1998;179:438-43
Arkoosh VA (*see* Eberle et al). 1998;179:150-5
Aronson MP (*see* DeLancey et al). 1998;179:1405-10
Asboth F (*see* Hafner et al). 1998;179:677-81
Ascarelli MH, Johnson V, May WL, Martin RW, Martin JN Jr. Individually determined postpartum magnesium sulfate therapy with clinical parameters to safely and cost-effectively shorten treatment for pre-eclampsia. 1998;179:952-6
Asrat T (*see* Longo et al). 1998;179:1640-2
Asrat T (*see* Towers et al). 1998;179:708-14
Asrat T (*see* Towers et al). 1998;179:879-83
Athayde N, Edwin SS, Romero R, Gomez R, Maymon E, Pacora P, Menon R. A role for matrix metalloproteinase-9 in spontaneous rupture of the fetal membranes. 1998;179:1248-53
Aversa K (*see* Hsu et al). 1998;179:1267-70
Avinoach E (*see* Kopernik et al). 1998;179:1503-10
Avni M (*see* Luke et al). 1998;179:1155-61
Azizi F (*see* Balderston et al). 1998;179:823-4

B

Bachmann GA. Polycystic ovary syndrome—metabolic challenges and new treatment approaches. 1998;179:S87-8
Baggish MS (*see* Valle and Baggish). 1998;179:569-72 (Clin. opinion)
Baguma-Nibasheka M (*see* Smith et al). 1998;179:1545-52
Bahado-Singh R, Deren O, Oz U, Tan A, Hunter D, Copel J, Mahoney MJ. An alternative for women initially declining genetic amniocentesis: individual Down syndrome odds on the basis of maternal age and multiple ultrasonographic markers. 1998;179:514-9
Bahado-Singh RO, Oz AU, Kovanci E, Deren O, Copel J, Baumgarten A, Mahoney J. New Down syndrome screening algorithm: ultrasonographic biometry and multiple serum markers combined with maternal age. 1998;179:1627-31
Bahado-Singh RO, Oz U, Isozaki T, Seli E, Kovanci E, Hsu C-D, Cole L. Midtrimester urine human chorionic gonadotropin β-subunit core fragment levels and the subsequent development of preeclampsia. 1998;179:738-41
Bajoria R. Abundant vascular anastomoses in monoamniotic versus diamniotic monochorionic placentas. 1998;179:788-93
Baker PN (*see* Crocker et al). 1998;179:1305-11
Baker PN (*see* Smith et al). 1998;179:1378 (Letter reply)
Bakewell J (*see* Cooperstock et al). 1998;179:762-5
Balderston KD, Tewari K, Azizi F, Yu JK. Intrahepatic cholangiocarcinoma masquerading as the HELLP syndrome (hemolysis, elevated liver enzymes, and low platelet count) in pregnancy: case report. 1998;179:823-4
Balderston KD (*see* Tewari et al). 1998;179:818-9
Balderston KD (*see* Tio et al). 1998;179:270-2
Ballagh SA, Harris HA, Demasio K. Is curettage needed for uncomplicated incomplete spontaneous abortion? 1998;179:1279-82 (Clin. opinion)
Ballard LA (*see* Weber et al). 1998;179:1446-50
Balsells M (*see* García-Patterson et al). 1998;179:481-5
Bamigboye AA, Hofmeyr GJ, Merrell DA. Rectal misoprostol in the prevention of postpartum hemorrhage: a placebo-controlled trial. 1998;179:1043-6
Bashiri A (*see* Maymon et al). 1998;179:820-2
Bass DC (*see* Ness et al). 1998;179:697-702
Bauer CR (*see* Donovan et al). 1998;179:742-9
Bauer CR (*see* Stevenson et al). 1998;179:1632-9
Baumgarten A (*see* Bahado-Singh et al). 1998;179:1627-31

*July, 1-282, S1-S36; August, 283-568; September, part 1, 569-840; part 2, S37-S86; October, 841-1106; November, 1107-1386; December, part 1, 1387-1718; part 2, S87-S116.

Bawdon RE (*see* Casey and Bawdon). 1998;179:758-61
Baylis C (*see* Masilamani et al). 1998;179:486-91
Beall MH, Spong C, McKay J, Ross MG. Objective definition of shoulder dystocia: a prospective evaluation. 1998;179:934-7
Bearchell MC, Redman CWG, Pyne GJ, Cadoux-Hudson T, Clark JF. Vascular smooth muscle oxygen consumption is reversibly stimulated by sera from women with preeclampsia. 1998;179:1534-8
Beazoglou T (*see* Vintzileos et al). 1998;179:1214-9
Beazoglou T (*see* Vintzileos et al). 1998;179:1220-4
Bebbington MW (*see* Fitzsimmons et al). 1998;179:1162-7
Beckmann I, Wallenburg HCS. Vascular cell adhesion molecule in pregnancy. 1998;179:279 (Letter reply)
Beer E, Folghera MG. Time for resolving shoulder dystocia. 1998;179:1376-7 (Letter)
Beevers DG (*see* Lip et al). 1998;179:814-5
Begher C (*see* Bonomo et al). 1998;179:179-85
Behrens O (*see* Helmer et al). 1998;179:1572-8
Belfort M (*see* Vedernikov et al). 1998;179:1047-50
Bennett P (*see* Al-Mufti et al). 1998;179:210-4
Bennett SM (*see* McNeeley et al). 1998;179:1430-5
Ben-Shlomo I (*see* Wiener-Megnagi et al). 1998;179:1565-7
Berga SL. Metabolic and endocrine effects of the desogestrel-containing oral contraceptive Mircette™. 1998;179:S9-17
Berga SL. The obstetrician/gynecologist's role in the practical management of polycystic ovary syndrome. 1998;179:S109-13
Berg-Lekås M-L, Högberg U, Winkvist A. Familial occurrence of dystocia. 1998;179:117-21
Berkowitz RL (*see* Torok et al). 1998;179:221-5
Bernard J (*see* Maher et al). 1998;179:1225-7
Bernardes J, Pereira AC. Some concerns about the new research guidelines for interpretation of electronic fetal heart rate monitoring. 1998;179:560 (Letter)
Bernasko J (*see* Torok et al). 1998;179:221-5
Bernick BA, Ufberg DD, Nemiroff R, Donnenfeld A, Tolosa JE. Success rate of cytogenetic analysis at the time of second-trimester dilation and evacuation. 1998;179:957-61
Bernstein D (*see* Thys-Jacobs et al). 1998;179:444-52
Bernstein I, Catalano PM. Fetal body composition and ultrasonographic estimates of fetal weight. 1998;179:558 (Letter)
Bernstein P (*see* Lye et al). 1998;179:1168-74
Bernstein PS, Stern R, Lin N, Furgiuele J, Karmen A, Comerford-Freda M, Chazotte C. β-Human chorionic gonadotropin in cervicovaginal secretions as a predictor of preterm delivery. 1998;179:870-3
Berry SM (*see* Gomez et al). 1998;179:194-202
Berry SM (*see* Romero et al). 1998;179:186-93
Beydoun S (*see* Nassar et al). 1998;179:1210-3
Bhattacharya M (*see* Guerguerian et al). 1998;179:1618-26
Bischoff FZ, Lewis DE, Nguyen DD, Murrell S, Schober W, Scott J, Simpson JL, Elias S. Prenatal diagnosis with use of fetal cells isolated from maternal blood: five-color fluorescent in situ hybridization analysis on flow-sorted cells for chromosomes X, Y, 13, 18, and 21. 1998;179:203-9
Blinder V, Elul B, Winikoff B. Mifepristone-misoprostol medical abortion: Who will use it and why? 1998;179:1376 (Letter)
Bloom DD (*see* Bloom and Bloom). 1998;179:562 (Letter)
Bloom SL, Bloom DD. Clinical outcome of mild fetal ventriculomegaly. 1998;179:562 (Letter)
Boden G (*see* Sivan et al). 1998;179:1128-32
Boesche MH (*see* Millar et al). 1998;179:126-34
Bonati M (*see* Lalkin et al). 1998;179:727-30
Bonatz G, Frahm SO, Andreas S, Heidorn K, Jonat W, Parwaresch R. Telomere shortening in uterine leiomyomas. 1998;179:591-6
Bonnar J (*see* Higgins et al). 1998;179:520-6
Bonomo M, Gandini ML, Mastropasqua A, Begher C, Valentini U, Faden D, Morabito A, Definition of Screening Methods for Gestational Diabetes Study Group of the Lombardy Section of the Italian Society of Diabetology. Which cutoff level should be used in screening for glucose intolerance in pregnancy? 1998;179:179-85
Booher DL (*see* Weber et al). 1998;179:1446-50
Boots L (*see* Wenstrom et al). 1998;179:966-70
Borgida AF, Odibo A, Egan JFX, Esters D, Campbell WA. Clinical and ultrasonographic features of dextroposition of the fetal heart. 1998;179:982-4
Borgida AF (*see* Rodis et al). 1998;179:985-8
Boronow RC. Death of the Papanicolaou smear? A tale of three reasons. 1998;179:391-6 (Clin. opinion)
Borrell A, Antolin E, Costa D, Farre MT, Martinez JM, Fortuny A. Abnormal ductus venosus blood flow in trisomy 21 fetuses during early pregnancy. 1998;179:1612-7
Bottoms SF (*see* Bryant et al). 1998;179:686-9
Bottoms SF (*see* Goldenberg et al). 1998;179:1599-604
Boulot P (*see* Rodriguez et al). 1998;179:1063-70
Bournas N (*see* Davies et al). 1998;179:1008-12
Bourne T (*see* Timmerman et al). 1998;179:62-70
Bouslough DB (*see* Zhang et al). 1998;179:1594-8
Bove EL (*see* Reis et al). 1998;179:1150-4
Brady HR (*see* Higgins et al). 1998;179:464-9
Brancaccio V (*see* Grandone et al). 1998;179:1324-8
Branch DW (*see* Esplin et al). 1998;179:1583-6
Brännström M (*see* Mikuni et al). 1998;179:35-40
Brayman AA (*see* Miller et al). 1998;179:241-54 (AJOG reviews)
Britton KA (*see* Brown et al). 1998;179:459-63
Brizendine E (*see* Brown et al). 1998;179:459-63
Brosens I (*see* Elomaa et al). 1998;179:41-6
Brost BC, Newman RB. Cesarean section. 1998;179:565 (Letter reply)
Brost BC, Newman RB. Maternal weight, body mass index, and cesarean delivery. 1998;179:565 (Letter reply)
Brost BC (*see* Ottinger et al). 1998;179:349-53
Brown HL, Britton KA, Mahaffey D, Brizendine E, Hiett AK, Turnquest MA. Methadone maintenance in pregnancy: a reappraisal. 1998;179:459-63
Brown HL (*see* Turnquest et al). 1998;179:1261-6
Brunet J-S (*see* Godard et al). 1998;179:403-10
Bruns DE (*see* Ferguson et al). 1998;179:321-9
Bruns ME (*see* Ferguson et al). 1998;179:321-9
Bryant DR, Leonardi MR, Landwehr JB, Bottoms SF. Limited usefulness of fetal weight in predicting neonatal brachial plexus injury. 1998;179:686-9
Bryant-Greenwood GD (*see* Millar et al). 1998;179:126-34
Buckley D (*see* Endresen et al). 1998;179:665-70
Bump RC (*see* Cundiff et al). 1998;179:1451-7
Bump RC (*see* Wyman et al). 1998;179:999-1007
Burlingame JM (*see* DiFederico et al). 1998;179:925-33
Burson JM (*see* Merrill et al). 1998;179:235-40
Buscombe JR (*see* Lieberman et al). 1998;179:262-3
Butterwegge M (*see* Kühnert et al). 1998;179:1100 (Letter reply)
Byrne J (*see* Esplin et al). 1998;179:974-7

C

Cabero L (*see* García-Patterson et al). 1998;179:481-5
Cacciatore B, Halmesmäki E, Kaaja R, Teramo K, Ylikorkala O. Effects of transdermal nitroglycerin on impedance to flow in the

uterine, umbilical, and fetal middle cerebral arteries in pregnancies complicated by preeclampsia and intrauterine growth retardation. 1998;179:140-5
Cadoux-Hudson T (*see* Bearchell et al). 1998;179:1534-8
Cagnacci A, Volpe A. Are there seasonal effects on obstetric circadian rhythms? 1998;179:563-4 (Letter reply)
Cagnacci A, Volpe A. Diurnal rhythms of labor and delivery. 1998;179:837 (Letter reply)
Calcium for Preeclampsia Prevention (CPEP) Study Group (*see* Joffe et al). 1998;179:1032-7
Calder AA (*see* Elliott et al). 1998;179:215-20
Calhoun BC (*see* Hoeldtke et al). 1998;179:1071-4
Calhoun DA, Christensen RD. A randomized pilot trial of administration of granulocyte colony-stimulating factor to women before preterm delivery. 1998;179:766-71
Campbell WA (*see* Borgida et al). 1998;179:982-4
Campbell WA (*see* Rodis et al). 1998;179:985-8
Camus E (*see* Perdu et al). 1998;179:640-3
Canaval H (*see* Cobo et al). 1998;179:122-5
Cantuaria G (*see* Angioli et al). 1998;179:343-8
Cappellari JO (*see* Lentz and Cappellari). 1998;179:268-9
Cappucci G (*see* Grandone et al). 1998;179:1324-8
Caritis S, Sibai B, Hauth J, Lindheimer M, VanDorsten P, Klebanoff M, Thom E, Landon M, Paul R, Miodovnik M, Meis P, Thurnau G, Dombrowski M, McNellis D, Roberts J, National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units. Predictors of pre-eclampsia in women at high risk. 1998;179:946-51
Caritis S (*see* Hauth et al). 1998;179:1193-9
Carlson R (*see* Silver et al). 1998;179:87-93
Carpenter RJ (*see* Hudon et al). 1998;179:858-63
Carpenter SE (*see* Tewari et al). 1998;179:818-9
Carr D (*see* Clark et al). 1998;179:1527-33
Carr MH (*see* Towers et al). 1998;179:879-83
Carson MP, Khurana R. Risk of magnesium for respiratory failure in pregnancy. 1998;179:558 (Letter)
Casey BM, Bawdon RE. Placental transfer of ritonavir with zidovudine in the ex vivo placental perfusion model. 1998;179:758-61
Castaigne D (*see* Morice et al). 1998;179:1098 (Letter)
Catalano PM, Roman-Drago NM, Amini SB, Sims EAH. Longitudinal changes in body composition and energy balance in lean women with normal and abnormal glucose tolerance during pregnancy. 1998;179:156-65
Catalano PM (*see* Bernstein and Catalano). 1998;179:558 (Letter)
Catalano PM (*see* Joffe et al). 1998;179:1032-7
Catsman-Berrevoets CE (*see* Mul et al). 1998;179:825-7
Caudle MR (*see* Torry et al). 1998;179:1539-44
Caughey AB, Shipp TD, Repke JT, Zelop C, Cohen A, Lieberman E. Trial of labor after cesarean delivery: the effect of previous vaginal delivery. 1998;179:938-41
Cavallo-Calvanese C (*see* Lachman and Cavallo-Calvanese). 1998;179:421-9
Cavanagh D (*see* Rao et al). 1998;179:21-7
Cela E (*see* Nicolini et al). 1998;179:800-3
Chakhtoura N (*see* Nassar et al). 1998;179:1210-3
Chan CCW, Lao TTH, Cheung ANY. Apoptosis in human placenta. 1998;179:1377-8 (Letter)
Chan L (*see* Pak et al). 1998;179:1140-4
Chang AMZ (*see* Yuen et al). 1998;179:1-5
Chang JW (*see* Yoon et al). 1998;179:1254-60
Charania SF (*see* Chauhan et al). 1998;179:909-16
Chastang C (*see* Perdu et al). 1998;179:640-3
Chatenoud L (*see* Parazzini et al). 1998;179:1103 (Letter)
Chauhan SP, Charania SF, McLaren RA, Devoe LD, Ross EL, Hendrix NW, Morrison JC. Ultrasonographic estimate of birth weight at 24 to 34 weeks: a multicenter study. 1998;179:909-16
Chauhan SP (*see* Magann et al). 1998;179:890-4
Chazotte C (*see* Bernstein et al). 1998;179:870-3
Chelouche A (*see* Hsu et al). 1998;179:1271-4
Chemtob S (*see* Guerguerian et al). 1998;179:1618-26
Chen R (*see* Millar et al). 1998;179:126-34
Cheon-Lee E, Amstey MS. Compliance with the Centers for Disease Control and Prevention antenatal culture protocol for preventing group B streptococcal neonatal sepsis. 1998;179:77-9
Chervenak FA, Skupski DW, Romero R, Smith-Levitin M, Rosenwaks Z, Thaler HT. Estimating date of confinement in in vitro fertilization pregnancies. 1998;179:1381 (Letter reply)
Cheung ANY (*see* Chan et al). 1998;179:1377-8 (Letter)
Chicz-DeMet A (*see* Wadhwa et al). 1998;179:1079-85
Chiriva-Internati M (*see* Santin et al). 1998;179:1020-5
Christensen HD (*see* Stewart et al). 1998;179:1241-7
Christensen RD (*see* Calhoun and Christensen). 1998;179:766-71
Chu DC (*see* Wenstrom et al). 1998;179:966-70
Chwalisz K (*see* Okawa et al). 1998;179:721-6
Chwalisz K (*see* Syal et al). 1998;179:111-6
Chyu JK (*see* Kalchbrenner et al). 1998;179:1145-9
Cibils LA. Interpretation of intrapartum fetal heart rate tracings. 1998;179:1099 (Letter)
Cifuentes P (*see* Ikeda et al). 1998;179:1329-37
Clark A, Carr D, Loyd G, Cook V, Spinnato J. The influence of epidural analgesia on cesarean delivery rates: a randomized, prospective clinical trial. 1998;179:1527-33
Clark JF (*see* Bearchell et al). 1998;179:1534-8
Clark SL, Xu W, Porter TF, Love D. Institutional influences on the primary cesarean section rate in Utah, 1992 to 1995. 1998;179:841-5
Clemens JD (*see* Joffe et al). 1998;179:1032-7
Clinch J (*see* Daly et al). 1998;179:399-402
Cline JM (*see* Williams et al). 1998;179:1288-94
Clyman RI (*see* Guerguerian et al). 1998;179:1618-26
Cnattingius S (*see* Kyrklund-Blomberg and Cnattingius). 1998;179:1051-5
Cobo E, Conde-Agudelo A, Delgado J, Canaval H, Congote A. Cervical cerclage: An alternative for the management of placenta previa? 1998;179:122-5
Cohen A (*see* Caughey et al). 1998;179:938-41
Cohen SB (*see* Schiff et al). 1998;179:1181-5
Cohen-Overbeek TE (*see* Mul et al). 1998;179:825-7
Colaizzo D (*see* Grandone et al). 1998;179:1324-8
Cole L (*see* Bahado-Singh et al). 1998;179:738-41
Coleman MAG, McCowan LME, Pattison NS, Mitchell M. Fetal fibronectin detection in preterm labor: evaluation of a prototype bedside dipstick technique and cervical assessment. 1998;179:1553-8
Collins JH. Umbilical cord accidents—time of death: continued. 1998;179:275 (Letter)
Collins PL (*see* Emery et al). 1998;179:989-93
Collins WP (*see* Timmerman et al). 1998;179:62-70
Colombo M, Milani R. Sacrospinous ligament fixation and modified McCall culdoplasty during vaginal hysterectomy for advanced uterovaginal prolapse. 1998;179:13-20
Colwell HH, Mathias SD, Pasta DJ, Henning JM, Steege JF. A health-related quality-of-life instrument for symptomatic patients with endometriosis: a validation study. 1998;179:47-55
Comerford-Freda M (*see* Bernstein et al). 1998;179:870-3
Conde-Agudelo A (*see* Cobo et al). 1998;179:122-5
Congote A (*see* Cobo et al). 1998;179:122-5

Connelly P (*see* Goodwin et al). 1998;179:430-7
Connors-Beatty DJ (*see* Hill et al). 1998;179:703-7
Continence Program for Women Research Group (*see* Wyman et al). 1998;179:999-1007
Conway DL, Langer O. Increased cesarean delivery rate: no effect on brachial plexus palsy. 1998;179:1379 (Letter reply)
Conway DL, Langer O. More (and less) on shoulder dystocia. 1998;179:837-8 (Letter reply)
Cook CR (*see* Turnquest et al). 1998;179:1261-6
Cook V (*see* Clark et al). 1998;179:1527-33
Cooperstock M. Are there seasonal effects on obstetric circadian rhythms? 1998;179:563 (Letter)
Cooperstock MS, Bakewell J, Herman A, Schramm WF. Effects of fetal sex and race on risk of very preterm birth in twins. 1998;179:762-5
Copas P (*see* Tidwell and Copas). 1998;179:832-4
Copel J (*see* Bahado-Singh et al). 1998;179:514-9
Copel J (*see* Bahado-Singh et al). 1998;179:1627-31
Copel JA (*see* Hsu et al). 1998;179:1267-70
Copel JA (*see* Hsu et al). 1998;179:1271-4
Copel JA (*see* Magriples and Copel). 1998;179:978-81
Copel JA (*see* Rebarber et al). 1998;179:715-20
Corcoy R (*see* García-Patterson et al). 1998;179:481-5
Corn SB (*see* Frölich et al). 1998;179:100-4
Cornella JL (*see* Kammerer-Doak et al). 1998;179:586-90
Corti E (*see* Scotto et al). 1998;179:816-7
Cosmi EV (*see* Marinoni et al). 1998;179:784-7
Costa D (*see* Borrell et al). 1998;179:1612-7
Covell JL (*see* Veljovich et al). 1998;179:382-90
Crain JL, Wiemer KE, Steuerwald N, Young ED. Outcome comparison of in vitro fertilization treatment with highly purified subcutaneous follicle-stimulating hormone (Fertinex, a urofollitropin) versus intramuscular menotropins. 1998;179:299-307
Creinin MD, Stewart-Akers AM, DeLoia JA. Methotrexate effects on trophoblast and the corpus luteum in early pregnancy. 1998;179:604-9
Critchley HOD (*see* Elliott et al). 1998;179:215-20
Crocker IP, Wellings RP, Hayman RG, Fletcher J, Baker PN. The role of the endogenous anti-inflammatory compound gravidin in preeclampsia. 1998;179:1305-11
Crombleholme TM (*see* Adzick et al). 1998;179:884-9
Crombleholme WR (*see* Powers et al). 1998;179:1605-11
Cumsille F (*see* Leible et al). 1998;179:1587-93
Cundiff GW, Weidner AC, Visco AG, Addison A, Bump RC. An anatomic and functional assessment of the discrete defect rectocele repair. 1998;179:1451-7
Curet LB (*see* Greci et al). 1998;179:172-8
Cureton AC (*see* Turnquest et al). 1998;179:1261-6

D

Daly SF, Doyle M, English J, Turner M, Clinch J, Prendiville W. Can the number of cigarettes smoked predict high-grade cervical intraepithelial neoplasia among women with mildly abnormal cervical smears? 1998;179:399-402
D'Andrea G (*see* Grandone et al). 1998;179:1324-8
Darling MRN (*see* Higgins et al). 1998;179:464-9
Darling MRN (*see* Higgins et al). 1998;179:520-6
Das A (*see* Goldenberg et al). 1998;179:1599-604
Datta S (*see* Frölich et al). 1998;179:100-4
Davies A, Vizza E, Bournas N, O'Connor H, Magos A. How to increase the proportion of hysterectomies performed vaginally. 1998;179:1008-12
Davis A (*see* Killick et al). 1998;179:S18-24
Davis AJ (*see* van Lingen et al). 1998;179:597-603
Dawood MY (*see* Lee et al). 1998;179:620-7
Day-Salvatore D (*see* Vintzileos et al). 1998;179:1214-9
Day-Salvatore D (*see* Vintzileos et al). 1998;179:1220-4
DeAngelis GA (*see* Ferguson et al). 1998;179:1186-92
DeBuque L (*see* Millar et al). 1998;179:126-34
Definition of Screening Methods for Gestational Diabetes Study Group of the Lombardy Section of the Italian Society of Diabetology (*see* Bonomo et al). 1998;179:179-85
de Jong CLD (*see* Paarlberg et al). 1998;179:1559-64
Dekker GA, Sibai BM. Etiology and pathogenesis of preeclampsia: current concepts. 1998;179:1359-75 (AJOG reviews)
Dekker GA (*see* Leeda et al). 1998;179:135-9
Dekker GA (*see* Paarlberg et al). 1998;179:1559-64
DeLancey JOL, Strohbehn K, Aronson MP. Comparison of ureteral and cervical descents during vaginal hysterectomy for uterine prolapse. 1998;179: 1405-10
Delansorne R (*see* Williams et al). 1998;179:1288-94
de Leeuw PW (*see* van Beek et al). 1998;179:690-6
de Leiva A (*see* García-Patterson et al). 1998;179:481-5
De Leo V (*see* la Marca et al). 1998;179:1381-2 (Letter)
Delgado J (*see* Cobo et al). 1998;179:122-5
Del Giudice ME (*see* Goodwin et al). 1998;179:430-7
DeLoia JA (*see* Creinin et al). 1998;179:604-9
Demasio K (*see* Ballagh et al). 1998;179:1279-82 (Clin. opinion)
de Meeûs JB (*see* Dessard et al). 1998;179:813
DeMott RK (*see* Sandmire and DeMott). 1998;179:276-7 (Letter)
Deprest J (*see* Elomaa et al). 1998;179:41-6
Deprest J (*see* Timmerman et al). 1998;179:62-70
Deren O (*see* Bahado-Singh et al). 1998;179:514-9
Deren O (*see* Bahado-Singh et al). 1998;179:1627-31
Descomps B (*see* Rodriguez et al). 1998;179:1063-70
Dessard P, d'Halluin G, de Meeûs JB. Intravenous nitroglycerin in obstetrics: a new indication. 1998;179:813
de Veciana M (*see* Major et al). 1998;179:1038-42
Deveikis A (*see* Towers et al). 1998;179:708-14
Devoe LD (*see* Chauhan et al). 1998;179:909-16
de Vries JIP (*see* Leeda et al). 1998;179:135-9
d'Halluin G (*see* Dessard et al). 1998;179:813
DiCerbo JA (*see* Svinarich et al). 1998;179:470-5
Dietz JR (*see* Rao et al). 1998;179:21-7
DiFederico EM, Burlingame JM, Kilpatrick SJ, Harrison M, Matthay MA. Pulmonary edema in obstetric patients is rapidly resolved except in the presence of infection or of nitroglycerin tocolysis after open fetal surgery. 1998;179:925-33
Di Iorio R (*see* Marinoni et al). 1998;179:784-7
Dillner J (*see* Kjellberg et al). 1998;179:1497-502
Di Minno G (*see* Grandone et al). 1998;179:1324-8
Dobson AT, Little BB, Scott LL. Prevention of herpes simplex virus infection and latency by prophylactic treatment with acyclovir in a weanling mouse model. 1998;179:527-32
Doi S (*see* Ikeda et al). 1998;179:1329-37
Dombrowski M (*see* Caritis et al). 1998;179:946-51
Dombrowski M (*see* Hauth et al). 1998;179:1193-9
Dong Y-L, Gangula PRR, Fang L, Wimalawansa SJ, Yallampalli C. Uterine relaxation responses to calcitonin gene–related peptide and calcitonin gene–related peptide receptors decreased during labor in rats. 1998;179:497-506

Donnenfeld A (*see* Bernick et al). 1998;179:957-61
Donovan EF, Ehrenkranz RA, Shankaran S, Stevenson DK, Wright LL, Younes N, Fanaroff AA, Korones SB, Stoll BJ, Tyson JE, Bauer CR, Lemons JA, Oh W, Papile L-A, National Institute of Child Health and Human Development Neonatal Research Network. Outcomes of very low birth weight twins cared for in the National Institute of Child Health and Human Development Neonatal Research Network's intensive care units. 1998;179:742-9
Donovan EF (*see* Stevenson et al). 1998;179:1632-9
Dorfer M (*see* Haeusler et al). 1998;179:917-20
Dorman K (*see* Moise et al). 1998;179:1353-8
Doss JL (*see* Egerman et al). 1998;179:1120-3
Doss JL (*see* Egerman et al). 1998;179:1234-6
Doty E (*see* Haney and Doty). 1998;179:368-73
Douvdevani A (*see* Kopernik et al). 1998;179:1503-10
Doyle M (*see* Daly et al). 1998;179:399-402
Drukker BH. Envelopes. 1998;179:1400-4 (Pres. address)
Druzin ML (*see* Magid et al). 1998;179:226-34
Dulitzky M (*see* Schiff et al). 1998;179:1181-5
Dulitzky M (*see* Simchen et al). 1998;179:994-8
Duval J (*see* Santolaya-Forgas et al). 1998;179:1124-7
Duvillard P (*see* Morice et al). 1998;179:1098 (Letter)

E

Eberle AM (*see* Eberle et al). 1998;179:150-5
Eberle RL, Norris MC, Eberle AM, Naulty JS, Arkoosh VA. The effect of maternal position on fetal heart rate during epidural or intrathecal labor analgesia. 1998;179:150-5
Edwin SS (*see* Athayde et al). 1998;179:1248-53
Edwin SS (*see* Mikuni et al). 1998;179:35-40
Edwin SS (*see* Romero et al). 1998;179:186-93
Egan JFX (*see* Borgida et al). 1998;179:982-4
Egan JFX (*see* Rodis et al). 1998;179:985-8
Egberts J. Databases and the statistical usage of (perinatal) results—reply. 1998;179:559-60 (Letter reply)
Egberts J. A reduced consumption in the alloimmunized fetus of maternal red blood cells compared with those of volunteers is still questionable. 1998;179:1102 (Letter)
Egerman RS, Mercer BM, Doss JL, Sibai BM. A randomized, controlled trial of oral and intramuscular dexamethasone in the prevention of neonatal respiratory distress syndrome. 1998;179:1120-3
Egerman RS, Walker RA, Mercer BM, Doss JL, Sibai BM, Andersen RA. Comparison between oral and intramuscular dexamethasone in suppressing unconjugated estriol levels during the third trimester. 1998;179:1234-6
Ehrenkranz RA (*see* Donovan et al). 1998;179:742-9
Ehrenkranz RA (*see* Stevenson et al). 1998;179:1632-9
Eicher A (*see* Jacobson et al). 1998;179:610-9
Ekhart THA (*see* van Beek et al). 1998;179:690-6
El-Azeem SA, O'Shaughnessy RW, Smeltzer JS. A reduced consumption in the alloimmunized fetus of maternal red blood cells compared with those of volunteers is still questionable. 1998;179:1102-3 (Letter reply)
Elias S (*see* Bischoff et al). 1998;179:203-9
Elliott CL, Kelly RW, Critchley HOD, Riley SC, Calder AA. Regulation of interleukin-8 production in the term human placenta during labor and by antigestagens. 1998;179:215-20
Elomaa K, Rolland R, Brosens I, Moorrees M, Deprest J, Tuominen J, Lähteenmäki P. Omitting the first oral contraceptive pills of the cycle does not automatically lead to ovulation. 1998;179:41-6
Elul B (*see* Blinder et al). 1998;179:1376 (Letter)
Emery SP, Idriss E, Richmonds C, Collins PL. Human fetal membranes release a Ca^{++} channel inhibitor. 1998;179:989-93
Endresen MJR, Morris JM, Nobrega AC, Buckley D, Linton EA, Redman CWG. Serum from preeclamptic women induces vascular cell adhesion molecule-1 expression on human endothelial cells in vitro: a possible role of increased circulating levels of free fatty acids. 1998;179:665-70
English J (*see* Daly et al). 1998;179:399-402
Eriksson UJ (*see* Forsberg et al). 1998;179:772-8
Ervin MG (*see* Zhao et al). 1998;179:899-905
Esplin MS, Branch DW, Silver R, Stagnaro-Green A. Thyroid autoantibodies are not associated with recurrent pregnancy loss. 1998;179:1583-6
Esplin MS, Hallam S, Farrington PF, Nelson L, Byrne J, Ward K. Myotonic dystrophy is a significant cause of idiopathic polyhydramnios. 1998;179:974-7
Estape R (*see* Angioli et al). 1998;179:343-8
Esterlitz JR (*see* Joffe et al). 1998;179:1032-7
Esters D (*see* Borgida et al). 1998;179:982-4
Evans MI (*see* Sokol et al). 1998;179:971-3
Evans RW (*see* Powers et al). 1998;179:1605-11
Ewell MG (*see* Joffe et al). 1998;179:1032-7

F

Factor SH, Levine OS, Nassar A, Potter J, Fajardo A, O'Sullivan MJ, Schuchat A. Impact of a risk-based prevention policy on neonatal group B streptococcal disease. 1998;179:1568-71
Faden D (*see* Bonomo et al). 1998;179:179-85
Fajardo A (*see* Factor et al). 1998;179:1568-71
Fanaroff AA (*see* Donovan et al). 1998;179:742-9
Fanaroff AA (*see* Stevenson et al). 1998;179:1632-9
Fang L (*see* Dong et al). 1998;179:497-506
Fantl JA (*see* Wyman et al). 1998;179:999-1007
Farghaly SA. BRCA1 and BRCA2 gene mutations in hereditary and sporadic ovarian cancer and the clinical implications. 1998;179:1101 (Letter)
Farine D (*see* Seaward et al). 1998;179:635-9
Farmer KC (*see* Stewart et al). 1998;179:1175-80
Farmer RDT, Lawrenson RA. Oral contraceptives and venous thromboembolic disease: the findings from database studies in the United Kingdom and Germany. 1998;179:S78-86
Farre MT (*see* Borrell et al). 1998;179:1612-7
Farrington PF (*see* Esplin et al). 1998;179:974-7
Fassett MJ (*see* Safari et al). 1998;179:921-4
Ferguson JE II, Newberry YG, DeAngelis GA, Finnerty JJ, Agarwal S, Turkheimer E. The fetal-pelvic index has minimal utility in predicting fetal-pelvic disproportion. 1998;179:1186-92
Ferguson JE II, Seaner RM, Bruns DE, Iezzoni JC, Bruns ME. Expression and specific immunolocalization of the human parathyroid hormone/parathyroid hormone–related protein receptor in the uteroplacental unit. 1998;179:321-9
Fesslova V, Villa L, Nava S, Mosca F, Nicolini U. Fetal and neonatal echocardiographic findings in twin-twin transfusion syndrome. 1998;179:1056-62
Finnerty JJ, Pinkerton JAV. Ethical issues in managed care for the obstetrician and gynecologist. 1998;179:308-15

Finnerty JJ (*see* Ferguson et al). 1998;179:1186-92
Fiorica JV (*see* Rao et al). 1998;179:21-7
Fisher AJ (*see* Vintzileos et al). 1998;179:1214-9
Fisher AJ (*see* Vintzileos et al). 1998;179:1220-4
Fisk NM (*see* Al-Mufti et al). 1998;179:210-4
Fitzgerald C (*see* Killick et al). 1998;179:S18-24
Fitzsimmons BP, Bebbington MW, Fluker MR. Perinatal and neonatal outcomes in multiple gestations: assisted reproduction versus spontaneous conception. 1998;179:1162-7
Flake AW (*see* Adzick et al). 1998;179:884-9
Fletcher J (*see* Crocker et al). 1998;179:1305-11
Flora RF (*see* Scotti et al). 1998;179:1436-45
Fluker MR (*see* Fitzsimmons et al). 1998;179:1162-7
Fogarty P (*see* Fong et al). 1998;179:1237-40
Folghera MG (*see* Beer and Folghera). 1998;179:1376-7 (Letter)
Fong J, Fogarty P, Gurewitsch ED. The effect of lumbar epidural anesthesia on maternal middle cerebral artery blood flow in normal pregnancy: a prospective, randomized, double-blind comparison study. 1998;179:1237-40
Forsberg H, Wentzel P, Eriksson UJ. Maternal diabetes alters extracellular matrix protein levels in rat placentas. 1998;179:772-8
Fortman J (*see* Santolaya-Forgas et al). 1998;179:1124-7
Fortunato SJ, Menon R, Lombardi SJ. The effect of transforming growth factor and interleukin-10 on interleukin-8 release by human amniochorion may regulate histologic chorioamnionitis. 1998;179:794-9
Fortuny A (*see* Borrell et al). 1998;179:1612-7
Foulkes WD (*see* Godard et al). 1998;179:403-10
Fouron J-C (*see* Guerguerian et al). 1998;179:1618-26
Frahm SO (*see* Bonatz et al). 1998;179:591-6
Frampton D (*see* Holmes et al). 1998;179:336-42
Freeman RK (*see* Lien et al). 1998;179:453-8
Freeman RK (*see* Longo et al). 1998;179:1640-2
Friedman SA (*see* Schiff et al). 1998;179:1181-5
Friedman SA (*see* Simchen et al). 1998;179:994-8
Frierson HF Jr (*see* Hanigan et al). 1998;179:363-7
Frölich MA, Datta S, Corn SB. Thrombopoietin in normal pregnancy and preeclampsia. 1998;179:100-4
Fuchs-Young R (*see* Porter et al). 1998;179:1283-7
Fuerst DR (*see* Keenan et al). 1998;179:731-7
Furgiuele J (*see* Bernstein et al). 1998;179:870-3

G

Gaenshirt D (*see* Al-Mufti et al). 1998;179:210-4
Gall SA (*see* Kurtzman et al). 1998;179:852-7
Gandini ML (*see* Bonomo et al). 1998;179:179-85
Ganesh V (*see* Iffy et al). 1998;179:1379-80 (Letter)
Gangula PRR (*see* Dong et al). 1998;179:497-506
García-Patterson A, Corcoy R, Balsells M, Altirriba O, Adelantado JM, Cabero L, de Leiva A. In pregnancies with gestational diabetes mellitus and intensive therapy, perinatal outcome is worse in small-for-gestational-age newborns. 1998;179:481-5
Garely AD (*see* Scotti et al). 1998;179:1436-45
Garfield RE (*see* Okawa et al). 1998;179:721-6
Garfield RE (*see* Syal et al). 1998;179:111-6
Garfield RE (*see* Vedernikov et al). 1998;179:1047-50
Garite TJ (*see* Lien et al). 1998;179:453-8
Garite TJ (*see* Wadhwa et al). 1998;179:1079-85
Garritsen H (*see* Surbek et al). 1998;179:1228-33
Ghadirian P (*see* Godard et al). 1998;179:403-10
Gherman R. Erb's palsy without shoulder dystocia. 1998;179:561-2 (Letter reply)
Gherman RB. Increased cesarean delivery rate: no effect on brachial plexus palsy. 1998;179:1378-9 (Letter)
Gherman RB, Goodwin TM. Obstetric maneuvers for shoulder dystocia. 1998;179:1380 (Letter reply)
Ghezzi F (*see* Gomez et al). 1998;179:194-202
Ghezzi F (*see* Romero et al). 1998;179:186-93
Ghidini A (*see* Vergani et al). 1998;179:562-3 (Letter reply)
Gilbert WM (*see* Nesbitt et al). 1998;179:476-80
Gillespie B (*see* Luke et al). 1998;179:1155-61
Gilson GJ (*see* Greci et al). 1998;179:172-8
Ginsburg KA (*see* Keenan et al). 1998;179:731-7
Giraud GD (*see* Jacobson et al). 1998;179:610-9
Girgin MÖ (*see* Karabacak et al). 1998;179:838 (Letter)
Gittens L (*see* Iffy et al). 1998;179:1379-80 (Letter)
Glynn BP, Wolton A, Rodríguez-Liñares B, Phaneuf S, Linton EA. Urocortin in pregnancy. 1998;179:533-9
Godard B, Foulkes WD, Provencher D, Brunet J-S, Tonin PN, Mes-Masson A-M, Narod SA, Ghadirian P. Risk factors for familial and sporadic ovarian cancer among French Canadians: a case-control study. 1998;179:403-10
Goepfert AR (*see* Guinn et al). 1998;179:874-8
Goffinet F (*see* Perdu et al). 1998;179:640-3
Gogineni SK, Verma RS. An abortus with double trisomy (48,XY,+4,+7). 1998;179:1654 (Letter)
Goldberg Y (*see* Wiener-Megnagi et al). 1998;179:1565-7
Goldenberg RL, Mercer BM, Miodovnik M, Thurnau GR, Meis PJ, Moawad A, Paul RH, Bottoms SF, Das A, Roberts JM, McNeilis D, Tamura T. Plasma ferritin, premature rupture of membranes, and pregnancy outcome. 1998;179:1599-604
Goldenberg RL (*see* Rouse et al). 1998;179:573-6 (Clin. opinion)
Golding JM, Wilsnack SC, Learman LA. Prevalence of sexual assault history among women with common gynecologic symptoms. 1998;179:1013-9
Goldsmith LJ (*see* Kurtzman et al). 1998;179:852-7
Goldstein SR. Selective estrogen receptor modulators: a new category of therapeutic agents for extending the health of postmenopausal women. 1998;179:1479-84 (Clin. opinion)
Gomez R, Romero R, Ghezzi F, Yoon BH, Mazor M, Berry SM. The fetal inflammatory response syndrome. 1998;179:194-202
Gomez R (*see* Athayde et al). 1998;179:1248-53
Gómez R (*see* Oyarzún et al). 1998;179:1115-9
Gomez R (*see* Romero et al). 1998;179:186-93
Gomez R (*see* Yoon et al). 1998;179:1107-14
Gómez-Marín O (*see* Nassar et al). 1998;179:1210-3
Gonik B (*see* Svinarich et al). 1998;179:470-5
Gonzalez CL (*see* Stewart et al). 1998;179:1241-7
Goodwin P (*see* Merrill et al). 1998;179:235-40
Goodwin PJ, Miller A, Del Giudice ME, Singer W, Connelly P, Ritchie JWK. Elevated high-density lipoprotein cholesterol and dietary fat intake in women with cyclic mastopathy. 1998;179:430-7
Goodwin TM (*see* Gherman and Goodwin). 1998;179:1380 (Letter reply)
Goodwin TM (*see* Safari et al). 1998;179:921-4
Gostout BS, Podratz KC, McGovern RM, Persing DH. Cervical cancer in older women: a molecular analysis of human papillomavirus types, HLA types, and p53 mutations. 1998;179:56-61
Graham A (*see* Moise et al). 1998;179:1353-8
Graham LB (*see* Rao et al). 1998;179:21-7
Grandone E, Margaglione M, Colaizzo D, D'Andrea G, Cappucci G, Brancaccio V, Di Minno G. Genetic susceptibility to pregnancy-related venous thromboembolism: roles of factor V Leiden, prothrombin G20210A, and methylenetetrahydrofolate reductase C677T mutations. 1998;179:1324-8

Graves SW (*see* Maxwell et al). 1998;179:28-34
Gray MR (*see* van Lingen et al). 1998;179:597-603
Greci LS, Gilson GJ, Nevils B, Izquierdo LA, Qualls CR, Curet LB. Is amniotic fluid analysis the key to preterm labor? A model using interleukin-6 for predicting rapid delivery. 1998;179:172-8
Greenspoon JS (*see* Sacks and Greenspoon). 1998;179:1100 (Letter)
Greinke C (*see* Zahm et al). 1998;179:1298-304
Greston WM (*see* Scotti et al). 1998;179:1436-45
Grether JK, Selvin S, Hoogstrate J, Nelson K. Tocolytic magnesium sulfate: Are the epidemiologic data reassuring? 1998;179:280 (Letter reply)
Grether JK (*see* Nelson and Grether). 1998;179:507-13
Grobman WA, Peaceman AM, Haney EI, Silver RK, MacGregor SN. Neonatal outcomes in triplet gestations after a trial of labor. 1998;179:942-5
Gross B (*see* Petrikovsky et al). 1998;179:906-8
Grossman Y (*see* Kopernik et al). 1998;179:1503-10
Gruss J (*see* Keder et al). 1998;179:583-5
Guerguerian A-M, Hardy P, Bhattacharya M, Olley P, Clyman RI, Fouron J-C, Chemtob S. Expression of cyclooxygenases in ductus arteriosus of fetal and newborn pigs. 1998;179:1618-26
Guinn DA, Goepfert AR, Owen J, Wenstrom KD, Hauth JC. Terbutaline pump maintenance therapy for prevention of preterm delivery: a double-blind trial. 1998;179:874-8
Gunja-Smith Z (*see* Rechberger et al). 1998;179:1511-4
Gurewitsch ED (*see* Fong et al). 1998;179:1237-40
Gutierrez LS (*see* Zeyneloglu et al). 1998;179:438-43
Guzick D. Polycystic ovary syndrome: symptomatology, pathophysiology, and epidemiology. 1998;179:S89-93

H

Hackl T (*see* Helmer et al). 1998;179:1572-8
Haeusler MCH, Konstantiniuk P, Dorfer M, Weiss PAM. Amniotic fluid insulin testing in gestational diabetes: safety and acceptance of amniocentesis. 1998;179:917-20
Hafner E, Sterniste W, Rosen A, Schuchter K, Plattner M, Asboth F, Philipp K. Group B streptococci during pregnancy: a comparison of two screening and treatment protocols. 1998;179:677-81
Hagymásy L, Tóth M, Szücs N, Rigó J. Neurofibromatosis type 1 with pregnancy-associated renovascular hypertension and the syndrome of hemolysis, elevated liver enzymes, and low platelets. 1998;179:272-4
Hallam S (*see* Esplin et al). 1998;179:974-7
Halmesmäki E (*see* Cacciatore et al). 1998;179:140-5
Hamid R (*see* Lammers and Hamid). 1998;179:1515-26
Hamilton EF, Platt RW, Morin L, Usher R, Kramer M. How small is too small in a twin pregnancy? 1998;179:682-5
Haney AF, Doty E. The temporal efficacy of early second-look lysis of adhesions in reducing postoperative adhesions in a murine model. 1998;179:368-73
Haney EI (*see* Grobman et al). 1998;179:942-5
Hanigan MH, Frierson HF Jr, Taylor PT Jr. Expression of γ-glutamyl transpeptidase in stage III and IV ovarian surface epithelial carcinomas does not alter response to primary cisplatin-based chemotherapy. 1998;179:363-7
Hannah ME (*see* Seaward et al). 1998;179:635-9
Haque K (*see* Seaward et al). 1998;179:635-9
Hardy P (*see* Guerguerian et al). 1998;179:1618-26
Harris HA (*see* Ballagh et al). 1998;179:1279-82 (Clin. opinion)
Harrison M (*see* DiFederico et al). 1998;179:925-33
Harrison MR (*see* Adzick et al). 1998;179:884-9
Hashimoto K (*see* Shimoya et al). 1998;179:255-6
Hassa H (*see* Şener et al). 1998;179:278-9 (Letter reply)
Hauth J, Sibai B, Caritis S, VanDorsten P, Lindheimer M, Klebanoff M, MacPhersons C, Landon M, Paul R, Miodovnik M, Meis P, Dombrowski M, Thurnau G, Walsh S, McNellis D, Roberts JM, National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units. Maternal serum thromboxane B_2 concentrations do not predict improved outcomes in high-risk pregnancies in a low-dose aspirin trial. 1998;179:1193-9
Hauth J (*see* Caritis et al). 1998;179:946-51
Hauth JC (*see* Guinn et al). 1998;179:874-8
Hauth JC (*see* Kimberlin et al). 1998;179:846-51
Hayman RG (*see* Crocker et al). 1998;179:1305-11
Hayslett JP, Katz DL, Knudson JM. Dilutional hyponatremia in pre-eclampsia. 1998;179:1312-6
Heerschap A (*see* van Cappellen van Walsum et al). 1998;179:756-7
Hegemier SE (*see* Hudon et al). 1998;179:858-63
Heidorn K (*see* Bonatz et al). 1998;179:591-6
Heim D (*see* Surbek et al). 1998;179:1228-33
Heine RP (*see* Ness et al). 1998;179:697-702
Heinen AGJJ (*see* Paarlberg et al). 1998;179:1559-64
Heit M (*see* Tao et al). 1998;179:1026-31
Hellberg P (*see* Mikuni et al). 1998;179:35-40
Helmer H, Hackl T, Schneeberger C, Knöfler M, Behrens O, Kaider A, Husslein P. Oxytocin and vasopressin 1a receptor gene expression in the cycling or pregnant human uterus. 1998;179:1572-8
Hendrix NW (*see* Chauhan et al). 1998;179:909-16
Hendrix SL (*see* McNeeley et al). 1998;179:1430-5
Hennessey MH, Rayburn WF, Stewart JD, Liles EC. Pre-eclampsia and induction of labor: a randomized comparison of prostaglandin E_2 as an intracervical gel, with oxytocin immediately, or as a sustained-release vaginal insert. 1998;179:1204-9
Hennessy MD (*see* Neiger et al). 1998;179:1136-9
Henning JM (*see* Colwell et al). 1998;179:47-55
Herman A (*see* Cooperstock et al). 1998;179:762-5
Hermonat PL (*see* Santin et al). 1998;179:1020-5
Herrchen B (*see* Nesbitt et al). 1998;179:476-80
Hershey DW. Twin-to-twin transfusion syndrome. 1998;179:1380-1 (Letter)
Heyborne KD (*see* Porreco et al). 1998;179:264-5
Hickson GB (*see* Sloan et al). 1998;179:671-6
Hiett AK (*see* Brown et al). 1998;179:459-63
Higgins JR, Papayianni A, Brady HR, Darling MRN, Walshe JJ. Circulating vascular cell adhesion molecule–1 in pre-eclampsia, gestational hypertension, and normal pregnancy: evidence of selective dysregulation of vascular cell adhesion molecule–1 homeostasis in pre-eclampsia. 1998;179:464-9
Higgins JR, Walshe JJ, Darling MRN, Norris L, Bonnar J. Hemostasis in the uteroplacental and peripheral circulations in normotensive and pre-eclamptic pregnancies. 1998;179:520-6
Hill LM, Connors-Beatty DJ, Nowak A, Tush B. The role of ultrasonography in the detection and management of adnexal masses during the second and third trimesters of pregnancy. 1998;179:703-7
Hill RM (*see* Hudon et al). 1998;179:858-63
Hilson AJW (*see* Lieberman et al). 1998;179:262-3
Hirano H (*see* Ogawa et al). 1998;179:105-10
Hitschold TP. Doppler flow velocity waveforms of the umbilical arteries correlate with intravillous blood volume. 1998;179:540-3
Hobbs GR (*see* Masilamani et al). 1998;179:486-91
Hodnett E (*see* Seaward et al). 1998;179:635-9

Hoeffel C. Comments on the quality of citations in journals. 1998;179:836 (Letter)
Hoeldtke NJ, Wagner RK, Moore KH, Calhoun BC, Hume RF Jr. Adrenomedullin concentrations in umbilical cord plasma of uncomplicated term pregnancies. 1998;179:1071-4
Hoffman MS, Lynch CM. Minilaparotomy hysterectomy. 1998;179:316-20
Hoffman MS (*see* Rao et al). 1998;179:21-7
Hofmeyr GJ (*see* Bamigboye et al). 1998;179:1043-6
Högberg U (*see* Berg-Lekås et al). 1998;179:117-21
Holgren EA (*see* Menard et al). 1998;179:374-81
Holmes MM, Resnick HS, Frampton D. Follow-up of sexual assault victims. 1998;179:336-42
Holzgreve W (*see* Al-Mufti et al). 1998;179:210-4
Holzgreve W (*see* Surbek et al). 1998;179:1228-33
Homko CJ (*see* Sivan et al). 1998;179:1128-32
Hong S-F (*see* Hsu et al). 1998;179:1267-70
Honoré EK (*see* Williams et al). 1998;179:1288-94
Hoogstrate J (*see* Grether et al). 1998;179:280 (Letter reply)
Hornberger J (*see* Raab et al). 1998;179:411-20
How HY (*see* Turnquest et al). 1998;179:1261-6
Howard C (*see* Al-Mufti et al). 1998;179:210-4
Howell LJ (*see* Adzick et al). 1998;179:884-9
Howie PW (*see* Mires et al). 1998;179:1317-23
Hoyer H (*see* Zahm et al). 1998;179:1298-304
Hsu C-D, Meaddough E, Aversa K, Hong S-F, Lu L-C, Jones DC, Copel JA. Elevated amniotic fluid levels of leukemia inhibitory factor, interleukin-6, and interleukin 8 in intra-amniotic infection. 1998;179:1267-70
Hsu C-D, Meaddough E, Lu L-C, Chelouche A, Liang R-I, Copel JA, Parkash V. Immunohistochemical localization of inducible nitric oxide synthase on human fetal amnion in intra-amniotic infection. 1998;179:1271-4
Hsu C-D (*see* Bahado-Singh et al). 1998;179:738-41
Hudon L, Moise KJ Jr, Hegemier SE, Hill RM, Moise AA, Smith EO, Carpenter RJ. Long-term neurodevelopmental outcome after intrauterine transfusion for the treatment of fetal hemolytic disease. 1998;179:858-63
Hudon L (*see* Moise et al). 1998;179:1353-8
Hulac P (*see* Meikle et al). 1998;179:166-71
Hume RF Jr (*see* Hoeldtke et al). 1998;179:1071-4
Hunter D (*see* Bahado-Singh et al). 1998;179:514-9
Hussey MJ, Levy ES, Pombar X, Meyer P, Strassner HT. Evaluating rapid diagnostic tests of intra-amniotic infection: gram stain, amniotic fluid glucose level, and amniotic fluid to serum glucose level ratio. 1998;179:650-6
Husslein P (*see* Helmer et al). 1998;179:1572-8
Hutchon DJR. Estimating date of confinement in in vitro fertilization pregnancies. 1998;179:1381 (Letter)
Hutchon DJR. Understanding miscarriage or insensitive abortion: Time for more defined terminology? 1998;179:397-8 (Clin. opinion)

I

Idriss E (*see* Emery et al). 1998;179:989-93
Iezzoni JC (*see* Ferguson et al). 1998;179:321-9
Iffy L, Ganesh V, Gittens L. Obstetric maneuvers for shoulder dystocia. 1998;179:1379-80 (Letter)
Iitsuka Y (*see* Ishii et al). 1998;179:628-34
Ikeda T, Murata Y, Quilligan EJ, Parer JT, Theunissen IM, Cifuentes P, Doi S, Park S-D. Fetal heart rate patterns in postasphyxiated fetal lambs with brain damage. 1998;179:1329-37
Ikeda T (*see* Ota et al). 1998;179:1075-8
Ikegami M (*see* Jobe and Ikegami). 1998;179:835 (Letter reply)
Ikenoue T (*see* Ota et al). 1998;179:1075-8
Imai A (*see* Mikamo et al). 1998;179:1579-82
Ishii J, Iitsuka Y, Takano H, Matsui H, Osada H, Sekiya S. Genetic differentiation of complete hydatidiform moles coexisting with normal fetuses by short tandem repeat–derived deoxyribonucleic acid polymorphism analysis. 1998;179:628-34
Ishimaru T (*see* Nakayama et al). 1998;179:256-7
Isozaki T (*see* Bahado-Singh et al). 1998;179:738-41
Izquierdo LA (*see* Greci et al). 1998;179:172-8

J

Jackson S (*see* Rebarber et al). 1998;179:715-20
Jacobson S-L, Eicher A, Paul MS, Giraud GD, Morton MJ, Thornburg KL. The sequential effects of estrogen administration and hypertension on cardiac function in ewes. 1998;179:610-9
Jaekle RK (*see* Alamia et al). 1998;179:1133-5
Jakobovits ÁA. Diurnal rhythms of labor and delivery. 1998;179:836 (Letter)
Jakobs C (*see* Leeda et al). 1998;179:135-9
Jakowicki JA (*see* Rechberger et al). 1998;179:1511-4
Jankelevich J (*see* Leible et al). 1998;179:1587-93
Jansen W (*see* Surbek et al). 1998;179:1228-33
Jelsema RD. Nonobstetric emergencies in pregnancy. 1998;179:558-9 (Letter)
Jobe AH, Ikegami M. Fetal growth restriction induced by cortisone 40 years ago. 1998;179:835 (Letter reply)
Joffe GM, Esterlitz JR, Levine RJ, Clemens JD, Ewell MG, Sibai BM, Catalano PM, Calcium for Preeclampsia Prevention (CPEP) Study Group. The relationship between abnormal glucose tolerance and hypertensive disorders of pregnancy in healthy nulliparous women. 1998;179:1032-7
Johnson MP (*see* Sokol et al). 1998;179:971-3
Johnson TRB, Paine LL, Strobino DM, Witter FR. Population differences affect the interpretation of fetal nonstress test results. 1998;179:779-83
Johnson V (*see* Ascarelli et al). 1998;179:952-6
Jonat W (*see* Bonatz et al). 1998;179:591-6
Jones DC (*see* Hsu et al). 1998;179:1267-70
Jongsma HW (*see* Nijland et al). 1998;179:559 (Letter)
Jongsma HW (*see* van Cappellen van Walsum et al). 1998;179:756-7
Jun JK (*see* Yoon et al). 1998;179:1107-14

K

Kaaja R (*see* Cacciatore et al). 1998;179:140-5
Kaider A (*see* Helmer et al). 1998;179:1572-8
Kalchbrenner MA, Weisenborn EJ, Chyu JK, Kaufman HK, Losure TA. Delayed delivery of multiple gestations: maternal and neonatal outcomes. 1998;179:1145-9
Kalter CS (*see* Quintero et al). 1998;179:71-6
Kalter H. Fetal growth restriction induced by cortisone 40 years ago. 1998;179:835 (Letter)
Kammerer-Doak DN, Cornella JL, Magrina JF, Stanhope CR, Smilack J. Osteitis pubis after Marshall-Marchetti-Krantz urethropexy: a pubic osteomyelitis. 1998;179:586-90
Kaplan C (*see* Magid et al). 1998;179:226-34
Karabacak O, Girgin MÖ, Yucesoy G. Is it polycystic ovary syndrome causing the hyperstimulation again? 1998;179:838 (Letter)
Karmen A (*see* Bernstein et al). 1998;179:870-3
Karram M (*see* Steele et al). 1998;179:1458-64
Kato S (*see* Oyarzún et al). 1998;179:1115-9

Katz DL (*see* Hayslett et al). 1998;179:1312-6
Kaufman HK (*see* Kalchbrenner et al). 1998;179:1145-9
Kawazoe K (*see* Mikamo et al). 1998;179:1579-82
Keder LM, Rulin MC, Gruss J. Compliance with depot medroxyprogesterone acetate: a randomized, controlled trial of intensive reminders. 1998;179:583-5
Kee WDN (*see* Yuen et al). 1998;179:1-5
Keenan PA, Yaldoo DT, Stress ME, Fuerst DR, Ginsburg KA. Explicit memory in pregnant women. 1998;179:731-7
Kelly RW (*see* Elliott et al). 1998;179:215-20
Kennedy KA (*see* Lien et al). 1998;179:453-8
Kesby GJ. Pregnancy complicated by symptomatic adult polycystic liver disease. 1998;179:266-7
Khan-Dawood FS (*see* Lee et al). 1998;179:620-7
Khurana R (*see* Carson and Khurana). 1998;179:558 (Letter)
Killeen J (*see* Millar et al). 1998;179:126-34
Killick SR, Fitzgerald C, Davis A. Ovarian activity in women taking an oral contraceptive containing 20 μg ethinyl estradiol and 150 μg desogestrel: effects of low estrogen doses during the hormone-free interval. 1998;179:S18-24
Kilpatrick SJ (*see* DiFederico et al). 1998;179:925-33
Kim JC (*see* Yoon et al). 1998;179:1254-60
Kim KS (*see* Yoon et al). 1998;179:1254-60
Kim YA (*see* Yoon et al). 1998;179:1254-60
Kim YJ, Ahn JJ, Woo BH. The effect of cytokine mediators on prostaglandin inhibition by human decidual cells. 1998;179:146-9
Kimberlin DF, Weller S, Whitley RJ, Andrews WW, Hauth JC, Lakeman F, Miller G. Pharmacokinetics of oral valacyclovir and acyclovir in late pregnancy. 1998;179:846-51
Kjellberg L, Wiklund F, Sjöberg I, Wadell G, Ångström T, Dillner J, Mählck C-G. A population-based study of human papillomavirus deoxyribonucleic acid testing for predicting cervical intraepithelial neoplasia. 1998;179:1497-502
Klebanoff M (*see* Caritis et al). 1998;179:946-51
Klebanoff M (*see* Hauth et al). 1998;179:1193-9
Kleinman GE (*see* Maher et al). 1998;179:1225-7
Kmak DC (*see* McNeeley et al). 1998;179:1430-5
Knöfler M (*see* Helmer et al). 1998;179:1572-8
Knudson JM (*see* Hayslett et al). 1998;179:1312-6
Knuppel RA (*see* Vintzileos et al). 1998;179:1214-9
Knuppel RA (*see* Vintzileos et al). 1998;179:1220-4
Kodama H (*see* Ogawa et al). 1998;179:105-10
Kohli N (*see* Miklos et al). 1998;179:1418-23
Kohli N (*see* Steele et al). 1998;179:1458-64
Konstantiniuk P (*see* Haeusler et al). 1998;179:917-20
Kopernik G, Avinoach E, Grossman Y, Levy R, Yulzari R, Rogachev B, Douvdevani A. The effect of a high partial pressure of carbon dioxide environment on metabolism and immune functions of human peritoneal cells—relevance to carbon dioxide pneumoperitoneum. 1998;179:1503-10
Koren G (*see* Lalkin et al). 1998;179:727-30
Korones SB (*see* Donovan et al). 1998;179:742-9
Korones SB (*see* Stevenson et al). 1998;179:1632-9
Kovanci E (*see* Bahado-Singh et al). 1998;179:738-41
Kovanci E (*see* Bahado-Singh et al). 1998;179:1627-31
Kramer M (*see* Hamilton et al). 1998;179:682-5
Kramer RL (*see* Sokol et al). 1998;179:971-3
Krause N (*see* Possover et al). 1998;179:1295-7
Kubonoya K (*see* Yoneyama et al). 1998;179:750-5
Kühnert M, Seelbach-Göbel B, Butterwegge M. Déjà vu, again. 1998;179:1100 (Letter reply)
Kurtzman JT, Goldsmith LJ, Gall SA, Spinnato JA. Transvaginal versus transperineal ultrasonography: a blinded comparison in the assessment of cervical length at midgestation. 1998;179:852-7
Kushwaha A (*see* Santolaya-Forgas et al). 1998;179:1124-7
Kyrklund-Blomberg NB, Cnattingius S. Preterm birth and maternal smoking: risks related to gestational age and onset of delivery. 1998;179:1051-5

L

Lachman MF, Cavallo-Calvanese C. Qualification of atypical squamous cells of undetermined significance in an independent laboratory: Is it useful or significant? 1998;179:421-9
Lähteenmäki P (*see* Elomaa et al). 1998;179:41-6
Lakeman F (*see* Kimberlin et al). 1998;179:846-51
Lalkin A, Loebstein R, Addis A, Ramezani-Namin F, Mastroiacovo P, Mazzone T, Vial T, Bonati M, Koren G. The safety of omeprazole during pregnancy: a multicenter prospective controlled study. 1998;179:727-30
Lam CWK (*see* Yuen et al). 1998;179:1-5
la Marca A, Morgante G, De Leo V. Hyperemesis gravidarum is not associated with hypofunction of the pituitary-adrenal axis. 1998;179:1381-2 (Letter)
Lammers WJEP, Hamid R. The initiation, continuation, and termination of spontaneous episodes of circus movements in the pregnant myometrium of the rat. 1998;179:1515-26
Landon M (*see* Caritis et al). 1998;179:946-51
Landon M (*see* Hauth et al). 1998;179:1193-9
Landwehr JB (*see* Bryant et al). 1998;179:686-9
Langer O (*see* Conway and Langer). 1998;179:837-8 (Letter reply)
Langer O (*see* Conway and Langer). 1998;179:1379 (Letter reply)
Lao TTH (*see* Chan et al). 1998;179:1377-8 (Letter)
Lapinski R (*see* Torok et al). 1998;179:221-5
LaSala CA (*see* Myers and LaSala). 1998;179:1424-9
La Vecchia C (*see* Parazzini et al). 1998;179:1103 (Letter)
Lawrenson RA (*see* Farmer and Lawrenson). 1998;179:S78-86
Learman LA (*see* Golding et al). 1998;179:1013-9
Lee K-H, Khan-Dawood FS, Dawood MY. Oxytocin receptor and its messenger ribonucleic acid in human leiomyoma and myometrium. 1998;179:620-7
Lee NC (*see* Spitz et al). 1998;179:1485-90 (Clin. opinion)
Leeda M, Riyazi N, de Vries JIP, Jakobs C, van Geijn HP, Dekker GA. Effects of folic acid and vitamin B_6 supplementation on women with hyperhomocysteinemia and a history of preeclampsia or fetal growth restriction. 1998;179:135-9
Leger CL (*see* Rodriguez et al). 1998;179:1063-70
Legro RS. Polycystic ovary syndrome: current and future treatment paradigms. 1998;179:S101-8
Lei ZM (*see* Tao et al). 1998;179:1026-31
Leible S, Cumsille F, Walton R, Muñoz H, Jankelevich J, Sepulveda W. Discordant uterine artery velocity waveforms as a predictor of subsequent miscarriage in early viable pregnancies. 1998;179:1587-93
Lemons JA (*see* Donovan et al). 1998;179:742-9
Lemons JA (*see* Stevenson et al). 1998;179:1632-9
Lentz SS, Cappellari JO. Postmenopausal diagnosis of testicular feminization. 1998;179:268-9
Leo MV (*see* Rodis et al). 1998;179:985-8
Leonardi MR (*see* Bryant et al). 1998;179:686-9
Leslie J (*see* Mires et al). 1998;179:1317-23
Letizia C (*see* Marinoni et al). 1998;179:784-7
Leuthold AC (*see* Wakai et al). 1998;179:258-60
Levine OS (*see* Factor et al). 1998;179:1568-71
Levine RJ (*see* Joffe et al). 1998;179:1032-7
Levy ES (*see* Hussey et al). 1998;179:650-6
Levy R (*see* Kopernik et al). 1998;179:1503-10
Lewis DE (*see* Bischoff et al). 1998;179:203-9

Lewis MA. The epidemiology of oral contraceptive use: a critical review of the studies on oral contraceptives and the health of young women. 1998;179:1086-97 (AJOG reviews)
Lewis MA. Myocardial infarction and stroke in young women: What is the impact of oral contraceptives? 1998;179:S68-77
Liang R-I (*see* Hsu et al). 1998;179:1271-4
Lidegaard Ø. Thrombotic diseases in young women and the influence of oral contraceptives. 1998;179:S62-7
Lieberman E (*see* Caughey et al). 1998;179:938-41
Lieberman G. Buscombe JR, Hilson AJW, Thakrar D, MacLean A. The detection of struma ovarii in two patients by radioimmunoscintigraphy. 1998;179:262-3
Lien JM, Morgan MA, Garite TJ, Kennedy KA, Sassoon DA, Freeman RK. Antepartum cervical ripening: applying prostaglandin E_2 gel in conjunction with scheduled nonstress tests in postdate pregnancies. 1998;179:453-8
Lile W (*see* Maher et al). 1998;179:1225-7
Liles EC (*see* Hennessey et al). 1998;179:1204-9
Liles EM (*see* Stewart et al). 1998;179:1175-80
Limiti MR (*see* Scotto et al). 1998;179:816-7
Lin M (*see* Sivan et al). 1998;179:1128-32
Lin N (*see* Bernstein et al). 1998;179:870-3
Lindheimer M (*see* Caritis et al). 1998;179:946-51
Lindheimer M (*see* Hauth et al). 1998;179:1193-9
Lingle JR (*see* Porreco et al). 1998;179:264-5
Linton EA (*see* Endresen et al). 1998;179:665-70
Linton EA (*see* Glynn et al). 1998;179:533-9
Lip GYH, Singh SP, Beevers DG. Aortic coarctation diagnosed after hypertension in pregnancy. 1998;179:814-5
Lipitz S (*see* Schiff et al). 1998;179:1181-5
Little BB (*see* Dobson et al). 1998;179:527-32
Liu Q (*see* Menard et al). 1998;179:374-81
Liu Y-L, Nwosu UC, Rice PJ. Relaxation of isolated human myometrial muscle by β_2-adrenergic receptors but not β_1-adrenergic receptors. 1998;179:895-8
Lizama L (*see* Oyarzún et al). 1998;179:1115-9
Locatelli A (*see* Vergani et al). 1998;179:562-3 (Letter reply)
Lockshin MD (*see* Magid et al). 1998;179:226-34
Loebstein R (*see* Lalkin et al). 1998;179:727-30
Lombardi SJ (*see* Fortunato et al). 1998;179:794-9
Longo SA, Towers CV, Strauss A, Asrat T, Freeman RK. Meconium has no lecithin or sphingomyelin but affects the lecithin/sphingomyelin ratio. 1998;179:1640-2
Lonser R (*see* Rebarber et al). 1998;179:715-20
Losure TA (*see* Kalchbrenner et al). 1998;179:1145-9
Lotgering FK (*see* Mul et al). 1998;179:825-7
Love D (*see* Clark et al). 1998;179:841-5
Loyd G (*see* Clark et al). 1998;179:1527-33
Lu L-C (*see* Hsu et al). 1998;179:1267-70
Lu L-C (*see* Hsu et al). 1998;179:1271-4
Lucente V (*see* Miklos et al). 1998;179:1418-23
Luke B. Maternal weight, body mass index, and cesarean delivery. 1998;179:564 (Letter)
Luke B, Min S-J, Gillespie B, Avni M, Witter FR, Newman RB, Mauldin JG, Salman FA, O'Sullivan MJ. The importance of early weight gain in the intrauterine growth and birth weight of twins. 1998;179:1155-61
Lunshof S. Umbilical cord accidents—time of death: continued. 1998;179:276 (Letter reply)
Luoto R, Männistö S, Vartiainen E. Hormone replacement therapy and body size: How much does lifestyle explain? 1998;179:1103 (Letter reply)
Lye SJ, Bernstein P, Oskamp M. Is the attenuation of β-adrenergic agonist efficacy during labor caused by elevated prostaglandin E levels? 1998;179:1168-74
Lynch CM (*see* Hoffman and Lynch). 1998;179:316-20
Lyons E (*see* Meikle et al). 1998;179:166-71

M

MacGregor SN (*see* Grobman et al). 1998;179:942-5
MacLean A (*see* Lieberman et al). 1998;179:262-3
MacPhersons C (*see* Hauth et al). 1998;179:1193-9
Magann EF, McNamara MF, Whitworth NS, Chauhan SP, Thorpe RA, Morrison JC. Can we decrease postdatism in women with an unfavorable cervix and a negative fetal fibronectin test result at term by serial membrane sweeping? 1998;179:890-4
Magid MS, Kaplan C, Sammaritano LR, Peterson M, Druzin ML, Lockshin MD. Placental pathology in systemic lupus erythematosus: a prospective study. 1998;179:226-34
Magos A (*see* Davies et al). 1998;179:1008-12
Magrina JF (*see* Kammerer-Doak et al). 1998;179:586-90
Magriples U, Copel JA. Accurate detection of anomalies by routine ultrasonography in an indigent clinic population. 1998;179:978-81
Mahaffey D (*see* Brown et al). 1998;179:459-63
Maher JE, Kleinman GE, Lile W, Tolaymat L, Steele D, Bernard J. The construction and utility of an amniocentesis trainer. 1998;179:1225-7
Mählck C-G (*see* Kjellberg et al). 1998;179:1497-502
Mahoney J (*see* Bahado-Singh et al). 1998;179:1627-31
Mahoney MJ (*see* Bahado-Singh et al). 1998;179:514-9
Major C (*see* Towers et al). 1998;179:708-14
Major CA, de Veciana M, Weeks J, Morgan MA. Recurrence of gestational diabetes: Who is at risk? 1998;179:1038-42
Major CA (*see* Tewari et al). 1998;179:818-9
Majors AK (*see* Powers et al). 1998;179:1605-11
Mak TWL (*see* Yuen et al). 1998;179:1-5
Mallipeddi P (*see* Steele et al). 1998;179:1458-64
Männistö S (*see* Luoto et al). 1998;179:1103 (Letter reply)
Margaglione M (*see* Grandone et al). 1998;179:1324-8
Marinoni E, Di Iorio R, Letizia C, Villaccio B, Scucchi L, Cosmi EV. Immunoreactive adrenomedullin in human fetoplacental tissues. 1998;179:784-7
Marshburn PB (*see* Williams and Marshburn). 1998;179:292-8
Martin CB (*see* Wakai et al). 1998;179:258-60
Martin J (*see* Angioli et al). 1998;179:343-8
Martin JN Jr (*see* Ascarelli et al). 1998;179:952-6
Martin LB (*see* Ramus et al). 1998;179:1348-52
Martin RW (*see* Ascarelli et al). 1998;179:952-6
Martinez JM (*see* Borrell et al). 1998;179:1612-7
Mashiach S (*see* Schiff et al). 1998;179:1181-5
Mashiach S (*see* Simchen et al). 1998;179:994-8
Masilamani S, Hobbs GR, Baylis C. The acute pressure natriuresis response blunted and the blood pressure response reset in the normal pregnant rat. 1998;179:486-91
Mastroiacovo P (*see* Lalkin et al). 1998;179:727-30
Mastropasqua A (*see* Bonomo et al). 1998;179:179-85
Masuzaki H (*see* Nakayama et al). 1998;179:256-7
Mathias SD (*see* Colwell et al). 1998;179:47-55
Matsui H (*see* Ishii et al). 1998;179:628-34
Matthay MA (*see* DiFederico et al). 1998;179:925-33
Mauldin JG, Newman RB, Mauldin PD. Cost-effective delivery management of the vertex and nonvertex twin gestation. 1998;179:864-9
Mauldin JG (*see* Luke et al). 1998;179:1155-61

Mauldin PD (*see* Mauldin et al). 1998;179:864-9
Maxwell CV, Tao Q-F, Seely EW, Repke JT, Graves SW. Regulation of the sodium pump in pregnancy-related tissues in preeclampsia. 1998;179:28-34
May WL (*see* Ascarelli et al). 1998;179:952-6
Maymon E, Piura B, Mazor M, Bashiri A, Silberstein T, Yanai-Inbar I. Primary hepatoid carcinoma of ovary in pregnancy. 1998;179:820-2
Maymon E (*see* Athayde et al). 1998;179:1248-53
Maymon E (*see* Yoon et al). 1998;179:1107-14
Mazor M (*see* Gomez et al). 1998;179:194-202
Mazor M (*see* Maymon et al). 1998;179:820-2
Mazor M (*see* Romero et al). 1998;179:186-93
Mazor M (*see* Yoon et al). 1998;179:1107-14
Mazzone T (*see* Lalkin et al). 1998;179:727-30
McClish DK (*see* Wyman et al). 1998;179:999-1007
McCowan LME (*see* Coleman et al). 1998;179:1553-8
McGovern RM (*see* Gostout et al). 1998;179:56-61
McGrath MJ. Postamniocentesis fluid leakage. 1998;179:278 (Letter)
McKay J (*see* Beall et al). 1998;179:934-7
McLaren RA (*see* Chauhan et al). 1998;179:909-16
McLaughlin MT (*see* Ness et al). 1998;179:697-702
McNamara MF (*see* Magann et al). 1998;179:890-4
McNeeley SG Jr, Hendrix SL, Bennett SM, Singh A, Ransom SB, Kmak DC, Morley GW. Synthetic graft placement in the treatment of fascial dehiscence with necrosis and infection. 1998;179:1430-5
McNeilis D (*see* Goldenberg et al). 1998;179:1599-604
McNellis D (*see* Caritis et al). 1998;179:946-51
McNellis D (*see* Hauth et al). 1998;179:1193-9
Meaddough E (*see* Hsu et al). 1998;179:1267-70
Meaddough E (*see* Hsu et al). 1998;179:1271-4
Meeks GR (*see* Unger and Meeks). 1998;179:1473-8
Meikle SF, Lyons E, Hulac P, Orleans M. Rehospitalizations and outpatient contacts of mothers and neonates after hospital discharge after vaginal delivery. 1998;179:166-71
Meis P (*see* Caritis et al). 1998;179:946-51
Meis P (*see* Hauth et al). 1998;179:1193-9
Meis PJ (*see* Goldenberg et al). 1998;179:1599-604
Menard MK, Liu Q, Holgren EA, Sappenfield WM. Neonatal mortality for very low birth weight deliveries in South Carolina by level of hospital perinatal service. 1998;179:374-81
Menard MK (*see* Ottinger et al). 1998;179:349-53
Mendoza G (*see* Quintero et al). 1998;179:71-6
Menko FH (*see* Zweemer et al). 1998;179:1101-2 (Letter reply)
Menon R (*see* Athayde et al). 1998;179:1248-53
Menon R (*see* Fortunato et al). 1998;179:794-9
Mercer BM (*see* Egerman et al). 1998;179:1120-3
Mercer BM (*see* Egerman et al). 1998;179:1234-6
Mercer BM (*see* Goldenberg et al). 1998;179:1599-604
Merrell DA (*see* Bamigboye et al). 1998;179:1043-6
Merrill DC, Goodwin P, Burson JM, Sato Y, Williamson R, Weiner CP. The optimal route of delivery for fetal meningomyelocele. 1998;179:235-40
Mes-Masson A-M (*see* Godard et al). 1998;179:403-10
Meyer BA (*see* Alamia et al). 1998;179:1133-5
Meyer P (*see* Hussey et al). 1998;179:650-6
Mikamo H, Kawazoe K, Sato Y, Imai A, Tamaya T. Preterm labor and bacterial intraamniotic infection: arachidonic acid liberation by phospholipase A_2 of *Fusobacterium nucleatum*. 1998;179:1579-82
Miklos JR, Kohli N, Lucente V, Saye WB. Site-specific fascial defects in the diagnosis and surgical management of enterocele. 1998;179:1418-23
Mikuni M, Brännström M, Hellberg P, Peterson CA, Pall M, Edwin SS, Peterson CM. Saralasin-induced inhibition of ovulation in the in vitro perfused rat ovary is not replicated by the angiotensin II type-2 receptor antagonist PD123319. 1998;179:35-40
Milani R (*see* Colombo and Milani). 1998;179:13-20
Millar LK, Boesche MH, Yamamoto SY, Killeen J, DeBuque L, Chen R, Bryant-Greenwood GD. A relaxin-mediated pathway to preterm premature rupture of the fetal membranes that is independent of infection. 1998;179:126-34
Miller A (*see* Goodwin et al). 1998;179:430-7
Miller G (*see* Kimberlin et al). 1998;179:846-51
Miller MW, Brayman AA, Abramowicz JS. Obstetric ultrasonography: a biophysical consideration of patient safety—the "rules" have changed. 1998;179:241-54 (AJOG reviews)
Milliken JC (*see* Tio et al). 1998;179:270-2
Min S-J (*see* Luke et al). 1998;179:1155-61
Miodovnik M (*see* Caritis et al). 1998;179:946-51
Miodovnik M (*see* Goldenberg et al). 1998;179:1599-604
Miodovnik M (*see* Hauth et al). 1998;179:1193-9
Mircette™ Study Group. An open-label, multicenter, noncomparative safety and efficacy study of Mircette™, a low-dose estrogen-progestin oral contraceptive. 1998;179:S2-8
Mires GJ, Williams FLR, Leslie J, Howie PW. Assessment of uterine arterial notching as a screening test for adverse pregnancy outcome. 1998;179:1317-23
Mirhashemi R (*see* Angioli et al). 1998;179:343-8
Misao R (*see* Tamaya et al). 1998;179:828-9
Mishell DR Jr. A critical analysis of progestins and VT—introduction. 1998;179:S37
Mitchell M (*see* Coleman et al). 1998;179:1553-8
Mittendorf R, Pryde P. Tocolytic magnesium sulfate: Are the epidemiologic data reassuring? 1998;179:280 (Letter)
Miyakawa I (*see* Tanaka et al). 1998;179:644-9
Moawad A (*see* Goldenberg et al). 1998;179:1599-604
Moenne A (*see* Oyarzún et al). 1998;179:1115-9
Moise AA (*see* Hudon et al). 1998;179:858-63
Moise KJ Jr, Rodkey LS, Yared M, Hudon L, Saade G, Dorman K, Graham A. An animal model for hemolytic disease of the fetus or newborn in New Zealand White and New Zealand Red rabbits: newborn effects. 1998;179:1353-8
Moise KJ Jr (*see* Hudon et al). 1998;179:858-63
Moore KH (*see* Hoeldtke et al). 1998;179:1071-4
Moorrees M (*see* Elomaa et al). 1998;179:41-6
Morabito A (*see* Bonomo et al). 1998;179:179-85
Morales WJ (*see* Quintero et al). 1998;179:71-6
Morgan MA (*see* Lien et al). 1998;179:453-8
Morgan MA (*see* Major et al). 1998;179:1038-42
Morgante G (*see* la Marca et al). 1998;179:1381-2 (Letter)
Morice P, Castaigne D, Duvillard P. Surgical procedure for para-aortic lymphadenectomy in stage IB and stage II cervical carcinoma. 1998;179:1098 (Letter)
Morin L (*see* Hamilton et al). 1998;179:682-5
Moriyama S (*see* Nakayama et al). 1998;179:256-7
Morley GW (*see* McNeeley et al). 1998;179:1430-5
Morris JM (*see* Endresen et al). 1998;179:665-70
Morrison JC (*see* Chauhan et al). 1998;179:909-16
Morrison JC (*see* Magann et al). 1998;179:890-4
Mortimer L (*see* Ness et al). 1998;179:697-702
Morton MJ (*see* Jacobson et al). 1998;179:610-9
Mosca F (*see* Fesslova et al). 1998;179:1056-62
Mul TFM, van Herwerden LA, Cohen-Overbeek TE, Catsman-Berrevoets CE, Lotgering FK. Hypoxic-ischemic fetal insult resulting from maternal aortic root replacement, with normal fetal heart rate at term. 1998;179:825-7
Muller F (*see* Sokol et al). 1998;179:971-3

Muñoz H (*see* Leible et al). 1998;179:1587-93
Murata Y (*see* Ikeda et al). 1998;179:1329-37
Murata Y (*see* Shimoya et al). 1998;179:255-6
Murphy AA (*see* Roberts et al). 1998;179:354-62
Murrell S (*see* Bischoff et al). 1998;179:203-9
Myers DL, LaSala CA. Conservative surgical management of Mersilene mesh suburethral sling erosion. 1998;179:1424-9
Myhr TL (*see* Seaward et al). 1998;179:635-9

N

Nagamani M, Stuart CA. Specific binding and growth-promoting activity of insulin in endometrial cancer cells in culture. 1998;179:6-12
Nageotte MP (*see* Towers et al). 1998;179:708-14
Nakanishi Y (*see* Tamaya et al). 1998;179:828-9
Nakayama D, Masuzaki H, Yoshimura S, Moriyama S, Ishimaru T. Monozygotic twins discordant for single umbilical artery and congenital heart disease. 1998;179:256-7
Narahara H (*see* Tanaka et al). 1998;179:644-9
Narod SA (*see* Godard et al). 1998;179:403-10
Nassar A (*see* Factor et al). 1998;179:1568-71
Nassar AH, Adra AM, Chakhtoura N, Gómez-Marín O, Beydoun S. Severe preeclampsia remote from term: Labor induction or elective cesarean delivery? 1998;179:1210-3
Nathanielsz PW (*see* Pitera et al). 1998;179:492-6
Nathanielsz PW (*see* Smith et al). 1998;179:1545-52
National Institute of Child Health and Human Development Neonatal Research Network (*see* Donovan et al). 1998;179:742-9
National Institute of Child Health and Human Development Neonatal Research Network (*see* Stevenson et al). 1998;179:1632-9
National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units (*see* Caritis et al). 1998;179:946-51
National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units (*see* Hauth et al). 1998;179:1193-9
Naulty JS (*see* Eberle et al). 1998;179:150-5
Nava S (*see* Fesslova et al). 1998;179:1056-62
Neiger R, Hennessy MD, Patel M. Reattempting failed external cephalic version under epidural anesthesia. 1998;179:1136-9
Nelson K (*see* Grether et al). 1998;179:280 (Letter reply)
Nelson KB, Grether JK. Potentially asphyxiating conditions and spastic cerebral palsy in infants of normal birth weight. 1998;179:507-13
Nelson L (*see* Esplin et al). 1998;179:974-7
Nemiroff R (*see* Bernick et al). 1998;179:957-61
Nesbitt TS, Gilbert WM, Herrchen B. Shoulder dystocia and associated risk factors with macrosomic infants born in California. 1998;179:476-80
Ness RB, McLaughlin MT, Heine RP, Bass DC, Mortimer L. Fetal fibronectin as a marker to discriminate between ectopic and intrauterine pregnancies. 1998;179:697-702
Ness RB (*see* Powers et al). 1998;179:1605-11
Nessmann C (*see* Rodriguez et al). 1998;179:1063-70
Nevils B (*see* Greci et al). 1998;179:172-8
Newberry YG (*see* Ferguson et al). 1998;179:1186-92
Newman RB (*see* Brost and Newman). 1998;179:565 (Letter reply)
Newman RB (*see* Luke et al). 1998;179:1155-61
Newman RB (*see* Mauldin et al). 1998;179:864-9
Nguyen DD (*see* Bischoff et al). 1998;179:203-9
Nichols DH (*see* Veronikis et al). 1998;179:1411-7
Nicolini U, Pisoni MP, Cela E, Roberts A. Fetal blood sampling immediately before and within 24 hours of death in monochorionic twin pregnancies complicated by single intrauterine death. 1998;179:800-3
Nicolini U (*see* Fesslova et al). 1998;179:1056-62
Nicosia SV (*see* Porter et al). 1998;179:1283-7
Nijhuis JG (*see* van Cappellen van Walsum et al). 1998;179:756-7
Nijland MJM (*see* Zhao et al). 1998;179:899-905
Nijland R, van den Berg PP, Jongsma HW. Databases and the statistical usage of (perinatal) results—reply. 1998;179:559 (Letter)
Nindl I (*see* Zahm et al). 1998;179:1298-304
Nisand I (*see* Perdu et al). 1998;179:640-3
Nissen C (*see* Surbek et al). 1998;179:1228-33
Nobrega AC (*see* Endresen et al). 1998;179:665-70
Norris L (*see* Higgins et al). 1998;179:520-6
Norris MC (*see* Eberle et al). 1998;179:150-5
Novikov I (*see* Schiff et al). 1998;179:1181-5
Nowak A (*see* Hill et al). 1998;179:703-7
Nwosu UC (*see* Liu et al). 1998;179:895-8

O

O'Brien JE (*see* Sokol et al). 1998;179:971-3
O'Brien WF (*see* Porter et al). 1998;179:1283-7
O'Connor H (*see* Davies et al). 1998;179:1008-12
Odibo A (*see* Borgida et al). 1998;179:982-4
Odibo AO (*see* Rodis et al). 1998;179:985-8
Oeseburg B (*see* van Cappellen van Walsum et al). 1998;179:756-7
Ogawa M, Hirano H, Tsubaki H, Kodama H, Tanaka T. The role of cytokines in cervical ripening: correlations between the concentrations of cytokines and hyaluronic acid in cervical mucus and the induction of hyaluronic acid production by inflammatory cytokines by human cervical fibroblasts. 1998;179:105-10
Oh W (*see* Donovan et al). 1998;179:742-9
Oh W (*see* Stevenson et al). 1998;179:1632-9
Ohel G (*see* Seaward et al). 1998;179:635-9
Ohlsson A (*see* Seaward et al). 1998;179:635-9
Ojimba JI (*see* Powers et al). 1998;179:1605-11
Okawa T, Syal AS, Vedernikov YP, Saade GR, Chwalisz K, Garfield RE. The effects of nitric oxide on the contractility of isolated uterine and aortic rings from pregnant rats. 1998;179:721-6
Olive DL (*see* Zeyneloglu et al). 1998;179:438-43
Olley P (*see* Guerguerian et al). 1998;179:1618-26
Olson TR (*see* Scotti et al). 1998;179:1436-45
Orleans M (*see* Meikle et al). 1998;179:166-71
O'Rourke TP (*see* Turnquest et al). 1998;179:1261-6
Osada H (*see* Ishii et al). 1998;179:628-34
O'Shaughnessy RW (*see* El-Azeem et al). 1998;179:1102-3 (Letter reply)
Oskamp M (*see* Lye et al). 1998;179:1168-74
O'Sullivan MJ (*see* Factor et al). 1998;179:1568-71
O'Sullivan MJ (*see* Luke et al). 1998;179:1155-61
Ota A, Ikeda T, Abe K, Sameshima H, Xia XY, Xia YX, Ikenoue T. Hypoxic-ischemic tolerance phenomenon observed in neonatal rat brain. 1998;179:1075-8
Otsubo Y (*see* Yoneyama et al). 1998;179:750-5
Ottinger WS, Menard MK, Brost BC. A randomized clinical trial of prostaglandin E_2 intracervical gel and a slow release vaginal pessary for preinduction cervical ripening. 1998;179:349-53
Overton T (*see* Al-Mufti et al). 1998;179:210-4
Owen J (*see* Guinn et al). 1998;179:874-8
Owen J (*see* Rouse et al). 1998;179:573-6 (Clin. opinion)
Owen J (*see* Wenstrom et al). 1998;179:966-70
Oyarzún E, Yamamoto M, Kato S, Gómez R, Lizama L, Moenne A. Specific detection of 16 micro-organisms in amniotic fluid by polymerase chain reaction and its correlation with preterm delivery occurrence. 1998;179:1115-9
Oz AU (*see* Bahado-Singh et al). 1998;179:1627-31
Oz U (*see* Bahado-Singh et al). 1998;179:514-9

Oz U (*see* Bahado-Singh et al). 1998;179:738-41
Özalp S (*see* Şener et al). 1998;179:278-9 (Letter reply)

P

Paarlberg KM, de Jong CLD, van Geijn HP, van Kamp GJ, Heinen AGJJ, Dekker GA. Vasoactive mediators in pregnancy-induced hypertensive disorders: a longitudinal study. 1998;179:1559-64
Pacora P (*see* Athayde et al). 1998;179:1248-53
Padilla G (*see* Towers et al). 1998;179:879-83
Paine LL (*see* Johnson et al). 1998;179:779-83
Pak LL, Reece EA, Chan L. Is adverse pregnancy outcome predictable after blunt abdominal trauma? 1998;179:1140-4
Pall M (*see* Mikuni et al). 1998;179:35-40
Papayianni A (*see* Higgins et al). 1998;179:464-9
Papile L-A (*see* Donovan et al). 1998;179:742-9
Papile L-A (*see* Stevenson et al). 1998;179:1632-9
Parazzini F, Chatenoud L, La Vecchia C. Hormone replacement therapy and body size: How much does lifestyle explain? 1998;179:1103 (Letter)
Parer JT. Electronic fetal heart rate monitoring: research guidelines for interpretation. 1998;179:277 (Letter reply)
Parer JT. Interpretation of intrapartum fetal heart rate tracings. 1998;179:1099-100 (Letter reply)
Parer JT. Some concerns about the new research guidelines for interpretation of electronic fetal heart rate monitoring. 1998;179:560-1 (Letter reply)
Parer JT (*see* Ikeda et al). 1998;179:1329-37
Parham GP (*see* Santin et al). 1998;179:1020-5
Paris J (*see* Williams et al). 1998;179:1288-94
Park JS (*see* Yoon et al). 1998;179:1107-14
Park JS (*see* Yoon et al). 1998;179:1254-60
Park S-D (*see* Ikeda et al). 1998;179:1329-37
Parkash V (*see* Hsu et al). 1998;179:1271-4
Parthasarathy S (*see* Raynor and Parthasarathy). 1998;179:279 (Letter)
Parthasarathy S (*see* Roberts et al). 1998;179:354-62
Parwaresch R (*see* Bonatz et al). 1998;179:591-6
Pasta DJ (*see* Colwell et al). 1998;179:47-55
Patel M (*see* Neiger et al). 1998;179:1136-9
Pattison NS (*see* Coleman et al). 1998;179:1553-8
Paul MS (*see* Jacobson et al). 1998;179:610-9
Paul R (*see* Caritis et al). 1998;179:946-51
Paul R (*see* Hauth et al). 1998;179:1193-9
Paul RH (*see* Goldenberg et al). 1998;179:1599-604
Paul RH (*see* Wing and Paul). 1998;179:94-9
Peaceman AM (*see* Grobman et al). 1998;179:942-5
Pecorelli S (*see* Santin et al). 1998;179:1020-5
Peeters LLH (*see* van Beek et al). 1998;179:690-6
Penalver M (*see* Angioli et al). 1998;179:343-8
Perdu M, Camus E, Rozenberg P, Goffinet F, Chastang C, Philippe H-J, Nisand I. Treating ectopic pregnancy with the combination of mifepristone and methotrexate: a phase II nonrandomized study. 1998;179:640-3
Pereira AC (*see* Bernardes and Pereira). 1998;179:560 (Letter)
Persing DH (*see* Gostout et al). 1998;179:56-61
Peterson CA (*see* Mikuni et al). 1998;179:35-40
Peterson CM (*see* Mikuni et al). 1998;179:35-40
Peterson HB (*see* Spitz et al). 1998;179:1485-90 (Clin. opinion)
Peterson M (*see* Magid et al). 1998;179:226-34
Petrikovsky BM, Schneider E, Smith-Levitin M, Gross B. Cephalhematoma and caput succedaneum: Do they always occur in labor? 1998;179:906-8
Phaneuf S (*see* Glynn et al). 1998;179:533-9
Philipp K (*see* Hafner et al). 1998;179:677-81
Philippe H-J (*see* Perdu et al). 1998;179:640-3
Piedmonte MR (*see* Weber et al). 1998;179:1446-50
Pinette MG. Measurement of fetal nasal width by ultrasonography. 1998;179:278 (Letter reply)
Pinkerton JAV (*see* Finnerty and Pinkerton). 1998;179:308-15
Pisoni MP (*see* Nicolini et al). 1998;179:800-3
Pitera AE, Smith GCS, Wentworth RA, Nathanielsz PW. Parathyroid hormone–related peptide (1 to 34) inhibits in vitro oxytocin-stimulated activity of pregnant baboon myometrium. 1998;179:492-6
Piura B (*see* Maymon et al). 1998;179:820-2
Plante LA. More (and less) on shoulder dystocia. 1998;179:837 (Letter)
Plante M (*see* Roy and Plante). 1998;179:1491-6
Platt RW (*see* Hamilton et al). 1998;179:682-5
Plattner M (*see* Hafner et al). 1998;179:677-81
Plaul K (*see* Possover et al). 1998;179:1295-7
Podratz KC (*see* Gostout et al). 1998;179:56-61
Poisson J-P (*see* Rodriguez et al). 1998;179:1063-70
Polay Ş (*see* Şener et al). 1998;179:278-9 (Letter reply)
Pombar X (*see* Hussey et al). 1998;179:650-6
Porges RF (*see* Smilen et al). 1998;179:1465-72
Porreco RP, Sabin ED, Heyborne KD, Lingle JR. Selective delivery in a twin gestation. 1998;179:264-5
Porter GW (*see* Porter et al). 1998;179:1283-7
Porter KB, Tsibris JCM, Porter GW, Fuchs-Young R, Nicosia SV, O'Brien WF, Spellacy WN. Effects of raloxifene in a guinea pig model for leiomyomas. 1998;179:1283-7
Porter TF (*see* Clark et al). 1998;179:841-5
Porto M (*see* Tio et al). 1998;179:270-2
Porto M (*see* Wadhwa et al). 1998;179:1079-85
Possover M, Plaul K, Krause N, Schneider A. Left-sided laparoscopic para-aortic lymphadenectomy: anatomy of the ventral tributaries of the infrarenal vena cava. 1998;179:1295-7
Possover M (*see* Schneider and Possover). 1998;179:1098-9 (Letter reply)
Postawski K (*see* Rechberger et al). 1998;179:1511-4
Potter J (*see* Factor et al). 1998;179:1568-71
Power GG (*see* Yoneyama et al). 1998;179:750-5
Powers RW, Evans RW, Majors AK, Ojimba JI, Ness RB, Crombleholme WR, Roberts JM. Plasma homocysteine concentration is increased in preeclampsia and is associated with evidence of endothelial activation. 1998;179:1605-11
Premenstrual Syndrome Study Group (*see* Thys-Jacobs et al). 1998;179:444-52
Prendiville W (*see* Daly et al). 1998;179:399-402
Prespin C (*see* Santolaya-Forgas et al). 1998;179:1124-7
Provencher D (*see* Godard et al). 1998;179:403-10
Pryde P (*see* Mittendorf and Pryde). 1998;179:280 (Letter)
Punch MR (*see* Reis et al). 1998;179:1150-4
Pyne GJ (*see* Bearchell et al). 1998;179:1534-8

Q

Qualls CR (*see* Greci et al). 1998;179:172-8
Quilligan EJ (*see* Ikeda et al). 1998;179:1329-37
Quintero RA, Morales WJ, Kalter CS, Allen M, Mendoza G, Angel JL, Romero R. Transabdominal intra-amniotic endoscopic assessment of previable premature rupture of membranes. 1998;179:71-6

R

Raab SS, Steiner AL, Hornberger J. The cost-effectiveness of treating women with a cervical vaginal smear diagnosis of atypical squamous cells of undetermined significance. 1998;179:411-20

Ramezani-Namin F (*see* Lalkin et al). 1998;179:727-30
Ramus RM, Martin LB, Twickler DM. Ultrasonographic prediction of fetal outcome in suspected skeletal dysplasias with use of the femur length–to–abdominal circumference ratio. 1998;179:1348-52
Ransom SB (*see* McNeeley et al). 1998;179:1430-5
Rao ChV (*see* Tao et al). 1998;179:1026-31
Rao PS, Cavanagh D, Graham LB, Dietz JR, Fiorica JV, Hoffman MS. Endotoxin-induced atrial natriuretic factor release: in vivo and in vitro studies. 1998;179:21-7
Ravaggi A (*see* Santin et al). 1998;179:1020-5
Rayburn WF (*see* Hennessey et al). 1998;179:1204-9
Rayburn WF (*see* Stewart et al). 1998;179:1175-80
Rayburn WF (*see* Stewart et al). 1998;179:1241-7
Raynor BD, Parthasarathy S. Vascular cell adhesion molecule in pregnancy. 1998;179:279 (Letter)
Rebarber A, Lonser R, Jackson S, Copel JA, Sipes S. The safety of intraoperative autologous blood collection and autotransfusion during cesarean section. 1998;179:715-20
Rechberger T, Postawski K, Jakowicki JA, Gunja-Smith Z, Woessner JF Jr. Role of fascial collagen in stress urinary incontinence. 1998;179:1511-4
Redman CWG (*see* Bearchell et al). 1998;179:1534-8
Redman CWG (*see* Endresen et al). 1998;179:665-70
Redman CWG (*see* Sacks et al). 1998;179:80-6
Reece EA (*see* Pak et al). 1998;179:1140-4
Reece EA (*see* Sivan et al). 1998;179:1128-32
Reindollar RH (*see* van Lingen et al). 1998;179:597-603
Reis PM, Punch MR, Bove EL, van de Ven CJM. Obstetric management of 219 infants with hypoplastic left heart syndrome. 1998;179:1150-4
Repke JT (*see* Caughey et al). 1998;179:938-41
Repke JT (*see* Maxwell et al). 1998;179:28-34
Repke JT (*see* Urato and Repke). 1998;179:260-1
Resnick HS (*see* Holmes et al). 1998;179:336-42
Rice LW (*see* Veljovich et al). 1998;179:382-90
Rice PJ (*see* Liu et al). 1998;179:895-8
Richmonds C (*see* Emery et al). 1998;179:989-93
Rigó J (*see* Hagymásy et al). 1998;179:272-4
Riley SC (*see* Elliott et al). 1998;179:215-20
Ritchie JWK (*see* Goodwin et al). 1998;179:430-7
Riyazi N (*see* Leeda et al). 1998;179:135-9
Roberts A (*see* Nicolini et al). 1998;179:800-3
Roberts CP, Murphy AA, Santanam N, Parthasarathy S. Regulation of monocyte to macrophage differentiation by antiglucocorticoids and antioxidants. 1998;179:354-62
Roberts J (*see* Caritis et al). 1998;179:946-51
Roberts JM (*see* Goldenberg et al). 1998;179:1599-604
Roberts JM (*see* Hauth et al). 1998;179:1193-9
Roberts JM (*see* Powers et al). 1998;179:1605-11
Roberts LA. Cesarean section. 1998;179:564-5 (Letter)
Rodis JF, Borgida AF, Wilson M, Egan JFX, Leo MV, Odibo AO, Campbell WA. Management of parvovirus infection in pregnancy and outcomes of hydrops: a survey of members of the Society of Perinatal Obstetricians. 1998;179:985-8
Rodkey LS (*see* Moise et al). 1998;179:1353-8
Rodriguez A, Sarda P, Nessmann C, Boulot P, Poisson J-P, Leger CL, Descomps B. Fatty acid desaturase activities and polyunsaturated fatty acid composition in human liver between the seventeenth and thirty-sixth gestational weeks. 1998;179:1063-70
Rodríguez-Liñares B (*see* Glynn et al). 1998;179:533-9
Rogachev B (*see* Kopernik et al). 1998;179:1503-10
Rogers MS (*see* Yuen et al). 1998;179:1-5
Rolland R (*see* Elomaa et al). 1998;179:41-6
Roman-Drago NM (*see* Catalano et al). 1998;179:156-65
Romero R, Gomez R, Ghezzi F, Yoon BH, Mazor M, Edwin SS, Berry SM. A fetal systemic inflammatory response is followed by the spontaneous onset of preterm parturition. 1998;179:186-93
Romero R (*see* Athayde et al). 1998;179:1248-53
Romero R (*see* Chervenak et al). 1998;179:1381 (Letter reply)
Romero R (*see* Gomez et al). 1998;179:194-202
Romero R (*see* Quintero et al). 1998;179:71-6
Romero R (*see* Yoon et al). 1998;179:1107-14
Romero R (*see* Yoon et al). 1998;179:1254-60
Rosen A (*see* Hafner et al). 1998;179:677-81
Rosenberg MJ, Waugh MS. Oral contraceptive discontinuation: a prospective evaluation of frequency and reasons. 1998;179:577-82
Rosenwaks Z (*see* Chervenak et al). 1998;179:1381 (Letter reply)
Rosica G (*see* Scotto et al). 1998;179:816-7
Ross EL (*see* Chauhan et al). 1998;179:909-16
Ross MG (*see* Beall et al). 1998;179:934-7
Ross MG (*see* Zhao et al). 1998;179:899-905
Rouse DJ, Owen J, Goldenberg RL. Routine maternal platelet count: an assessment of a technologically driven screening practice. 1998;179:573-6 (Clin. opinion)
Rowland TC Jr. What goes around comes around. 1998;179:283-91 (Pres. address)
Roy M, Plante M. Pregnancies after radical vaginal trachelectomy for early-stage cervical cancer. 1998;179:1491-6
Royek AB (*see* Alamia et al). 1998;179:1133-5
Rozenberg P (*see* Perdu et al). 1998;179:640-3
Rudolph AM (*see* Schmidt et al). 1998;179:1338-47
Rulin MC (*see* Keder et al). 1998;179:583-5

S

Saade G (*see* Moise et al). 1998;179:1353-8
Saade G (*see* Vedernikov et al). 1998;179:1047-50
Saade GR (*see* Okawa et al). 1998;179:721-6
Saade GR (*see* Syal et al). 1998;179:111-6
Sabin ED (*see* Porreco et al). 1998;179:264-5
Sacks DA, Greenspoon JS. Déjà vu, again. 1998;179:1100 (Letter)
Sacks GP, Studena K, Sargent IL, Redman CWG. Normal pregnancy and preeclampsia both produce inflammatory changes in peripheral blood leukocytes akin to those of sepsis. 1998;179:80-6
Safari HR, Fassett MJ, Souter IC, Alsulyman OM, Goodwin TM. The efficacy of methylprednisolone in the treatment of hyperemesis gravidarum: a randomized, double-blind, controlled study. 1998;179:921-4
Saini J (*see* Smilen et al). 1998;179:1465-72
Saji F (*see* Shimoya et al). 1998;179:255-6
Salafia CM (*see* Torok et al). 1998;179:221-5
Salman FA (*see* Luke et al). 1998;179:1155-61
Sameshima H (*see* Ota et al). 1998;179:1075-8
Sammaritano LR (*see* Magid et al). 1998;179:226-34
Sandman CA (*see* Wadhwa et al). 1998;179:1079-85
Sandmire HF, DeMott RK. Electronic fetal heart rate monitoring: research guidelines for interpretation. 1998;179:276-7 (Letter)
Santanam N (*see* Roberts et al). 1998;179:354-62
Santin AD, Hermonat PL, Ravaggi A, Chiriva-Internati M, Pecorelli S, Parham GP. Retinoic acid up-regulates the expression of major histocompatibility complex molecules and adhesion/costimulation molecules (specifically, intercellular adhesion molecule ICAM-1) in human cervical cancer. 1998;179:1020-5

Santolaya-Forgas J, Duval J, Prespin C, Vengalil S, Kushwaha A, Wilson L, Fortman J. Extracoelomic fluid osmometry and electrolyte composition during early gestation in the baboon. 1998;179:1124-7
Saphier CJ, Yeh J. Altered apoptosis levels in hearts of human fetuses with Down syndrome. 1998;179:962-5
Sappenfield WM (*see* Menard et al). 1998;179:374-81
Sarda P (*see* Rodriguez et al). 1998;179:1063-70
Sargent IL (*see* Sacks et al). 1998;179:80-6
Sassoon DA (*see* Lien et al). 1998;179:453-8
Sato Y (*see* Merrill et al). 1998;179:235-40
Sato Y (*see* Mikamo et al). 1998;179:1579-82
Sawa R (*see* Yoneyama et al). 1998;179:750-5
Saye WB (*see* Miklos et al). 1998;179:1418-23
Schiff E, Cohen SB, Dulitzky M, Novikov I, Friedman SA, Mashiach S, Lipitz S. Progression of labor in twin versus singleton gestations. 1998;179:1181-5
Schiff E (*see* Simchen et al). 1998;179:994-8
Schiffers PMH (*see* van Beek et al). 1998;179:690-6
Schipul AH Jr (*see* Stewart et al). 1998;179:1175-80
Schmidt KG, Silverman NH, Rudolph AM. Phasic flow events at the aortic isthmus–ductus arteriosus junction and branch pulmonary artery evaluated by multimodal ultrasonography in fetal lambs. 1998;179:1338-47
Schneeberger C (*see* Helmer et al). 1998;179:1572-8
Schneider A, Possover M. Surgical procedure for para-aortic lymphadenectomy in stage IB and stage II cervical carcinoma. 1998;179:1098-9 (Letter reply)
Schneider A (*see* Possover et al). 1998;179:1295-7
Schneider A (*see* Zahm et al). 1998;179:1298-304
Schneider E (*see* Petrikovsky et al). 1998;179:906-8
Schober W (*see* Bischoff et al). 1998;179:203-9
Schramm WF (*see* Cooperstock et al). 1998;179:762-5
Schuchat A (*see* Factor et al). 1998;179:1568-71
Schuchter K (*see* Hafner et al). 1998;179:677-81
Scott J (*see* Bischoff et al). 1998;179:203-9
Scott LL (*see* Dobson et al). 1998;179:527-32
Scott RT Jr (*see* Sharara et al). 1998;179:804-12 (AJOG reviews)
Scotti RJ, Garely AD, Greston WM, Flora RF, Olson TR. Paravaginal repair of lateral vaginal wall defects by fixation to the ischial periosteum and obturator membrane. 1998;179:1436-45
Scotto V, Rosica G, Valeri B, Limiti MR, Corti E. Benign schwannoma of the obturator nerve: a case report. 1998;179:816-7
Scucchi L (*see* Marinoni et al). 1998;179:784-7
Seaner RM (*see* Ferguson et al). 1998;179:321-9
Seaward PGR, Hannah ME, Myhr TL, Farine D, Ohlsson A, Wang EE, Hodnett E, Haque K, Weston JA, Ohel G, Term PROM Study Group. International Multicenter Term PROM Study: evaluation of predictors of neonatal infection in infants born to patients with premature rupture of membranes at term. 1998;179:635-9
Seebeck M (*see* Silver et al). 1998;179:87-93
Seelbach-Göbel B (*see* Kühnert et al). 1998;179:1100 (Letter reply)
Seely EW (*see* Maxwell et al). 1998;179:28-34
Seifer DB (*see* Sharara et al). 1998;179:804-12 (AJOG reviews)
Seifert B (*see* Weiss et al). 1998;179:1643-53 (AJOG reviews)
Sekiya S (*see* Ishii et al). 1998;179:628-34
Seli E (*see* Bahado-Singh et al). 1998;179:738-41
Seli E (*see* Zeyneloglu et al). 1998;179:438-43
Selvin S (*see* Grether et al). 1998;179:280 (Letter reply)
Şener T, Özalp S, Hassa H, Yalçin Ö, Polay Ş. Postamniocentesis fluid leakage. 1998;179:278-9 (Letter reply)
Senturk LM (*see* Zeyneloglu et al). 1998;179:438-43
Sepulveda W (*see* Leible et al). 1998;179:1587-93
Shalev E (*see* Wiener-Megnagi et al). 1998;179:1565-7
Shankaran S (*see* Donovan et al). 1998;179:742-9
Shankaran S (*see* Stevenson et al). 1998;179:1632-9
Sharara FI, Scott RT Jr, Seifer DB. The detection of diminished ovarian reserve in infertile women. 1998;179:804-12 (AJOG reviews)
Sheikh HH. Uterine leiomyoma as a rare cause of acute abdomen and intestinal gangrene. 1998;179:830-1
Shimizu T (*see* Shimoya et al). 1998;179:255-6
Shimoya K, Hashimoto K, Shimizu T, Saji F, Murata Y. Effect of sexual intercourse on fetal fibronectin concentration in cervicovaginal secretions. 1998;179:255-6
Shipp TD (*see* Caughey et al). 1998;179:938-41
Sibai B (*see* Caritis et al). 1998;179:946-51
Sibai B (*see* Hauth et al). 1998;179:1193-9
Sibai BM. Prevention of preeclampsia: a big disappointment. 1998;179:1275-8 (Clin. opinion)
Sibai BM (*see* Dekker and Sibai). 1998;179:1359-75 (AJOG reviews)
Sibai BM (*see* Egerman et al). 1998;179:1120-3
Sibai BM (*see* Egerman et al). 1998;179:1234-6
Sibai BM (*see* Joffe et al). 1998;179:1032-7
Sienko AE (*see* Stewart et al). 1998;179:1241-7
Silberstein T (*see* Maymon et al). 1998;179:820-2
Silver HM, Seebeck M, Carlson R. Comparison of total blood volume in normal, preeclamptic, and nonproteinuric gestational hypertensive pregnancy by simultaneous measurement of red blood cell and plasma volumes. 1998;179:87-93
Silver R (*see* Esplin et al). 1998;179:1583-6
Silver RK (*see* Grobman et al). 1998;179:942-5
Silverman NH (*see* Schmidt et al). 1998;179:1338-47
Simchen MJ, Dulitzky M, Mashiach S, Friedman SA, Schiff E. Adjustment of magnesium sulfate infusion rate in patients with preterm labor. 1998;179:994-8
Simpson JL (*see* Bischoff et al). 1998;179:203-9
Sims EAH (*see* Catalano et al). 1998;179:156-65
Singer W (*see* Goodwin et al). 1998;179:430-7
Singh A (*see* McNeeley et al). 1998;179:1430-5
Singh SP (*see* Lip et al). 1998;179:814-5
Sinha D (*see* Sivan et al). 1998;179:1128-32
Sipes S (*see* Rebarber et al). 1998;179:715-20
Sivan E, Whittaker PG, Sinha D, Homko CJ, Lin M, Reece EA, Boden G. Leptin in human pregnancy: the relationship with gestational hormones. 1998;179:1128-32
Sjöberg I (*see* Kjellberg et al). 1998;179:1497-502
Skupski DW (*see* Chervenak et al). 1998;179:1381 (Letter reply)
Sloan FA, Whetten-Goldstein K, Hickson GB. The influence of obstetric no-fault compensation on obstetricians' practice patterns. 1998;179:671-6
Smeltzer JS (*see* El-Azeem et al). 1998;179:1102-3 (Letter reply)
Smilack J (*see* Kammerer-Doak et al). 1998;179:586-90
Smilen SW, Saini J, Wallach SJ, Porges RF. The risk of cystocele after sacrospinous ligament fixation. 1998;179:1465-72
Smith EO (*see* Hudon et al). 1998;179:858-63
Smith GCS, Baguma-Nibasheka M, Wu WX, Nathanielsz PW. Regional variations in contractile responses to prostaglandins and prostanoid receptor messenger ribonucleic acid in pregnant baboon uterus. 1998;179:1545-52
Smith GCS (*see* Pitera et al). 1998;179:492-6
Smith HL. Recurrent candidiasis and "malcarbohydrate metabolism." 1998;179:557 (Letter)
Smith SC, Symonds EM, Baker PN. Apoptosis in human placenta. 1998;179:1378 (Letter reply)
Smith-Levitin M (*see* Chervenak et al). 1998;179:1381 (Letter reply)
Smith-Levitin M (*see* Petrikovsky et al). 1998;179:906-8
Smulian JC (*see* Vintzileos et al). 1998;179:1214-9

Smulian JC (*see* Vintzileos et al). 1998;179:1220-4
Sobel JD. Recurrent candidiasis and "malcarbohydrate metabolism." 1998;179:557-8 (Letter reply)
Sokol AI, Kranc RL, Yaron Y, O'Brien JE, Muller F, Johnson MP, Evans MI. Age-specific variation in aneuploidy incidence among biochemical screening programs. 1998;179:971-3
Soled S (*see* Steele et al). 1998;179:1458-64
Souter IC (*see* Safari et al). 1998;179:921-4
Spellacy WN. Erb's palsy without shoulder dystocia. 1998;179:561 (Letter)
Spellacy WN (*see* Porter et al). 1998;179:1283-7
Speroff L. Mircette™: a novel oral contraceptive—introduction. 1998;179:S1
Speroff L. Oral contraceptives and arterial and venous thrombosis: a clinician's formulation. 1998;179:S25-36
Spinnato J (*see* Clark et al). 1998;179:1527-33
Spinnato JA (*see* Kurtzman et al). 1998;179:852-7
Spinnato JA (*see* Turnquest et al). 1998;179:1261-6
Spino C (*see* Veronikis et al). 1998;179:1411-7
Spitz AM, Lee NC, Peterson HB. Treatment for lactation suppression: little progress in one hundred years. 1998;179:1485-90 (Clin. opinion)
Spitzer M. Cervical screening adjuncts: recent advances. 1998;179:544-56 (AJOG reviews)
Spitzer WO. Bias versus causality: interpreting recent evidence of oral contraceptive studies. 1998;179:S43-50
Spong C (*see* Beall et al). 1998;179:934-7
Stagnaro-Green A (*see* Esplin et al). 1998;179:1583-6
Stanhope CR (*see* Kammerer-Doak et al). 1998;179:586-90
Stanley JR (*see* Stewart et al). 1998;179:1175-80
Starkey P (*see* Thys-Jacobs et al). 1998;179:444-52
Steege JF (*see* Colwell et al). 1998;179:47-55
Steele A, Mallipeddi P, Welgoss J, Soled S, Kohli N, Karram M. Teaching the Pelvic Organ Prolapse Quantitation system. 1998;179:1458-64
Steele D (*see* Maher et al). 1998;179:1225-7
Steiner AL (*see* Raab et al). 1998;179:411-20
Stern R (*see* Bernstein et al). 1998;179:870-3
Sterniste W (*see* Hafner et al). 1998;179:677-81
Steuerwald N (*see* Crain et al). 1998;179:299-307
Stevenson DK, Wright LL, Lemons JA, Oh W, Korones SB, Papile L-A, Bauer CR, Stoll BJ, Tyson JE, Shankaran S, Fanaroff AA, Donovan EF, Ehrenkranz RA, Verter J, National Institute of Child Health and Human Development Neonatal Research Network. Very low birth weight outcomes of the National Institute of Child Health and Human Development Neonatal Research Network, January 1993 through December 1994. 1998;179:1632-9
Stevenson DK (*see* Donovan et al). 1998;179:742-9
Stewart JD, Rayburn WF, Farmer KC, Liles EM, Schipul AH Jr, Stanley JR. Effectiveness of prostaglandin E_2 intracervical gel (Prepidil), with immediate oxytocin, versus vaginal insert (Cervidil) for induction of labor. 1998;179:1175-80
Stewart JD, Sienko AE, Gonzalez CL, Christensen HD, Rayburn WF. Placebo-controlled comparison between a single dose and a multidose of betamethasone in accelerating lung maturation of mice offspring. 1998;179:1241-7
Stewart JD (*see* Hennessey et al). 1998;179:1204-9
Stewart-Akers AM (*see* Creinin et al). 1998;179:604-9
Stoler MH (*see* Veljovich et al). 1998;179:382-90
Stoll BJ (*see* Donovan et al). 1998;179:742-9
Stoll BJ (*see* Stevenson et al). 1998;179:1632-9
Strassner HT (*see* Hussey et al). 1998;179:650-6
Strauss A (*see* Longo et al). 1998;179:1640-2
Stress ME (*see* Keenan et al). 1998;179:731-7
Strobino DM (*see* Johnson et al). 1998;179:779-83
Strohbehn K (*see* DeLancey et al). 1998;179: 1405-10
Stuart CA (*see* Nagamani and Stuart). 1998;179:6-12
Studena K (*see* Sacks et al). 1998;179:80-6
Surbek DV, Holzgreve W, Jansen W, Heim D, Garritsen H, Nissen C, Wodnar-Filipowicz A. Quantitative immunophenotypic characterization, cryopreservation, and enrichment of second- and third-trimester human fetal cord blood hematopoietic stem cells (progenitor cells). 1998;179:1228-33
Suzuki S (*see* Yoneyama et al). 1998;179:750-5
Svinarich DM, DiCerbo JA, Zaher FM, Yelian FD, Gonik B. Ethanol-induced expression of cytokines in a first-trimester trophoblast cell line. 1998;179:470-5
Syal AS, Vedernikov YP, Chwalisz K, Saade GR, Garfield RE. Both soluble guanylate cyclase and particulate guanylate cyclase regulate myometrial contractility. 1998;179:111-6
Syal AS (*see* Okawa et al). 1998;179:721-6
Symonds EM (*see* Smith et al). 1998;179:1378 (Letter reply)
Szücs N (*see* Hagymásy et al). 1998;179:272-4

T

Takai N (*see* Tanaka et al). 1998;179:644-9
Takano H (*see* Ishii et al). 1998;179:628-34
Tamaya T, Misao R, Nakanishi Y. The failed suppression of serum estradiol level by gonadotropin-releasing hormone agonist in a case of pelvic endometriosis. 1998;179:828-9
Tamaya T (*see* Mikamo et al). 1998;179:1579-82
Tamura T (*see* Goldenberg et al). 1998;179:1599-604
Tan A (*see* Bahado-Singh et al). 1998;179:514-9
Tanaka T (*see* Ogawa et al). 1998;179:105-10
Tanaka Y, Narahara H, Takai N, Yoshimatsu J, Anai T, Miyakawa I. Interleukin-1β and interleukin-8 in cervicovaginal fluid during pregnancy. 1998;179:644-9
Tao Q-F (*see* Maxwell et al). 1998;179:28-34
Tao Y-X, Heit M, Lei ZM, Rao ChV. The urinary bladder of a woman is a novel site of luteinizing hormone–human chorionic gonadotropin receptor gene expression. 1998;179:1026-31
Taylor AE. Understanding the underlying metabolic abnormalities of PCOS and their implications. 1998;179:S94-100
Taylor PT Jr (*see* Hanigan et al). 1998;179:363-7
Teramo K (*see* Cacciatore et al). 1998;179:140-5
Term PROM Study Group (*see* Seaward et al). 1998;179:635-9
Tewari K, Balderston KD, Carpenter SE, Major CA. Papillary thyroid carcinoma manifesting as thyroid storm of pregnancy: case report. 1998;179:818-9
Tewari K (*see* Balderston et al). 1998;179:823-4
Tewari K (*see* Tio et al). 1998;179:270-2
Thakrar D (*see* Lieberman et al). 1998;179:262-3
Thaler HT (*see* Chervenak et al). 1998;179:1381 (Letter reply)
Theunissen IM (*see* Ikeda et al). 1998;179:1329-37
Thom E (*see* Caritis et al). 1998;179:946-51
Thornburg KL (*see* Jacobson et al). 1998;179:610-9
Thorpe RA (*see* Magann et al). 1998;179:890-4
Thurnau G (*see* Caritis et al). 1998;179:946-51
Thurnau G (*see* Hauth et al). 1998;179:1193-9
Thurnau GR (*see* Goldenberg et al). 1998;179:1599-604
Thys-Jacobs S, Starkey P, Bernstein D, Tian J, Premenstrual Syndrome Study Group. Calcium carbonate and the premenstrual syndrome: effects on premenstrual and menstrual symptoms. 1998;179:444-52
Tian J (*see* Thys-Jacobs et al). 1998;179:444-52

Tidwell C, Copas P. Brachial artery rupture complicating a pregnancy with neurofibromatosis: a case report. 1998;179:832-4
Timmerman D, Deprest J, Bourne T, Van den Berghe I, Collins WP, Vergote I. A randomized trial on the use of ultrasonography or office hysteroscopy for endometrial assessment in postmenopausal patients with breast cancer who were treated with tamoxifen. 1998;179:62-70
Tio I, Tewari K, Balderston KD, Milliken JC, Porto M. Emergency mitral valve replacement in the setting of severe pulmonary hypertension and acute cardiovascular decompensation after evacuation of twins at fifteen weeks' gestation. 1998;179:270-2
Tolaymat L (*see* Maher et al). 1998;179:1225-7
Tolosa JE (*see* Bernick et al). 1998;179:957-61
Tonin PN (*see* Godard et al). 1998;179:403-10
Torok O, Lapinski R, Salafia CM, Bernasko J, Berkowitz RL. Multifetal pregnancy reduction is not associated with an increased risk of intrauterine growth restriction, except for very-high-order multiples. 1998;179:221-5
Torry DS, Wang H-S, Wang T-H, Caudle MR, Torry RJ. Preeclampsia is associated with reduced serum levels of placenta growth factor. 1998;179:1539-44
Torry RJ (*see* Torry et al). 1998;179:1539-44
Tóth M (*see* Hagymásy et al). 1998;179:272-4
Towers CV, Carr MH, Padilla G, Asrat T. Potential consequences of widespread antepartal use of ampicillin. 1998;179:879-83
Towers CV, Deveikis A, Asrat T, Major C, Nageotte MP. A "bloodless cesarean section" and perinatal transmission of the human immunodeficiency virus. 1998;179:708-14
Towers CV (*see* Longo et al). 1998;179:1640-2
Trudinger B (*see* Wang and Trudinger). 1998;179:1104 (Letter reply)
Trussell J (*see* Weinstein and Trussell). 1998;179:657-64
Tsibris JCM (*see* Porter et al). 1998;179:1283-7
Tsubaki H (*see* Ogawa et al). 1998;179:105-10
Tuominen J (*see* Elomaa et al). 1998;179:41-6
Turina MI (*see* Weiss et al). 1998;179:1643-53 (AJOG reviews)
Turkheimer E (*see* Ferguson et al). 1998;179:1186-92
Turner M (*see* Daly et al). 1998;179:399-402
Turnquest MA, How HY, Cook CR, O'Rourke TP, Cureton AC, Spinnato JA, Brown HL. Chorioamnionitis: Is continuation of antibiotic therapy necessary after cesarean section? 1998;179:1261-6
Turnquest MA (*see* Brown et al). 1998;179:459-63
Tush B (*see* Hill et al). 1998;179:703-7
Twickler DM (*see* Ramus et al). 1998;179:1348-52
Tyson JE (*see* Donovan et al). 1998;179:742-9
Tyson JE (*see* Stevenson et al). 1998;179:1632-9

U

Ufberg DD (*see* Bernick et al). 1998;179:957-61
Underwood PB Jr. Been there—done that: surgical challenges. 1998;179:330-5
Unger JB, Meeks GR. Vaginal hysterectomy in women with history of previous cesarean delivery. 1998;179:1473-8
Urato AC, Repke JT. May-Hegglin anomaly: a case of vaginal delivery when both mother and fetus are affected. 1998;179:260-1
Usher R (*see* Hamilton et al). 1998;179:682-5

V

Valentini U (*see* Bonomo et al). 1998;179:179-85
Valeri B (*see* Scotto et al). 1998;179:816-7
Valle RF, Baggish MS. Endometrial carcinoma after endometrial ablation: high-risk factors predicting its occurrence. 1998;179:569-72 (Clin. opinion)
van Beek E, Ekhart THA, Schiffers PMH, van Eyck J, Peeters LLH, de Leeuw PW. Persistent abnormalities in plasma volume and renal hemodynamics in patients with a history of preeclampsia. 1998;179:690-6
van Cappellen van Walsum A-M, Heerschap A, Nijhuis JG, Oeseburg B, Jongsma HW. Proton magnetic resonance spectroscopy of fetal lamb brain during hypoxia. 1998;179:756-7
van den Berg PP (*see* Nijland et al). 1998;179:559 (Letter)
Van den Berghe I (*see* Timmerman et al). 1998;179:62-70
van den Ende A (*see* van Pampus et al). 1998;179:1103-4 (Letter)
van de Ven CJM (*see* Reis et al). 1998;179:1150-4
VanDorsten P (*see* Caritis et al). 1998;179:946-51
VanDorsten P (*see* Hauth et al). 1998;179:1193-9
van Eyck J (*see* van Beek et al). 1998;179:690-6
van Geijn HP (*see* Leeda et al). 1998;179:135-9
van Geijn HP (*see* Paarlberg et al). 1998;179:1559-64
van Herwerden LA (*see* Mul et al). 1998;179:825-7
van Kamp GJ (*see* Paarlberg et al). 1998;179:1559-64
van Lingen BL, Reindollar RH, Davis AJ, Gray MR. Further evidence that the *WT1* gene does not have a role in the development of the derivatives of the müllerian duct. 1998;179:597-603
van Pampus MG, van den Ende A, Wolf H. Elevated levels of lipoprotein(a) in women with preeclampsia. 1998;179:1103-4 (Letter)
Vartiainen E (*see* Luoto et al). 1998;179:1103 (Letter reply)
Vedernikov Y, Saade G, Belfort M, Garfield RE. Effect of glycosylated hemoglobin on endothelium-dependent relaxation of omental arteries from pregnant women. 1998;179:1047-50
Vedernikov YP (*see* Okawa et al). 1998;179:721-6
Vedernikov YP (*see* Syal et al). 1998;179:111-6
Veljovich DS, Stoler MH, Andersen WA, Covell JL, Rice LW. Atypical glandular cells of undetermined significance: a five-year retrospective histopathologic study. 1998;179:382-90
Vengalil S (*see* Santolaya-Forgas et al). 1998;179:1124-7
Vergani P, Locatelli A, Ghidini A. Clinical outcome of mild fetal ventriculomegaly. 1998;179:562-3 (Letter reply)
Vergote I (*see* Timmerman et al). 1998;179:62-70
Verheijen RHM (*see* Zweemer et al). 1998;179:1101-2 (Letter reply)
Verma RS (*see* Gogineni and Verma). 1998;179:1654 (Letter)
Veronikis DK, Nichols DH, Spino C. The Noble-Mengert-Fish operation—revisited: a composite approach for persistent rectovaginal fistulas and complex perineal defects. 1998;179:1411-7
Verter J (*see* Stevenson et al). 1998;179:1632-9
Vial T (*see* Lalkin et al). 1998;179:727-30
Villa L (*see* Fesslova et al). 1998;179:1056-62
Villaccio B (*see* Marinoni et al). 1998;179:784-7
Vintzileos AM, Ananth CV, Fisher AJ, Smulian JC, Day-Salvatore D, Beazoglou T, Knuppel RA. An economic evaluation of prenatal strategies for detection of trisomy 18. 1998;179:1220-4
Vintzileos AM, Ananth CV, Fisher AJ, Smulian JC, Day-Salvatore D, Beazoglou T, Knuppel RA. An economic evaluation of second-trimester genetic ultrasonography for prenatal detection of Down syndrome. 1998;179:1214-9
Visco AG (*see* Cundiff et al). 1998;179:1451-7
Vizza E (*see* Davies et al). 1998;179:1008-12
Volpe A (*see* Cagnacci and Volpe). 1998;179:563-4 (Letter reply)
Volpe A (*see* Cagnacci and Volpe). 1998;179:837 (Letter reply)
von Segesser LK (*see* Weiss et al). 1998;179:1643-53 (AJOG reviews)

W

Wadell G (*see* Kjellberg et al). 1998;179:1497-502
Wadhwa PD, Porto M, Garite TJ, Chicz-DeMet A, Sandman CA.

Maternal corticotropin-releasing hormone levels in the early third trimester predict length of gestation in human pregnancy. 1998;179:1079-85
Wagner RK (*see* Hoeldtke et al). 1998;179:1071-4
Wakai RT, Leuthold AC, Martin CB. Atrial and ventricular fetal heart rate patterns in isolated congenital complete heart block detected by magnetocardiography. 1998;179:258-60
Walker RA (*see* Egerman et al). 1998;179:1234-6
Wallach SJ (*see* Smilen et al). 1998;179:1465-72
Wallenburg HCS (*see* Beckmann and Wallenburg). 1998;179:279 (Letter reply)
Walsh S (*see* Hauth et al). 1998;179:1193-9
Walshe JJ (*see* Higgins et al). 1998;179:464-9
Walshe JJ (*see* Higgins et al). 1998;179:520-6
Walters MD (*see* Weber et al). 1998;179:1446-50
Walton R (*see* Leible et al). 1998;179:1587-93
Wang EE (*see* Seaward et al). 1998;179:635-9
Wang H-S (*see* Torry et al). 1998;179:1539-44
Wang J, Trudinger B. Elevated levels of lipoprotein(a) in women with preeclampsia. 1998;179:1104 (Letter reply)
Wang T-H (*see* Torry et al). 1998;179:1539-44
Ward K (*see* Esplin et al). 1998;179:974-7
Waugh MS (*see* Rosenberg and Waugh). 1998;179:577-82
Weber AM, Walters MD, Ballard LA, Booher DL, Piedmonte MR. Posterior vaginal prolapse and bowel function. 1998;179:1446-50
Weeks J (*see* Major et al). 1998;179:1038-42
Weidner AC (*see* Cundiff et al). 1998;179:1451-7
Weiner CP (*see* Merrill et al). 1998;179:235-40
Weinstein RB, Trussell J. Declining cesarean delivery rates in California: An effect of managed care? 1998;179:657-64
Weisenborn EJ (*see* Kalchbrenner et al). 1998;179:1145-9
Weiss BM, von Segesser LK, Alon E, Seifert B, Turina MI. Outcome of cardiovascular surgery and pregnancy: a systematic review of the period 1984–1996. 1998;179:1643-53 (AJOG reviews)
Weiss PAM (*see* Haeusler et al). 1998;179:917-20
Welgoss J (*see* Steele et al). 1998;179:1458-64
Weller S (*see* Kimberlin et al). 1998;179:846-51
Wellings RP (*see* Crocker et al). 1998;179:1305-11
Wenstrom KD, Chu DC, Owen J, Boots L. Maternal serum α-fetoprotein and dimeric inhibin A detect aneuploidies other than Down syndrome. 1998;179:966-70
Wenstrom KD (*see* Guinn et al). 1998;179:874-8
Wentworth RA (*see* Pitera et al). 1998;179:492-6
Wentzel P (*see* Forsberg et al). 1998;179:772-8
Westhoff CL. Oral contraceptives and thrombosis: an overview of study methods and recent results. 1998;179:S38-42
Weston JA (*see* Seaward et al). 1998;179:635-9
Whetten-Goldstein K (*see* Sloan et al). 1998;179:671-6
Whitley RJ (*see* Kimberlin et al). 1998;179:846-51
Whittaker PG (*see* Sivan et al). 1998;179:1128-32
Whitworth NS (*see* Magann et al). 1998;179:890-4
Wiemer KE (*see* Crain et al). 1998;179:299-307
Wiener-Megnagi Z, Ben-Shlomo I, Goldberg Y, Shalev E. Resistance to activated protein C and the Leiden mutation: high prevalence in patients with abruptio placentae. 1998;179:1565-7
Wiklund F (*see* Kjellberg et al). 1998;179:1497-502
Williams CD, Marshburn PB. A prospective study of transvaginal hydrosonography in the evaluation of abnormal uterine bleeding. 1998;179:292-8
Williams FLR (*see* Mires et al). 1998;179:1317-23
Williams H (*see* Angioli et al). 1998;179:343-8
Williams JK, Cline JM, Honoré EK, Delansorne R, Paris J. Coadministration of nomegestrol acetate does not diminish the beneficial effects of estradiol on coronary artery dilator responses in nonhuman primates (*Macaca fascicularis*). 1998;179:1288-94
Williams KP, Wilson S. Variation in cerebral perfusion pressure with different hypertensive states in pregnancy. 1998;179:1200-3
Williamson R (*see* Merrill et al). 1998;179:235-40
Wilsnack SC (*see* Golding et al). 1998;179:1013-9
Wilson L (*see* Santolaya-Forgas et al). 1998;179:1124-7
Wilson M (*see* Rodis et al). 1998;179:985-8
Wilson S (*see* Williams and Wilson). 1998;179:1200-3
Wimalawansa SJ (*see* Dong et al). 1998;179:497-506
Wing DA, Paul RH. Induction of labor with misoprostol for premature rupture of membranes beyond thirty-six weeks' gestation. 1998;179:94-9
Winikoff B (*see* Blinder et al). 1998;179:1376 (Letter)
Winkler UH. Effects on hemostatic variables of desogestrel- and gestodene-containing oral contraceptives in comparison with levonorgestrel-containing oral contraceptives: a review. 1998;179:S51-61
Winkvist A (*see* Berg-Lekås et al). 1998;179:117-21
Witter FR (*see* Johnson et al). 1998;179:779-83
Witter FR (*see* Luke et al). 1998;179:1155-61
Wodnar-Filipowicz A (*see* Surbek et al). 1998;179:1228-33
Woessner JF Jr (*see* Rechberger et al). 1998;179:1511-4
Wolf H (*see* van Pampus et al). 1998;179:1103-4 (Letter)
Wolton A (*see* Glynn et al). 1998;179:533-9
Woo BH (*see* Kim et al). 1998;179:146-9
Wright LL (*see* Donovan et al). 1998;179:742-9
Wright LL (*see* Stevenson et al). 1998;179:1632-9
Wu WX (*see* Smith et al). 1998;179:1545-52
Wyman JF, Fantl JA, McClish DK, Bump RC, Continence Program for Women Research Group. Comparative efficacy of behavioral interventions in the management of female urinary incontinence. 1998;179:999-1007

X

Xia XY (*see* Ota et al). 1998;179:1075-8
Xia YX (*see* Ota et al). 1998;179:1075-8
Xiao D (*see* Zhang et al). 1998;179:1594-8
Xu W (*see* Clark et al). 1998;179:841-5

Y

Yalçin Ö (*see* Şener et al). 1998;179:278-9 (Letter reply)
Yaldoo DT (*see* Keenan et al). 1998;179:731-7
Yallampalli C (*see* Dong et al). 1998;179:497-506
Yamamoto M (*see* Oyarzún et al). 1998;179:1115-9
Yamamoto SY (*see* Millar et al). 1998;179:126-34
Yanai-Inbar I (*see* Maymon et al). 1998;179:820-2
Yared M (*see* Moise et al). 1998;179:1353-8
Yaron Y (*see* Sokol et al). 1998;179:971-3
Yeh J (*see* Saphier and Yeh). 1998;179:962-5
Yelian FD (*see* Svinarich et al). 1998;179:470-5
Yim SF (*see* Yuen et al). 1998;179:1-5
Ylikorkala O (*see* Cacciatore et al). 1998;179:140-5
Yoneyama Y, Sawa R, Kubonoya K, Suzuki S, Otsubo Y, Power GG, Araki T. Evidence for mechanisms of the acute-phase response to endotoxin in late-gestation fetal goats. 1998;179:750-5
Yoon BH, Romero R, Jun JK, Maymon E, Gomez R, Mazor M, Park JS. An increase in fetal plasma cortisol but not dehydroepiandrosterone sulfate is followed by the onset of preterm labor in patients with preterm premature rupture of the membranes. 1998;179:1107-14
Yoon BH, Romero R, Park JS, Chang JW, Kim YA, Kim JC, Kim KS. Microbial invasion of the amniotic cavity with *Ureaplasma urealyticum* is associated with a robust host response in fetal, amniotic, and maternal compartments. 1998;179:1254-60
Yoon BH (*see* Gomez et al). 1998;179:194-202

Yoon BH (*see* Romero et al). 1998;179:186-93
Yoshimatsu J (*see* Tanaka et al). 1998;179:644-9
Yoshimura S (*see* Nakayama et al). 1998;179:256-7
Younes N (*see* Donovan et al). 1998;179:742-9
Young ED (*see* Crain et al). 1998;179:299-307
Yu JK (*see* Balderston et al). 1998;179:823-4
Yucesoy G (*see* Karabacak et al). 1998;179:838 (Letter)
Yuen PM, Mak TWL, Yim SF, Kee WDN, Lam CWK, Rogers MS, Chang AMZ. Metabolic and inflammatory responses after laparoscopic and abdominal hysterectomy. 1998;179:1-5
Yulzari R (*see* Kopernik et al). 1998;179:1503-10

Z

Zaher FM (*see* Svinarich et al). 1998;179:470-5
Zahm DM, Nindl I, Greinke C, Hoyer H, Schneider A. Colposcopic appearance of cervical intraepithelial neoplasia is age dependent. 1998;179:1298-304
Zalel Y. Recurrent spontaneous ovarian hyperstimulation syndrome. 1998;179:835-6 (Letter)
Zelop C (*see* Caughey et al). 1998;179:938-41
Zeyneloglu HB, Seli E, Senturk LM, Gutierrez LS, Olive DL, Arici A. The effect of monocyte chemotactic protein 1 in intraperitoneal adhesion formation in a mouse model. 1998;179:438-43
Zhang L, Xiao D, Bouslough DB. Long-term high-altitude hypoxia increases plasma nitrate levels in pregnant ewes and their fetuses. 1998;179:1594-8
Zhao X, Nijland MJM, Ervin MG, Ross MG. Regulation of hypothalamic arginine vasopressin messenger ribonucleic acid and pituitary arginine vasopressin content in fetal sheep: effects of acute tonicity alterations and fetal maturation. 1998;179:899-905
Zweemer RP, Verheijen RHM, Menko FH. BRCA1 and BRCA2 gene mutations in hereditary and sporadic ovarian cancer and the clinical implications. 1998;179:1101-2 (Letter reply)

Subject index*

A

Abdomen

Is adverse pregnancy outcome predictable after blunt abdominal trauma? (Pak et al). 1998;179:1140-4

Ultrasonographic prediction of fetal outcome in suspected skeletal dysplasias with use of the femur length–to–abdominal circumference ratio (Ramus et al). 1998;179:1348-52

Uterine leiomyoma as a rare cause of acute abdomen and intestinal gangrene (Sheikh). 1998;179:830-1

Abdominal hysterectomy; *see* **Hysterectomy**

Abnormalities

Abnormal ductus venosus blood flow in trisomy 21 fetuses during early pregnancy (Borrell et al). 1998;179:1612-17

An abortus with double trisomy (48, XY, +4, +7) (Gogineni and Verma). 1998;179:1654 (Letter)

Accurate detection of anomalies by routine ultrasonography in an indigent clinic population (Magriples and Copel). 1998;179:978-81

Age-specific variation in aneuploidy incidence among biochemical screening programs (Sokol et al). 1998;179:971-3

An economic evaluation of prenatal strategies for detection of trisomy 18 (Vintzileos et al). 1998;179:1220-4

Extracoelomic fluid osmometry and electrolyte composition during early gestation in the baboon (Santolaya-Forgas et al). 1998;179:1124-7

Further evidence that the *WT1* gene does not have a role in the development of the derivatives of the müllerian duct (van Lingen et al). 1998;179:597-603

Maternal serum α-fetoprotein and dimeric inhibin A detect aneuploidies other than Down syndrome (Wenstrom et al). 1998;179:966-70

May-Hegglin anomaly: a case of vaginal delivery when both mother and fetus are affected (Urato and Repke). 1998;179:260-1

The safety of omeprazole during pregnancy: a multicenter prospective controlled study (Lalkin et al). 1998;179:727-30

Abortion

Methotrexate effects on trophoblast and the corpus luteum in early pregnancy (Creinin et al). 1998;179:604-9

Mifepristone-misoprostol medical abortion: Who will use it and why? (Blinder et al). 1998;179:1376 (Letter)

Multifetal pregnancy reduction is not associated with an increased risk of intrauterine growth restriction, except for very-high-order multiples (Torok et al). 1998;179:221-5

Selective delivery in a twin gestation (Porreco et al). 1998;179:264-5

Success rate of cytogenetic analysis at the time of second-trimester dilation and evacuation (Bernick et al). 1998;179:957-61

Understanding miscarriage or insensitive abortion: Time for more defined terminology? (Hutchon). 1998;179:397-8 (Clin. opinion)

Abortion, spontaneous

An abortus with double trisomy (48,XY,+4,+7) (Gogineni and Verma). 1998;179:1654 (Letter)

Discordant uterine artery velocity waveforms as a predictor of subsequent miscarriage in early viable pregnancies (Leible et al). 1998;179:1587-93

Is curettage needed for uncomplicated incomplete spontaneous abortion? (Ballagh et al). 1998;179:1279-82 (Clin. opinion)

Thyroid autoantibodies are not associated with recurrent pregnancy loss (Esplin et al). 1998;179:1583-6

Understanding miscarriage or insensitive abortion: Time for more defined terminology? (Hutchon). 1998;179:397-8 (Clin. opinion)

Abruptio placentae

Resistance to activated protein C and the Leiden mutation: high prevalence in patients with abruptio placentae (Wiener-Megnagi et al). 1998;179:1565-7

Acyclovir

Pharmacokinetics of oral valacyclovir and acyclovir in late pregnancy (Kimberlin et al). 1998;179:846-51

Prevention of herpes simplex virus infection and latency by prophylactic treatment with acyclovir in a weanling mouse model (Dobson et al). 1998;179:527-32

Adhesion molecules; *see* **Cell adhesion molecules**

Adhesions

The effect of monocyte chemotactic protein 1 in intraperitoneal adhesion formation in a mouse model (Zeyneloglu et al). 1998;179:438-43

The temporal efficacy of early second-look lysis of adhesions in reducing postoperative adhesions in a murine model (Haney and Doty). 1998;179:368-73

Adipose tissue

Leptin in human pregnancy: the relationship with gestational hormones (Sivan et al). 1998;179:1128-32

Administration, cutaneous

Effects of transdermal nitroglycerin on impedance to flow in the uterine, umbilical, and fetal middle cerebral arteries in pregnancies complicated by preeclampsia and intrauterine growth retardation (Cacciatore et al). 1998;179:140-5

Administration, intravaginal

Effectiveness of prostaglandin E_2 intracervical gel (Prepidil), with immediate oxytocin, versus vaginal insert (Cervidil) for induction of labor (Stewart et al). 1998;179:1175-80

*July, 1-282, S1-S36; August, 283-568; September, part 1, 569-840; part 2, S37-S86; October, 841-1106; November, 1107-1386; December, part 1, 1387-1718; part 2, S87-S116.

Pre-eclampsia and induction of labor: a randomized comparison of prostaglandin E_2 as an intracervical gel, with oxytocin immediately, or as a sustained-release vaginal insert (Hennessey et al). 1998;179:1204-9

Administration, oral

Comparison between oral and intramuscular dexamethasone in suppressing unconjugated estriol levels during the third trimester (Egerman et al). 1998;179:1234-6

Pharmacokinetics of oral valacyclovir and acyclovir in late pregnancy (Kimberlin et al). 1998;179:846-51

A randomized, controlled trial of oral and intramuscular dexamethasone in the prevention of neonatal respiratory distress syndrome (Egerman et al). 1998;179:1120-3

Administration, rectal

Rectal misoprostol in the prevention of postpartum hemorrhage: a placebo-controlled trial (Bamigboye et al). 1998;179:1043-6

Adnexal diseases

The role of ultrasonography in the detection and management of adnexal masses during the second and third trimesters of pregnancy (Hill et al). 1998;179:703-7

Adolescence

Follow-up of sexual assault victims (Holmes et al). 1998;179:336-42

Adrenal gland hypofunction

Hyperemesis gravidarum is not associated with hypofunction of the pituitary-adrenal axis (la Marca et al). 1998;179:1381-2 (Letter)

Adrenergic beta receptor blockaders

Is the attenuation of β-adrenergic agonist efficacy during labor caused by elevated prostaglandin E levels? (Lye et al). 1998;179:1168-74

Adrenomedullin

Adrenomedullin concentrations in umbilical cord plasma of uncomplicated term pregnancies (Hoeldtke et al). 1998;179:1071-4

Immunoreactive adrenomedullin in human fetoplacental tissues (Marinoni et al). 1998;179:784-7

Age factors

Age-specific variation in aneuploidy incidence among biochemical screening programs (Sokol et al). 1998;179:971-3

Colposcopic appearance of cervical intraepithelial neoplasia is age dependent (Zahm et al). 1998;179:1298-304

Aged

Cervical cancer in older women: a molecular analysis of human papillomavirus types, HLA types, and p53 mutations (Gostout et al). 1998;179:56-61

AJOG reviews

AJOG reviews. 1998;179:241-54, 544-56, 804-12, 1086-97, 1359-75, 1643-53

Alcohol, ethyl

Ethanol-induced expression of cytokines in a first-trimester trophoblast cell line (Svinarich et al). 1998;179:470-5

Alpha fetoproteins

Maternal serum α-fetoprotein and dimeric inhibin A detect aneuploidies other than Down syndrome (Wenstrom et al). 1998;179:966-70

Primary hepatoid carcinoma of ovary in pregnancy (Maymon et al). 1998;179:820-2

Ambulatory care

Accurate detection of anomalies by routine ultrasonography in an indigent clinic population (Magriples and Copel). 1998;179:978-81

Rehospitalizations and outpatient contacts of mothers and neonates after hospital discharge after vaginal delivery (Meikle et al). 1998;179:166-71

The American Board of Obstetrics and Gynecology

Approved Fellowships Training Programs. 1998;179:31A-5A

New certifications: subspecialty of Gynecologic Oncology. 1998;179:1383

New certifications: subspecialty of Maternal-Fetal Medicine. 1998;179:1383-4

New certifications: subspecialty of Reproductive Endocrinology. 1998;179:1384

Amniocentesis

An alternative for women initially declining genetic amniocentesis: individual Down syndrome odds on the basis of maternal age and multiple ultrasonographic markers (Bahado-Singh et al). 1998;179:514-9

Amniotic fluid insulin testing in gestational diabetes: safety and acceptance of amniocentesis (Haeusler et al). 1998;179:917-20

The construction and utility of an amniocentesis trainer (Maher et al). 1998;179:1225-7

Postamniocentesis fluid leakage (McGrath) (Letter); (Şener et al) (Reply). 1998;179:278-9

Transabdominal intra-amniotic endoscopic assessment of previable premature rupture of membranes (Quintero et al). 1998;179:71-6

Amnion

The effect of transforming growth factor and interleukin-10 on interleukin-8 release by human amniochorion may regulate histologic chorioamnionitis (Fortunato et al). 1998;179:794-9

Immunohistochemical localization of inducible nitric oxide synthase on human fetal amnion in intra-amniotic infection (Hsu et al). 1998;179:1271-4

Amniotic fluid

Amniotic fluid insulin testing in gestational diabetes: safety and acceptance of amniocentesis (Haeusler et al). 1998;179:917-20

Elevated amniotic fluid levels of leukemia inhibitory factor, interleukin-6, and interleukin 8 in intra-amniotic infection (Hsu et al). 1998;179:1267-70

Evaluating rapid diagnostic tests of intra-amniotic infection: gram stain, amniotic fluid glucose level, and amniotic fluid to serum glucose level ratio (Hussey et al). 1998;179:650-6

Immunohistochemical localization of inducible nitric oxide synthase on human fetal amnion in intra-amniotic infection (Hsu et al). 1998;179:1271-4

Is amniotic fluid analysis the key to preterm labor? A model using interleukin-6 for predicting rapid delivery (Greci et al). 1998;179:172-8

Microbial invasion of the amniotic cavity with *Ureaplasma urealyticum* is associated with a robust host response in fetal, amniotic, and maternal compartments (Yoon et al). 1998;179:1254-60

Postamniocentesis fluid leakage (McGrath) (Letter); (Şener et al) (Reply). 1998;179:278-9

Specific detection of 16 micro-organisms in amniotic fluid by polymerase chain reaction and its correlation with preterm delivery occurrence (Oyarzún et al). 1998;179:1115-9

Ampicillan

Potential consequences of widespread antepartal use of ampicillin (Towers et al). 1998;179:879-83

Analgesia, epidural
The effect of maternal position on fetal heart rate during epidural or intrathecal labor analgesia (Eberle et al). 1998;179:150-5
The influence of epidural analgesia on cesarean delivery rates: a randomized, prospective clinical trial (Clark et al). 1998;179:1527-33
Anesthesia, epidural
The effect of lumbar epidural anesthesia on maternal middle cerebral artery blood flow in normal pregnancy: a prospective, randomized, double-blind comparison study (Fong et al). 1998;179:1237-40
Reattempting failed external cephalic version under epidural anesthesia (Neiger et al). 1998;179:1136-9
Aneuploidy
Age-specific variation in aneuploidy incidence among biochemical screening programs (Sokol et al). 1998;179:971-3
Maternal serum α-fetoprotein and dimeric inhibin A detect aneuploidies other than Down syndrome (Wenstrom et al). 1998;179:966-70
Angiotensin II
Saralasin-induced inhibition of ovulation in the in vitro perfused rat ovary is not replicated by the angiotensin II type-2 receptor antagonist PD123319 (Mikuni et al). 1998;179:35-40
Anomalies; *see* **Abnormalities**
Anoxia
Hypoxic-ischemic fetal insult resulting from maternal aortic root replacement, with normal fetal heart rate at term (Mul et al). 1998;179:825-7
Hypoxic-ischemic tolerance phenomenon observed in neonatal rat brain (Ota et al). 1998;179:1075-8
Long-term high-altitude hypoxia increases plasma nitrate levels in pregnant ewes and their fetuses (Zhang et al). 1998;179:1594-8
Proton magnetic resonance spectroscopy of fetal lamb brain during hypoxia (van Cappellen van Walsum et al). 1998;179:756-7
Risk of magnesium for respiratory failure in pregnancy (Carson and Khurana). 1998;179:558 (Letter)
Antenatal care; *see* **Prenatal care**
Anti-inflammatory agents
The role of the endogenous anti-inflammatory compound gravidin in pre-eclampsia (Crocker et al). 1998;179:1305-11
Antibiotics
Chorioamnionitis: Is continuation of antibiotic therapy necessary after cesarean section? (Turnquest et al). 1998;179:1261-6
Antigestagens
Regulation of interleukin-8 production in the term human placenta during labor and by antigestagens (Elliott et al). 1998;179:215-20
Antiglucocorticoids; *see* **Glucocorticoids**
Antihypertensive agents
Prevention of preeclampsia: a big disappointment (Sibai). 1998;179:1275-8 (Clin. opinion)
Antioxidants
Regulation of monocyte to macrophage differentiation by antiglucocorticoids and antioxidants (Roberts et al). 1998;179:354-62
Aorta
The effects of nitric oxide on the contractility of isolated uterine and aortic rings from pregnant rats (Okawa et al). 1998;179:721-6
Hypoxic-ischemic fetal insult resulting from maternal aortic root replacement, with normal fetal heart rate at term (Mul et al). 1998;179:825-7
Left-sided laparoscopic para-aortic lymphadenectomy: anatomy of the ventral tributaries of the infrarenal vena cava (Possover et al). 1998;179:1295-7
Phasic flow events at the aortic isthmus–ductus arteriosus junction and branch pulmonary artery evaluated by multimodal ultrasonography in fetal lambs (Schmidt et al). 1998;179:1338-47
Surgical procedure for para-aortic lymphadenectomy in stage IB and stage II cervical carcinoma (Morice et al) (Letter); (Schneider and Possover) (Reply). 1998;179:1098-9
Aortic coarctation
Aortic coarctation diagnosed after hypertension in pregnancy (Lip et al). 1998;179:814-5
Apoptosis
Altered apoptosis levels in hearts of human fetuses with Down syndrome (Saphier and Yeh). 1998;179:962-5
Apoptosis in human placenta (Chan et al) (Letter); (Smith et al) (Reply). 1998;179:1377-8
Arachidonic acid
Preterm labor and bacterial intraamniotic infection: arachidonic acid liberation by phospholipase A_2 of *Fusobacterium nucleatum* (Mikamo et al). 1998;179:1579-82
The role of the endogenous anti-inflammatory compound gravidin in pre-eclampsia (Crocker et al). 1998;179:1305-11
Argipressin
Regulation of hypothalamic arginine vasopressin messenger ribonucleic acid and pituitary arginine vasopressin content in fetal sheep: effects of acute tonicity alterations and fetal maturation (Zhao et al). 1998;179:899-905
Arrhythmia
The initiation, continuation, and termination of spontaneous episodes of circus movements in the pregnant myometrium of the rat (Lammers and Hamid). 1998;179:1515-26
Arterial thrombosis; *see* **Thrombosis**
Arteries
Effect of glycosylated hemoglobin on endothelium-dependent relaxation of omental arteries from pregnant women (Vedernikov et al). 1998;179:1047-50
Arteriovenous anastomosis
Abundant vascular anastomoses in monoamniotic versus diamniotic monochorionic placentas (Bajoria). 1998;179:788-93
Asphyxia
Fetal heart rate patterns in postasphyxiated fetal lambs with brain damage (Ikeda et al). 1998;179:1329-37
Asphyxia neonatorum
Potentially asphyxiating conditions and spastic cerebral palsy in infants of normal birth weight (Nelson and Grether). 1998;179:507-13
Aspirin
Maternal serum thromboxane B_2 concentrations do not predict improved outcomes in high-risk pregnancies in a low-dose aspirin trial (Hauth et al). 1998;179:1193-9
Prevention of preeclampsia: a big disappointment (Sibai). 1998;179:1275-8 (Clin. opinion)
Assisted reproduction; *see* **Reproduction techniques**

Asthma
Risk of magnesium for respiratory failure in pregnancy (Carson and Khurana). 1998;179:558 (Letter)
Atherosclerosis
Coadministration of nomegestrol acetate does not diminish the beneficial effects of estradiol on coronary artery dilator responses in nonhuman primates (*Macaca fascicularis*) (Williams et al). 1998;179:1288-94
Atrial natriuretic factor
Endotoxin-induced atrial natriuretic factor release: in vivo and in vitro studies (Rao et al). 1998;179:21-7
Atrium; *see* **Heart atrium**
Autoantibodies
Thyroid autoantibodies are not associated with recurrent pregnancy loss (Esplin et al). 1998;179:1583-6
Autologous blood transfusion; *see* **Blood transfusion, autologous**

B

Bacteria
Specific detection of 16 micro-organisms in amniotic fluid by polymerase chain reaction and its correlation with preterm delivery occurrence (Oyarzún et al). 1998;179:1115-9
Bacterial infections
Preterm labor and bacterial intraamniotic infection: arachidonic acid liberation by phospholipase A_2 of *Fusobacterium nucleatum* (Mikamo et al). 1998;179:1579-82
Behavior therapy
Comparative efficacy of behavioral interventions in the management of female urinary incontinence (Wyman et al). 1998;179:999-1007
Beta adrenergic agonists; *see* **Adrenergic beta receptor blockers**
Beta adrenergic receptors; *see* **Receptors, adrenergic, beta**
Beta human chorionic gonadotropins; *see* **Gonadotropins, chorionic**
Betamethasone
Placebo-controlled comparison between a single dose and a multidose of betamethasone in accelerating lung maturation of mice offspring (Stewart et al). 1998;179:1241-7
Bias
Bias versus causality: interpreting recent evidence of oral contraceptive studies (Spitzer). 1998;179:S43-50
Bibliography
Comments on the quality of citations in journals (Hoeffel). 1998;179:836 (Letter)
Biochemical phenomena
Age-specific variation in aneuploidy incidence among biochemical screening programs (Sokol et al). 1998;179:971-3
Biofeedback
Comparative efficacy of behavioral interventions in the management of female urinary incontinence (Wyman et al). 1998;179:999-1007
Biometry
Estimating date of confinement in in vitro fertilization pregnancies (Hutchon) (Letter); (Chervenak et al) (Reply). 1998;179:1381
New Down syndrome screening algorithm: ultrasonographic biometry and multiple serum markers combined with maternal age (Bahado-Singh et al). 1998;179:1627-31
Birth injuries
Erb's palsy without shoulder dystocia (Spellacy) (Letter); (Gherman) (Reply). 1998;179:561-2
Increased cesarean delivery rate: no effect on brachial plexus palsy (Gherman) (Letter); (Conway and Langer) (Reply). 1998;179:1378-9
Limited usefulness of fetal weight in predicting neonatal brachial plexus injury (Bryant et al). 1998;179:686-9
More (and less) on shoulder dystocia (Plante) (Letter); (Conway and Langer) (Reply). 1998;179:837-8
Objective definition of shoulder dystocia: a prospective evaluation (Beall et al). 1998;179:934-7
Obstetric maneuvers for shoulder dystocia (Iffy et al) (Letter); (Gherman and Goodwin) (Reply). 1998;179:1379-80
Shoulder dystocia and associated risk factors with macrosomic infants born in California (Nesbitt et al). 1998;179:476-80
Time for resolving shoulder dystocia (Beer and Folghera). 1998;179:1376-7 (Letter)
Birth weight
The importance of early weight gain in the intrauterine growth and birth weight of twins (Luke et al). 1998;179:1155-61
Limited usefulness of fetal weight in predicting neonatal brachial plexus injury (Bryant et al). 1998;179:686-9
Potentially asphyxiating conditions and spastic cerebral palsy in infants of normal birth weight (Nelson and Grether). 1998;179:507-13
Ultrasonographic estimate of birth weight at 24 to 34 weeks: a multicenter study (Chauhan et al). 1998;179:909-16
Bladder
The urinary bladder of a woman is a novel site of luteinizing hormone–human chorionic gonadotropin receptor gene expression (Tao et al). 1998;179:1026-31
Bladder diseases
The risk of cystocele after sacrospinous ligament fixation (Smilen et al). 1998;179:1465-72
Blood
Detection of fetal messenger ribonucleic acid in maternal blood to determine fetal RhD status as a strategy for noninvasive prenatal diagnosis (Al-Mufti et al). 1998;179:210-4
Normal pregnancy and preeclampsia both produce inflammatory changes in peripheral blood leukocytes akin to those of sepsis (Sacks et al). 1998;179:80-6
Prenatal diagnosis with use of fetal cells isolated from maternal blood: five-color fluorescent in situ hybridization analysis on flow-sorted cells for chromosomes X, Y, 13, 18, and 21 (Bischoff et al). 1998;179:203-9
Blood circulation
Hemostasis in the uteroplacental and peripheral circulations in normotensive and pre-eclamptic pregnancies (Higgins et al). 1998;179:520-6
Blood flow velocity
Abnormal ductus venosus blood flow in trisomy 21 fetuses during early pregnancy (Borrell et al). 1998;179:1612-17
Discordant uterine artery velocity waveforms as a predictor of subsequent miscarriage in early viable pregnancies (Leible et al). 1998;179:1587-93

Blood flow velocity—cont'd
Doppler flow velocity waveforms of the umbilical arteries correlate with intravillous blood volume (Hitschold). 1998;179:540-3
The effect of lumbar epidural anesthesia on maternal middle cerebral artery blood flow in normal pregnancy: a prospective, randomized, double-blind comparison study (Fong et al). 1998;179:1237-40
Phasic flow events at the aortic isthmus–ductus arteriosus junction and branch pulmonary artery evaluated by multimodal ultrasonography in fetal lambs (Schmidt et al). 1998;179:1338-47
Variation in cerebral perfusion pressure with different hypertensive states in pregnancy (Williams and Wilson). 1998;179:1200-3
Blood pressure
The acute pressure natriuresis response blunted and the blood pressure response reset in the normal pregnant rat (Masilamani et al). 1998;179:486-91
Blood transfusion, autologous
The safety of intraoperative autologous blood collection and autotransfusion during cesarean section (Rebarber et al). 1998;179:715-20
Blood transfusion, intrauterine
Long-term neurodevelopmental outcome after intrauterine transfusion for the treatment of fetal hemolytic disease (Hudon et al). 1998;179:858-63
Blood vessels
Vascular cell adhesion molecule in pregnancy (Raynor and Parthasarathy) (Letter); (Beckmann and Wallenburg) (Reply). 1998;179:279
Blood volume
Comparison of total blood volume in normal, preeclamptic, and nonproteinuric gestational hypertensive pregnancy by simultaneous measurement of red blood cell and plasma volumes (Silver et al). 1998;179:87-93
Doppler flow velocity waveforms of the umbilical arteries correlate with intravillous blood volume (Hitschold). 1998;179:540-3
Body composition
Fetal body composition and ultrasonographic estimates of fetal weight (Bernstein and Catalano). 1998;179:558 (Letter)
Hormone replacement therapy and body size: How much does lifestyle explain? (Parazzini et al) (Letter); (Luoto et al) (Reply). 1998;179:1103
Longitudinal changes in body composition and energy balance in lean women with normal and abnormal glucose tolerance during pregnancy (Catalano et al). 1998;179:156-65
Body mass index
Cesarean section (Roberts) (Letter); (Brost and Newman) (Reply). 1998;179:564-5
Maternal weight, body mass index, and cesarean delivery (Luke) (Letter); (Brost and Newman) (Reply). 1998;179:564-5
Recurrence of gestational diabetes: Who is at risk? (Major et al). 1998;179:1038-42
Body temperature
Evidence for mechanisms of the acute-phase response to endotoxin in late-gestation fetal goats (Yoneyama et al). 1998;179:750-5
Body weight
Cesarean section (Roberts) (Letter); (Brost and Newman) (Reply). 1998;179:564-5
Maternal weight, body mass index, and cesarean delivery (Luke) (Letter); (Brost and Newman) (Reply). 1998;179:564-5
Bone diseases
Ultrasonographic prediction of fetal outcome in suspected skeletal dysplasias with use of the femur length–to–abdominal circumference ratio (Ramus et al). 1998;179:1348-52
Books
Books received. 1998;179:1655-7
Bottle feeding
Treatment for lactation suppression: little progress in one hundred years (Spitz et al). 1998;179:1485-90 (Clin. opinion)
Bowel dysfunction; *see* **Constipation**
Brachial artery
Brachial artery rupture complicating a pregnancy with neurofibromatosis: a case report (Tidwell and Copas). 1998;179:832-4
Brachial plexus
Increased cesarean delivery rate: no effect on brachial plexus palsy (Gherman) (Letter); (Conway and Langer) (Reply). 1998;179:1378-9
Limited usefulness of fetal weight in predicting neonatal brachial plexus injury (Bryant et al). 1998;179:686-9
Brain
Fetal heart rate patterns in postasphyxiated fetal lambs with brain damage (Ikeda et al). 1998;179:1329-37
Hypoxic-ischemic fetal insult resulting from maternal aortic root replacement, with normal fetal heart rate at term (Mul et al). 1998;179:825-7
Hypoxic-ischemic tolerance phenomenon observed in neonatal rat brain (Ota et al). 1998;179:1075-8
Variation in cerebral perfusion pressure with different hypertensive states in pregnancy (Williams and Wilson). 1998;179:1200-3
BRCA1 mutation; *see* **Mutation**
Breast
Elevated high-density lipoprotein cholesterol and dietary fat intake in women with cyclic mastopathy (Goodwin et al). 1998;179:430-7
Breast neoplasms
A randomized trial on the use of ultrasonography or office hysteroscopy for endometrial assessment in postmenopausal patients with breast cancer who were treated with tamoxifen (Timmerman et al). 1998;179:62-70
Breech presentation
Reattempting failed external cephalic version under epidural anesthesia (Neiger et al). 1998;179:1136-9
Bronchopulmonary sequestration
Fetal lung lesions: management and outcome (Adzick et al). 1998;179:884-9
Bupivacaine
The effect of maternal position on fetal heart rate during epidural or intrathecal labor analgesia (Eberle et al). 1998;179:150-5

C

Calcitonin gene–related peptide
Uterine relaxation responses to calcitonin gene–related peptide and calcitonin gene–related peptide receptors decreased during labor in rats (Dong et al). 1998;179:497-506
Calcium
Prevention of preeclampsia: a big disappointment (Sibai). 1998;179:1275-8 (Clin. opinion)
Calcium carbonate
Calcium carbonate and the premenstrual syndrome: effects on premenstrual and menstrual symptoms (Thys-Jacobs et al). 1998;179:444-52

Calcium channel blockers
Human fetal membranes release a Ca^{++} channel inhibitor (Emery et al). 1998;179:989-93
Canada
Risk factors for familial and sporadic ovarian cancer among French Canadians: a case-control study (Godard et al). 1998;179:403-10
Candidiasis, vulvovaginal
Recurrent candidiasis and "malcarbohydrate metabolism" (Smith) (Letter); (Sobel) (Reply). 1998;179:557-8
Caput succedaneum; *see* **Edema**; **Scalp**
Carbohydrates
Recurrent candidiasis and "malcarbohydrate metabolism" (Smith) (Letter); (Sobel) (Reply). 1998;179:557-8
Carbon dioxide
The effect of a high partial pressure of carbon dioxide environment on metabolism and immune functions of human peritoneal cells—relevance to carbon dioxide pneumoperitoneum (Kopernik et al). 1998;179:1503-10
Carcinoma
Endometrial carcinoma after endometrial ablation: high-risk factors predicting its occurrence (Valle and Baggish). 1998;179:569-72 (Clin. opinion)
Expression of γ-glutamyl transpeptidase in stage III and IV ovarian surface epithelial carcinomas does not alter response to primary cisplatin-based chemotherapy (Hanigan et al). 1998;179:363-7
Intrahepatic cholangiocarcinoma masquerading as the HELLP syndrome (hemolysis, elevated liver enzymes, and low platelet count) in pregnancy: case report (Balderston et al). 1998;179:823-4
Primary hepatoid carcinoma of ovary in pregnancy (Maymon et al). 1998;179:820-2
Surgical procedure for para-aortic lymphadenectomy in stage IB and stage II cervical carcinoma (Morice et al) (Letter); (Schneider and Possover) (Reply). 1998;179:1098-9
Carcinoma, papillary
Papillary thyroid carcinoma manifesting as thyroid storm of pregnancy: case report (Tewari et al). 1998;179:818-9
Carcinoma, squamous cell
The cost-effectiveness of treating women with a cervical vaginal smear diagnosis of atypical squamous cells of undetermined significance (Raab et al). 1998;179:411-20
Qualification of atypical squamous cells of undetermined significance in an independent laboratory: Is it useful or significant? (Lachman and Cavallo-Calvanese). 1998;179:421-9
Cardiac function tests; *see* **Heart function tests**
Cardiopulmonary bypass
Outcome of cardiovascular surgery and pregnancy: a systematic review of the period 1984–1996 (Weiss et al). 1998;179:1643-53 (AJOG reviews)
Cardiovascular diseases
Emergency mitral valve replacement in the setting of severe pulmonary hypertension and acute cardiovascular decompensation after evacuation of twins at fifteen weeks' gestation (Tio et al). 1998;179:270-2
Outcome of cardiovascular surgery and pregnancy: a systematic review of the period 1984–1996 (Weiss et al). 1998;179:1643-53 (AJOG reviews)
Causality
Bias versus causality: interpreting recent evidence of oral contraceptive studies (Spitzer). 1998;179:S43-50
Cell adhesion molecules
Circulating vascular cell adhesion molecule–1 in pre-eclampsia, gestational hypertension, and normal pregnancy: evidence of selective dysregulation of vascular cell adhesion molecule–1 homeostasis in pre-eclampsia (Higgins et al). 1998;179:464-9
Retinoic acid up-regulates the expression of major histocompatibility complex molecules and adhesion/costimulation molecules (specifically, intercellular adhesion molecule ICAM-1) in human cervical cancer (Santin et al). 1998;179:1020-5
Serum from preeclamptic women induces vascular cell adhesion molecule-1 expression on human endothelial cells in vitro: a possible role of increased circulating levels of free fatty acids (Endresen et al). 1998;179:665-70
Vascular cell adhesion molecule in pregnancy (Raynor and Parthasarathy) (Letter); (Beckmann and Wallenburg) (Reply). 1998;179:279
Cell line
Ethanol-induced expression of cytokines in a first-trimester trophoblast cell line (Svinarich et al). 1998;179:470-5
Cells
Prenatal diagnosis with use of fetal cells isolated from maternal blood: five-color fluorescent in situ hybridization analysis on flow-sorted cells for chromosomes X, Y, 13, 18, and 21 (Bischoff et al). 1998;179:203-9
Cells, cultured
Specific binding and growth-promoting activity of insulin in endometrial cancer cells in culture (Nagamani and Stuart). 1998;179:6-12
Centers for Disease Control
Compliance with the Centers for Disease Control and Prevention antenatal culture protocol for preventing group B streptococcal neonatal sepsis (Cheon-Lee and Amstey). 1998;179:77-9
Cephalhematoma; *see* **Hematoma**; **Scalp**
Cerebral arteries
The effect of lumbar epidural anesthesia on maternal middle cerebral artery blood flow in normal pregnancy: a prospective, randomized, double-blind comparison study (Fong et al). 1998;179:1237-40
Effects of transdermal nitroglycerin on impedance to flow in the uterine, umbilical, and fetal middle cerebral arteries in pregnancies complicated by preeclampsia and intrauterine growth retardation (Cacciatore et al). 1998;179:140-5
Cerebral palsy
Potentially asphyxiating conditions and spastic cerebral palsy in infants of normal birth weight (Nelson and Grether). 1998;179:07-13
Cerebral ventricles, abnormalities
Clinical outcome of mild fetal ventriculomegaly (Bloom and Bloom) (Letter); (Vergani et al) (Reply). 1998;179:562-3
Cerebrovascular disorders
Myocardial infarction and stroke in young women: What is the impact of oral contraceptives? (Lewis). 1998;179:S68-77
Cervical ripening; *see* **Labor stage, first**
Cervical smears; *see* **Vaginal smears**
Cervidil; *see* **Pessaries**
Cervix
Can we decrease postdatism in women with an unfavorable cervix and a negative fetal fibronectin test result at term by serial membrane sweeping? (Magann et al). 1998;179:890-4
Comparison of ureteral and cervical descents during vaginal hysterectomy for uterine prolapse (DeLancey et al). 1998;179:1405-10
Effect of sexual intercourse on fetal fibronectin concentration in cervicovaginal secretions (Shimoya et al). 1998;179:255-6

Cervix—cont'd

Fetal fibronectin detection in preterm labor: evaluation of a prototype bedside dipstick technique and cervical assessment (Coleman et al). 1998;179:1553-8

β-Human chorionic gonadotropin in cervicovaginal secretions as a predictor of preterm delivery (Bernstein et al). 1998;179:870-3

Interleukin-1β and interleukin-8 in cervicovaginal fluid during pregnancy (Tanaka et al). 1998;179:644-9

Transvaginal versus transperineal ultrasonography: a blinded comparison in the assessment of cervical length at midgestation (Kurtzman et al). 1998;179:852-7

Cervix incompetence

Cervical cerclage: An alternative for the management of placenta previa? (Cobo et al). 1998;179:122-5

Cervix mucus

The role of cytokines in cervical ripening: correlations between the concentrations of cytokines and hyaluronic acid in cervical mucus and the induction of hyaluronic acid production by inflammatory cytokines by human cervical fibroblasts (Ogawa et al). 1998;179:105-10

Cervix neoplasms

Can the number of cigarettes smoked predict high-grade cervical intraepithelial neoplasia among women with mildly abnormal cervical smears? (Daly et al). 1998;179:399-402

Cervical cancer in older women: a molecular analysis of human papillomavirus types, HLA types, and p53 mutations (Gostout et al). 1998;179:56-61

Cervical screening adjuncts: recent advances (Spitzer). 1998;179:544-56 (AJOG reviews)

Colposcopic appearance of cervical intraepithelial neoplasia is age dependent (Zahm et al). 1998;179:1298-304

The cost-effectiveness of treating women with a cervical vaginal smear diagnosis of atypical squamous cells of undetermined significance (Raab et al). 1998;179:411-20

Death of the Papanicolaou smear? A tale of three reasons (Boronow). 1998;179:391-6 (Clin. opinion)

A population-based study of human papillomavirus deoxyribonucleic acid testing for predicting cervical intraepithelial neoplasia (Kjellberg et al). 1998;179:1497-502

Pregnancies after radical vaginal trachelectomy for early-stage cervical cancer (Roy and Plante). 1998;179:1491-6

Qualification of atypical squamous cells of undetermined significance in an independent laboratory: Is it useful or significant? (Lachman and Cavallo-Calvanese). 1998;179:421-9

Retinoic acid up-regulates the expression of major histocompatibility complex molecules and adhesion/costimulation molecules (specifically, intercellular adhesion molecule ICAM-1) in human cervical cancer (Santin et al). 1998;179:1020-5

Surgical procedure for para-aortic lymphadenectomy in stage IB and stage II cervical carcinoma (Morice et al) (Letter); (Schneider and Possover) (Reply). 1998;179:1098-9

Cesarean section

A "bloodless cesarean section" and perinatal transmission of the human immunodeficiency virus (Towers et al). 1998;179:708-14

Cesarean section (Roberts) (Letter); (Brost and Newman) (Reply). 1998;179:564-5

Chorioamnionitis: Is continuation of antibiotic therapy necessary after cesarean section? (Turnquest et al). 1998;179:1261-6

Declining cesarean delivery rates in California: An effect of managed care? (Weinstein and Trussell). 1998;179:657-64

Increased cesarean delivery rate: no effect on brachial plexus palsy (Gherman) (Letter); (Conway and Langer) (Reply). 1998;179:1378-9

The influence of epidural analgesia on cesarean delivery rates: a randomized, prospective clinical trial (Clark et al). 1998;179:1527-33

Institutional influences on the primary cesarean section rate in Utah, 1992 to 1995 (Clark et al). 1998;179:841-5

Maternal weight, body mass index, and cesarean delivery (Luke) (Letter); (Brost and Newman) (Reply). 1998;179:564-5

More (and less) on shoulder dystocia (Plante) (Letter); (Conway and Langer) (Reply). 1998;179:837-8

The safety of intraoperative autologous blood collection and autotransfusion during cesarean section (Rebarber et al). 1998;179:715-20

Severe preeclampsia remote from term: Labor induction or elective cesarean delivery? (Nassar et al). 1998;179:1210-3

Trial of labor after cesarean delivery: the effect of previous vaginal delivery (Caughey et al). 1998;179:938-41

Vaginal hysterectomy in women with history of previous cesarean delivery (Unger and Meeks). 1998;179:1473-8

Chemotactic factors

The effect of monocyte chemotactic protein 1 in intraperitoneal adhesion formation in a mouse model (Zeyneloglu et al). 1998;179:438-43

Chemotherapy; *see* **Drug therapy**

Child development

Clinical outcome of mild fetal ventriculomegaly (Bloom and Bloom) (Letter); (Vergani et al) (Reply). 1998;179:562-3

Long-term neurodevelopmental outcome after intrauterine transfusion for the treatment of fetal hemolytic disease (Hudon et al). 1998;179:858-63

Cholangioma

Intrahepatic cholangiocarcinoma masquerading as the HELLP syndrome (hemolysis, elevated liver enzymes, and low platelet count) in pregnancy: case report (Balderston et al). 1998;179:823-4

Chorioamnionitis

Chorioamnionitis: Is continuation of antibiotic therapy necessary after cesarean section? (Turnquest et al). 1998;179:1261-6

The effect of transforming growth factor and interleukin-10 on interleukin-8 release by human amniochorion may regulate histologic chorioamnionitis (Fortunato et al). 1998;179:794-9

International Multicenter Term PROM Study: evaluation of predictors of neonatal infection in infants born to patients with premature rupture of membranes at term (Seaward et al). 1998;179:635-9

Chorion

The effect of transforming growth factor and interleukin-10 on interleukin-8 release by human amniochorion may regulate histologic chorioamnionitis (Fortunato et al). 1998;179:794-9

Chorionic villi

Doppler flow velocity waveforms of the umbilical arteries correlate with intravillous blood volume (Hitschold). 1998;179:540-3

Chromosome X; *see* **X chromosome**

Chromosome Y; *see* **Y chromosome**

Chromosomes

Telomere shortening in uterine leiomyomas (Bonatz et al). 1998;179:591-6

Chromosomes, human, pair 13

Prenatal diagnosis with use of fetal cells isolated from maternal

blood: five-color fluorescent in situ hybridization analysis on flow-sorted cells for chromosomes X, Y, 13, 18, and 21 (Bischoff et al). 1998;179:203-9

Chromosomes, human, pair 18

Prenatal diagnosis with use of fetal cells isolated from maternal blood: five-color fluorescent in situ hybridization analysis on flow-sorted cells for chromosomes X, Y, 13, 18, and 21 (Bischoff et al). 1998;179:203-9

Chromosomes, human, pair 21

Prenatal diagnosis with use of fetal cells isolated from maternal blood: five-color fluorescent in situ hybridization analysis on flow-sorted cells for chromosomes X, Y, 13, 18, and 21 (Bischoff et al). 1998;179:203-9

Circadian rhythm

Are there seasonal effects on obstetric circadian rhythms? (Cooperstock) (Letter); (Cagnacci and Volpe) (Reply). 1998;179:563-4

Diurnal rhythms of labor and delivery (Jakobovits) (Letter); (Cagnacci and Volpe) (Reply). 1998;179:836-7

Circus movements; *see* **Neural conduction**

Cisplatin

Expression of γ-glutamyl transpeptidase in stage III and IV ovarian surface epithelial carcinomas does not alter response to primary cisplatin-based chemotherapy (Hanigan et al). 1998;179:363-7

Clinical opinion

Clinical opinion. 1998;179:391-8, 569-76, 1275-82, ???

Clinical protocols

Compliance with the Centers for Disease Control and Prevention antenatal culture protocol for preventing group B streptococcal neonatal sepsis (Cheon-Lee and Amstey). 1998;179:77-9

Group B streptococci during pregnancy: a comparison of two screening and treatment protocols (Hafner et al). 1998;179:677-81

Preliminary experience with a prospective protocol for planned vaginal delivery of triplet gestations (Alamia et al). 1998;179:1133-5

Clinics; *see* **Ambulatory care**

Coitus

Effect of sexual intercourse on fetal fibronectin concentration in cervicovaginal secretions (Shimoya et al). 1998;179:255-6

Collagen

Role of fascial collagen in stress urinary incontinence (Rechberger et al). 1998;179:1511-4

Colposcopy

Colposcopic appearance of cervical intraepithelial neoplasia is age dependent (Zahm et al). 1998;179:1298-304

Compliance; *see* **Patient compliance**

Congenital heart disease; *see* **Heart defects, congenital**

Constipation

Posterior vaginal prolapse and bowel function (Weber et al). 1998;179:1446-50

Consultants

Consultants for the American Journal of Obstetrics and Gynecology, September 1, 1997–August 31, 1998. 1998;179:1387-99

Contraception

Compliance with depot medroxyprogesterone acetate: a randomized, controlled trial of intensive reminders (Keder et al). 1998;179:583-5

Contraceptives, oral

Bias versus causality: interpreting recent evidence of oral contraceptive studies (Spitzer). 1998;179:S43-50

A critical analysis of progestins and VT—introduction (Mishell). 1998;179:S37

Effects on hemostatic variables of desogestrel- and gestodene-containing oral contraceptives in comparison with levonorgestrel-containing oral contraceptives: a review (Winkler). 1998;179:S51-61

The epidemiology of oral contraceptive use: a critical review of the studies on oral contraceptives and the health of young women (Lewis). 1998;179:1086-97 (AJOG reviews)

Metabolic and endocrine effects of the desogestrel-containing oral contraceptive Mircette™ (Berga). 1998;179:S9-17

Mircette™: a novel oral contraceptive—introduction (Speroff). 1998;179:S1

Myocardial infarction and stroke in young women: What is the impact of oral contraceptives? (Lewis). 1998;179:S68-77

Omitting the first oral contraceptive pills of the cycle does not automatically lead to ovulation (Elomaa et al). 1998;179:41-6

An open-label, multicenter, noncomparative safety and efficacy study of Mircette™, a low-dose estrogen-progestin oral contraceptive (Mircette™). 1998;179:S2-8

Oral contraceptive discontinuation: a prospective evaluation of frequency and reasons (Rosenberg and Waugh). 1998;179:577-82

Oral contraceptives and arterial and venous thrombosis: a clinician's formulation (Speroff). 1998;179:S25-36

Oral contraceptives and thrombosis: an overview of study methods and recent results (Westhoff). 1998;179:S38-42

Oral contraceptives and venous thromboembolic disease: the findings from database studies in the United Kingdom and Germany (Farmer and Lawrenson). 1998;179:S78-86

Ovarian activity in women taking an oral contraceptive containing 20 μg ethinyl estradiol and 150 μg desogestrel: effects of low estrogen doses during the hormone-free interval (Killick et al). 1998;179:S18-24

Thrombotic diseases in young women and the influence of oral contraceptives (Lidegaard). 1998;179:S62-7

Contraction, uterine; *see* **Uterine contraction**

Coronary artery

Coadministration of nomegestrol acetate does not diminish the beneficial effects of estradiol on coronary artery dilator responses in nonhuman primates (*Macaca fascicularis*) (Williams et al). 1998;179:1288-94

Corpus luteum

Methotrexate effects on trophoblast and the corpus luteum in early pregnancy (Creinin et al). 1998;179:604-9

Correspondence

Letters. 1998;179:275-80, 557-65, 835-8, 1098-104, 1376-82, 1654

Corticotropin-releasing hormone

Maternal corticotropin-releasing hormone levels in the early third trimester predict length of gestation in human pregnancy (Wadhwa et al). 1998;179:1079-85

Urocortin in pregnancy (Glynn et al). 1998;179:533-9

Cortisol; *see* **Hydrocortisone**

Cortisone

Fetal growth restriction induced by cortisone 40 years ago (Kalter) (Letter); (Jobe and Ikegami) (Reply). 1998;179:835

Cost-benefit analysis

Cost-effective delivery management of the vertex and nonvertex twin gestation (Mauldin et al). 1998;179:864-9

Cost-benefit analysis—cont'd
The cost-effectiveness of treating women with a cervical vaginal smear diagnosis of atypical squamous cells of undetermined significance (Raab et al). 1998;179:411-20
Individually determined postpartum magnesium sulfate therapy with clinical parameters to safely and cost-effectively shorten treatment for pre-eclampsia (Ascarelli et al). 1998;179:952-6
Costs and cost analysis
An economic evaluation of prenatal strategies for detection of trisomy 18 (Vintzileos et al). 1998;179:1220-4
An economic evaluation of second-trimester genetic ultrasonography for prenatal detection of Down syndrome (Vintzileos et al). 1998;179:1214-9
Cryopreservation
Quantitative immunophenotypic characterization, cryopreservation, and enrichment of second- and third-trimester human fetal cord blood hematopoietic stem cells (progenitor cells) (Surbek et al). 1998;179:1228-33
Curettage
Is curettage needed for uncomplicated incomplete spontaneous abortion? (Ballagh et al). 1998;179:1279-82 (Clin. opinion)
Cycle, menstrual; *see* **Menstrual cycle**
Cyclooxygenases; *see* **Prostaglandin-endoperoxide synthase**
Cystic adenomatoid malformation of lung, congenital
Fetal lung lesions: management and outcome (Adzick et al). 1998;179:884-9
Cystocele; *see* **Bladder diseases**
Cytogenetics
Success rate of cytogenetic analysis at the time of second-trimester dilation and evacuation (Bernick et al). 1998;179:957-61
Cytokines
The effect of cytokine mediators on prostaglandin inhibition by human decidual cells (Kim et al). 1998;179:146-9
Ethanol-induced expression of cytokines in a first-trimester trophoblast cell line (Svinarich et al). 1998;179:470-5
The role of cytokines in cervical ripening: correlations between the concentrations of cytokines and hyaluronic acid in cervical mucus and the induction of hyaluronic acid production by inflammatory cytokines by human cervical fibroblasts (Ogawa et al). 1998;179:105-10

D

Databases, bibliographic
Databases and the statistical usage of (perinatal) results—reply (Nijland et al) (Letter); (Egberts) (Reply). 1998;179:559-60
Oral contraceptives and venous thromboembolic disease: the findings from database studies in the United Kingdom and Germany (Farmer and Lawrenson). 1998;179:S78-86
Death, fetal; *see* **Fetal death**
Decidua
The effect of cytokine mediators on prostaglandin inhibition by human decidual cells (Kim et al). 1998;179:146-9
Dehiscence; *see* **Surgical wound dehiscence**
Dehydration
Regulation of hypothalamic arginine vasopressin messenger ribonucleic acid and pituitary arginine vasopressin content in fetal sheep: effects of acute tonicity alterations and fetal maturation (Zhao et al). 1998;179:899-905
Dehydroepiandrosterone; *see* **Prasterone**
Delayed-action preparations
Pre-eclampsia and induction of labor: a randomized comparison of prostaglandin E_2 as an intracervical gel, with oxytocin immediately, or as a sustained-release vaginal insert (Hennessey et al). 1998;179:1204-9
Delivery
Cost-effective delivery management of the vertex and nonvertex twin gestation (Mauldin et al). 1998;179:864-9
Delayed delivery of multiple gestations: maternal and neonatal outcomes (Kalchbrenner et al). 1998;179:1145-9
Diurnal rhythms of labor and delivery (Jakobovits) (Letter); (Cagnacci and Volpe) (Reply). 1998;179:836-7
The fetal-pelvic index has minimal utility in predicting fetal-pelvic disproportion (Ferguson et al). 1998;179:1186-92
Is amniotic fluid analysis the key to preterm labor? A model using interleukin-6 for predicting rapid delivery (Greci et al). 1998;179:172-8
May-Hegglin anomaly: a case of vaginal delivery when both mother and fetus are affected (Urato and Repke). 1998;179:260-1
Obstetric management of 219 infants with hypoplastic left heart syndrome (Reis et al). 1998;179:1150-4
The optimal route of delivery for fetal meningomyelocele (Merrill et al). 1998;179:235-40
Preliminary experience with a prospective protocol for planned vaginal delivery of triplet gestations (Alamia et al). 1998;179:1133-5
Preterm birth and maternal smoking: risks related to gestational age and onset of delivery (Kyrklund-Blomberg and Cnattingius). 1998;179:1051-5
Rehospitalizations and outpatient contacts of mothers and neonates after hospital discharge after vaginal delivery (Meikle et al). 1998;179:166-71
Delivery of health care
Envelopes (Drukker). 1998;179:1400-4 (Pres. address)
Deoxyribonucleic acid; *see* **DNA**
Desogestrel
Effects on hemostatic variables of desogestrel- and gestodene-containing oral contraceptives in comparison with levonorgestrel-containing oral contraceptives: a review (Winkler). 1998;179:S51-61
Metabolic and endocrine effects of the desogestrel-containing oral contraceptive Mircette™ (Berga). 1998;179:S9-17
An open-label, multicenter, noncomparative safety and efficacy study of Mircette™, a low-dose estrogen-progestin oral contraceptive (Mircette™). 1998;179:S2-8
Ovarian activity in women taking an oral contraceptive containing 20 μg ethinyl estradiol and 150 μg desogestrel: effects of low estrogen doses during the hormone-free interval (Killick et al). 1998;179:S18-24
Dexamethasone
Comparison between oral and intramuscular dexamethasone in suppressing unconjugated estriol levels during the third trimester (Egerman et al). 1998;179:1234-6
A randomized, controlled trial of oral and intramuscular dexamethasone in the prevention of neonatal respiratory distress syndrome (Egerman et al). 1998;179:1120-3
Diabetes, gestational
Amniotic fluid insulin testing in gestational diabetes: safety and acceptance of amniocentesis (Haeusler et al). 1998;179:917-20
In pregnancies with gestational diabetes mellitus and intensive therapy, perinatal outcome is worse in small-for-gestational-age newborns (García-Patterson et al). 1998;179:481-5

Recurrence of gestational diabetes: Who is at risk? (Major et al). 1998;179:1038-42

The relationship between abnormal glucose tolerance and hypertensive disorders of pregnancy in healthy nulliparous women (Joffe et al). 1998;179:1032-7

Diabetes mellitus, non-insulin-dependent

The obstetrician/gynecologist's role in the practical management of polycystic ovary syndrome (Berga). 1998;179:S109-13

Polycystic ovary syndrome—metabolic challenges and new treatment approaches (Bachmann). 1998;179:S87-8

Polycystic ovary syndrome: current and future treatment paradigms (Legro). 1998;179:S101-8

Understanding the underlying metabolic abnormalities of PCOS and their implications (Taylor). 1998;179:S94-100

Diagnosis

Site-specific fascial defects in the diagnosis and surgical management of enterocele (Miklos et al). 1998;179:1418-23

Diagnosis, differential

Fetal fibronectin as a marker to discriminate between ectopic and intrauterine pregnancies (Ness et al). 1998;179:697-702

Intrahepatic cholangiocarcinoma masquerading as the HELLP syndrome (hemolysis, elevated liver enzymes, and low platelet count) in pregnancy: case report (Balderston et al). 1998;179:823-4

Dietary fat

Elevated high-density lipoprotein cholesterol and dietary fat intake in women with cyclic mastopathy (Goodwin et al). 1998;179:430-7

Dilatation

Fetal fibronectin detection in preterm labor: evaluation of a prototype bedside dipstick technique and cervical assessment (Coleman et al). 1998;179:1553-8

Dilation and evacuation; *see* **Abortion**

Dinoprostone

Antepartum cervical ripening: applying prostaglandin E_2 gel in conjunction with scheduled nonstress tests in postdate pregnancies (Lien et al). 1998;179:453-8

Effectiveness of prostaglandin E_2 intracervical gel (Prepidil), with immediate oxytocin, versus vaginal insert (Cervidil) for induction of labor (Stewart et al). 1998;179:1175-80

Pre-eclampsia and induction of labor: a randomized comparison of prostaglandin E_2 as an intracervical gel, with oxytocin immediately, or as a sustained-release vaginal insert (Hennessey et al). 1998;179:1204-9

A randomized clinical trial of prostaglandin E_2 intracervical gel and a slow release vaginal pessary for preinduction cervical ripening (Ottinger et al). 1998;179:349-53

Diurnal rhythm; *see* **Circadian rhythm**

DNA

A population-based study of human papillomavirus deoxyribonucleic acid testing for predicting cervical intraepithelial neoplasia (Kjellberg et al). 1998;179:1497-502

DNA mutational analysis

BRCA1 and BRCA2 gene mutations in hereditary and sporadic ovarian cancer and the clinical implications (Farghaly) (Letter); (Zweemer et al) (Reply). 1998;179:1101-2

Genetic differentiation of complete hydatidiform moles coexisting with normal fetuses by short tandem repeat–derived deoxyribonucleic acid polymorphism analysis (Ishii et al). 1998;179:628-34

Doppler flow velocity; *see* **Blood flow velocity**

Dose-response relationship, drug

Adjustment of magnesium sulfate infusion rate in patients with preterm labor (Simchen et al). 1998;179:994-8

Ovarian activity in women taking an oral contraceptive containing 20 μg ethinyl estradiol and 150 μg desogestrel: effects of low estrogen doses during the hormone-free interval (Killick et al). 1998;179:S18-24

Placebo-controlled comparison between a single dose and a multidose of betamethasone in accelerating lung maturation of mice offspring (Stewart et al). 1998;179:1241-7

Down syndrome

Abnormal ductus venosus blood flow in trisomy 21 fetuses during early pregnancy (Borrell et al). 1998;179:1612-17

Age-specific variation in aneuploidy incidence among biochemical screening programs (Sokol et al). 1998;179:971-3

Altered apoptosis levels in hearts of human fetuses with Down syndrome (Saphier and Yeh). 1998;179:962-5

An alternative for women initially declining genetic amniocentesis: individual Down syndrome odds on the basis of maternal age and multiple ultrasonographic markers (Bahado-Singh et al). 1998;179:514-9

An economic evaluation of second-trimester genetic ultrasonography for prenatal detection of Down syndrome (Vintzileos et al). 1998;179:1214-9

Maternal serum α-fetoprotein and dimeric inhibin A detect aneuploidies other than Down syndrome (Wenstrom et al). 1998;179:966-70

New Down syndrome screening algorithm: ultrasonographic biometry and multiple serum markers combined with maternal age (Bahado-Singh et al). 1998;179:1627-31

Drug therapy

Expression of γ-glutamyl transpeptidase in stage III and IV ovarian surface epithelial carcinomas does not alter response to primary cisplatin-based chemotherapy (Hanigan et al). 1998;179:363-7

Ductus arteriosus

Expression of cyclooxygenases in ductus arteriosus of fetal and newborn pigs (Guerguerian et al). 1998;179:1618-26

Phasic flow events at the aortic isthmus–ductus arteriosus junction and branch pulmonary artery evaluated by multimodal ultrasonography in fetal lambs (Schmidt et al). 1998;179:1338-47

Ductus venosus

Abnormal ductus venosus blood flow in trisomy 21 fetuses during early pregnancy (Borrell et al). 1998;179:1612-17

Dysmenorrhea

Prevalence of sexual assault history among women with common gynecologic symptoms (Golding et al). 1998;179:1013-9

Dystocia

Erb's palsy without shoulder dystocia (Spellacy) (Letter); (Gherman) (Reply). 1998;179:561-2

Familial occurrence of dystocia (Berg-Lekås et al). 1998;179:117-21

Increased cesarean delivery rate: no effect on brachial plexus palsy (Gherman) (Letter); (Conway and Langer) (Reply). 1998;179:1378-9

More (and less) on shoulder dystocia (Plante) (Letter); (Conway and Langer) (Reply). 1998;179:837-8

Objective definition of shoulder dystocia: a prospective evaluation (Beall et al). 1998;179:934-7

Obstetric maneuvers for shoulder dystocia (Iffy et al) (Letter); (Gherman and Goodwin) (Reply). 1998;179:1379-80

Dystocia—cont'd
Shoulder dystocia and associated risk factors with macrosomic infants born in California (Nesbitt et al). 1998;179:476-80
Time for resolving shoulder dystocia (Beer and Folghera). 1998;179:1376-7 (Letter)

E

Early pregnancy; *see* **Pregnancy trimester, first**
Echocardiography, fetal
Clinical and ultrasonographic features of dextroposition of the fetal heart (Borgida et al). 1998;179:982-4
Fetal and neonatal echocardiographic findings in twin-twin transfusion syndrome (Fesslova et al). 1998;179:1056-62
Economic evaluation; *see* **Cost-benefit analysis**
Ectopic pregnancy; *see* **Pregnancy, ectopic**
Edema
Cephalhematoma and caput succedaneum: Do they always occur in labor? (Petrikovsky et al). 1998;179:906-8
Education
The construction and utility of an amniocentesis trainer (Maher et al). 1998;179:1225-7
Teaching the Pelvic Organ Prolapse Quantitation system (Steele et al). 1998;179:1458-64
Electrolytes
Extracoelomic fluid osmometry and electrolyte composition during early gestation in the baboon (Santolaya-Forgas et al). 1998;179:1124-7
Electronics
Some concerns about the new research guidelines for interpretation of electronic fetal heart rate monitoring (Bernardes and Pereira) (Letter); (Parer) (Reply). 1998;179:560-1
Electrosurgery
What goes around comes around (Rowland). 1998;179:283-91 (Pres. address)
Endocrine glands
Metabolic and endocrine effects of the desogestrel-containing oral contraceptive Mircette™ (Berga). 1998;179:S9-17
Endometrial neoplasms
Endometrial carcinoma after endometrial ablation: high-risk factors predicting its occurrence (Valle and Baggish). 1998;179:569-72 (Clin. opinion)
Specific binding and growth-promoting activity of insulin in endometrial cancer cells in culture (Nagamani and Stuart). 1998;179:6-12
Endometriosis
Been there—done that: surgical challenges (Underwood). 1998;179:330-5
The failed suppression of serum estradiol level by gonadotropin-releasing hormone agonist in a case of pelvic endometriosis (Tamaya et al). 1998;179:828-9
A health-related quality-of-life instrument for symptomatic patients with endometriosis: a validation study (Colwell et al). 1998;179:47-55
Regulation of monocyte to macrophage differentiation by antiglucocorticoids and antioxidants (Roberts et al). 1998;179:354-62
Endometrium
A randomized trial on the use of ultrasonography or office hysteroscopy for endometrial assessment in postmenopausal patients with breast cancer who were treated with tamoxifen (Timmerman et al). 1998;179:62-70
Endoscopy
Transabdominal intra-amniotic endoscopic assessment of previable premature rupture of membranes (Quintero et al). 1998;179:71-6
Endothelium
Effect of glycosylated hemoglobin on endothelium-dependent relaxation of omental arteries from pregnant women (Vedernikov et al). 1998;179:1047-50
Etiology and pathogenesis of preeclampsia: current concepts (Dekker and Sibai). 1998;179:1359-75 (AJOG reviews)
Plasma homocysteine concentration is increased in preeclampsia and is associated with evidence of endothelial activation (Powers et al). 1998;179:1605-11
Serum from preeclamptic women induces vascular cell adhesion molecule-1 expression on human endothelial cells in vitro: a possible role of increased circulating levels of free fatty acids (Endresen et al). 1998;179:665-70
Endotoxins
Endotoxin-induced atrial natriuretic factor release: in vivo and in vitro studies (Rao et al). 1998;179:21-7
Evidence for mechanisms of the acute-phase response to endotoxin in late-gestation fetal goats (Yoneyama et al). 1998;179:750-5
Energy metabolism
Longitudinal changes in body composition and energy balance in lean women with normal and abnormal glucose tolerance during pregnancy (Catalano et al). 1998;179:156-65
Enterocele; *see* **Hernia**
Enzymes
Intrahepatic cholangiocarcinoma masquerading as the HELLP syndrome (hemolysis, elevated liver enzymes, and low platelet count) in pregnancy: case report (Balderston et al). 1998;179:823-4
Neurofibromatosis type 1 with pregnancy-associated renovascular hypertension and the syndrome of hemolysis, elevated liver enzymes, and low platelets (Hagymásy et al). 1998;179:272-4
Epidemiology
The epidemiology of oral contraceptive use: a critical review of the studies on oral contraceptives and the health of young women (Lewis). 1998;179:1086-97 (AJOG reviews)
Tocolytic magnesium sulfate: Are the epidemiologic data reassuring? (Mittendorf and Pryde) (Letter); (Grether et al) (Reply). 1998;179:280
Epidural analgesia; *see* **Analgesia,, epidural**
Epidural anesthesia; *see* **Anesthesia, epidural**
Epilepsy
Risk of magnesium for respiratory failure in pregnancy (Carson and Khurana). 1998;179:558 (Letter)
Epithelial carcinoma; *see* **Carcinoma**
Epoprostenol
Vasoactive mediators in pregnancy-induced hypertensive disorders: a longitudinal study (Paarlberg et al). 1998;179:1559-64
Erb's palsy; *see* **Paralysis**
Erythroblastosis, fetal
An animal model for hemolytic disease of the fetus or newborn in New Zealand White and New Zealand Red rabbits: newborn effects (Moise et al). 1998;179:1353-8
Long-term neurodevelopmental outcome after intrauterine transfusion for the treatment of fetal hemolytic disease (Hudon et al). 1998;179:858-63
Erythrocytes
Comparison of total blood volume in normal, preeclamptic, and nonproteinuric gestational hypertensive pregnancy by simultane-

ous measurement of red blood cell and plasma volumes (Silver et al). 1998;179:87-93

A reduced consumption in the alloimmunized fetus of maternal red blood cells compared with those of volunteers is still questionable (Egberts) (Letter); (El-Azeem et al) (Reply). 1998;179:1102-3

Estradiol

Coadministration of nomegestrol acetate does not diminish the beneficial effects of estradiol on coronary artery dilator responses in nonhuman primates (*Macaca fascicularis*) (Williams et al). 1998;179:1288-94

The failed suppression of serum estradiol level by gonadotropin-releasing hormone agonist in a case of pelvic endometriosis (Tamaya et al). 1998;179:828-9

Estriol

Comparison between oral and intramuscular dexamethasone in suppressing unconjugated estriol levels during the third trimester (Egerman et al). 1998;179:1234-6

Estrogen receptors; *see* **Receptors, estrogen**

Estrogen replacement therapy

Hormone replacement therapy and body size: How much does lifestyle explain? (Parazzini et al) (Letter); (Luoto et al) (Reply). 1998;179:1103

Estrogens

Effects of raloxifene in a guinea pig model for leiomyomas (Porter et al). 1998;179:1283-7

An open-label, multicenter, noncomparative safety and efficacy study of Mircette™, a low-dose estrogen-progestin oral contraceptive (Mircette™). 1998;179:S2-8

Ovarian activity in women taking an oral contraceptive containing 20 μg ethinyl estradiol and 150 μg desogestrel: effects of low estrogen doses during the hormone-free interval (Killick et al). 1998;179:S18-24

The sequential effects of estrogen administration and hypertension on cardiac function in ewes (Jacobson et al). 1998;179:610-9

Ethanol; *see* **Alcohol, ethyl**

Ethics

Envelopes (Drukker). 1998;179:x1400-4 (Pres. address)

Ethical issues in managed care for the obstetrician and gynecologist (Finnerty and Pinkerton). 1998;179:308-15

Ethinyl estradiol

An open-label, multicenter, noncomparative safety and efficacy study of Mircette™, a low-dose estrogen-progestin oral contraceptive (Mircette™). 1998;179:S2-8

Ovarian activity in women taking an oral contraceptive containing 20 μg ethinyl estradiol and 150 μg desogestrel: effects of low estrogen doses during the hormone-free interval (Killick et al). 1998;179:S18-24

Evacuation of twins; *see* **Abortion**

External cephalic version; *see* **Version, fetal**

Extracellular matrix proteins

Maternal diabetes alters extracellular matrix protein levels in rat placentas (Forsberg et al). 1998;179:772-8

Extracoelomic fluid

Extracoelomic fluid osmometry and electrolyte composition during early gestation in the baboon (Santolaya-Forgas et al). 1998;179:1124-7

F

Factor V

Genetic susceptibility to pregnancy-related venous thromboembolism: roles of factor V Leiden, prothrombin G20210A, and methylenetetrahydrofolate reductase C677T mutations (Grandone et al). 1998;179:1324-8

Resistance to activated protein C and the Leiden mutation: high prevalence in patients with abruptio placentae (Wiener-Megnagi et al). 1998;179:1565-7

Fascia

Role of fascial collagen in stress urinary incontinence (Rechberger et al). 1998;179:1511-4

Site-specific fascial defects in the diagnosis and surgical management of enterocele (Miklos et al). 1998;179:1418-23

Synthetic graft placement in the treatment of fascial dehiscence with necrosis and infection (McNeeley et al). 1998;179:1430-5

Fatty acid desaturases

Fatty acid desaturase activities and polyunsaturated fatty acid composition in human liver between the seventeenth and thirty-sixth gestational weeks (Rodriguez et al). 1998;179:1063-70

Fatty acids, nonesterified

Serum from preeclamptic women induces vascular cell adhesion molecule-1 expression on human endothelial cells in vitro: a possible role of increased circulating levels of free fatty acids (Endresen et al). 1998;179:665-70

Fatty acids, unsaturated

Fatty acid desaturase activities and polyunsaturated fatty acid composition in human liver between the seventeenth and thirty-sixth gestational weeks (Rodriguez et al). 1998;179:1063-70

Fees and charges

The influence of obstetric no-fault compensation on obstetricians' practice patterns (Sloan et al). 1998;179:671-6

Femur

Ultrasonographic prediction of fetal outcome in suspected skeletal dysplasias with use of the femur length–to–abdominal circumference ratio (Ramus et al). 1998;179:1348-52

Ferritin

Plasma ferritin, premature rupture of membranes, and pregnancy outcome (Goldenberg et al). 1998;179:1599-604

Fertilization

Perinatal and neonatal outcomes in multiple gestations: assisted reproduction versus spontaneous conception (Fitzsimmons et al). 1998;179:1162-7

Fertilization in vitro

Estimating date of confinement in in vitro fertilization pregnancies (Hutchon) (Letter); (Chervenak et al) (Reply). 1998;179:1381

Outcome comparison of in vitro fertilization treatment with highly purified subcutaneous follicle-stimulating hormone (Fertinex, a urofollitropin) versus intramuscular menotropins (Crain et al). 1998;179:299-307

Fetal blood

Effects of transdermal nitroglycerin on impedance to flow in the uterine, umbilical, and fetal middle cerebral arteries in pregnancies complicated by preeclampsia and intrauterine growth retardation (Cacciatore et al). 1998;179:140-5

Fetal blood sampling immediately before and within 24 hours of death in monochorionic twin pregnancies complicated by single intrauterine death (Nicolini et al). 1998;179:800-3

Quantitative immunophenotypic characterization, cryopreservation, and enrichment of second- and third-trimester human fetal cord blood hematopoietic stem cells (progenitor cells) (Surbek et al). 1998;179:1228-33

Fetal cord; *see* **Umbilical cord**

Fetal death

Fetal blood sampling immediately before and within 24 hours of death in monochorionic twin pregnancies complicated by single intrauterine death (Nicolini et al). 1998;179:800-3

Intravenous nitroglycerin in obstetrics: a new indication (Dessard et al). 1998;179:813

Umbilical cord accidents—time of death: continued (Collins) (Letter); (Lunshof) (Reply). 1998;179:275-6

Fetal development

Fetal body composition and ultrasonographic estimates of fetal weight (Bernstein and Catalano). 1998;179:558 (Letter)

The importance of early weight gain in the intrauterine growth and birth weight of twins (Luke et al). 1998;179:1155-61

Regulation of hypothalamic arginine vasopressin messenger ribonucleic acid and pituitary arginine vasopressin content in fetal sheep: effects of acute tonicity alterations and fetal maturation (Zhao et al). 1998;179:899-905

Fetal diseases

Clinical outcome of mild fetal ventriculomegaly (Bloom and Bloom) (Letter); (Vergani et al) (Reply). 1998;179:562-3

Fetal lung lesions: management and outcome (Adzick et al). 1998;179:884-9

Hypoxic-ischemic fetal insult resulting from maternal aortic root replacement, with normal fetal heart rate at term (Mul et al). 1998;179:825-7

Long-term high-altitude hypoxia increases plasma nitrate levels in pregnant ewes and their fetuses (Zhang et al). 1998;179:1594-8

May-Hegglin anomaly: a case of vaginal delivery when both mother and fetus are affected (Urato and Repke). 1998;179:260-1

The optimal route of delivery for fetal meningomyelocele (Merrill et al). 1998;179:235-40

Proton magnetic resonance spectroscopy of fetal lamb brain during hypoxia (van Cappellen van Walsum et al). 1998;179:756-7

Fetal growth and development

Further evidence that the *WT1* gene does not have a role in the development of the derivatives of the müllerian duct (van Lingen et al). 1998;179:597-603

Fetal growth retardation

Effects of folic acid and vitamin B_6 supplementation on women with hyperhomocysteinemia and a history of preeclampsia or fetal growth restriction (Leeda et al). 1998;179:135-9

Effects of transdermal nitroglycerin on impedance to flow in the uterine, umbilical, and fetal middle cerebral arteries in pregnancies complicated by preeclampsia and intrauterine growth retardation (Cacciatore et al). 1998;179:140-5

Fetal growth restriction induced by cortisone 40 years ago (Kalter) (Letter); (Jobe and Ikegami) (Reply). 1998;179:835

How small is too small in a twin pregnancy? (Hamilton et al). 1998;179:682-5

Multifetal pregnancy reduction is not associated with an increased risk of intrauterine growth restriction, except for very-high-order multiples (Torok et al). 1998;179:221-5

Fetal heart, abnormalities

Altered apoptosis levels in hearts of human fetuses with Down syndrome (Saphier and Yeh). 1998;179:962-5

Clinical and ultrasonographic features of dextroposition of the fetal heart (Borgida et al). 1998;179:982-4

Fetal and neonatal echocardiographic findings in twin-twin transfusion syndrome (Fesslova et al). 1998;179:1056-62

Fetal heart rate; *see* **Heart rate, fetal**

Fetal hemolytic disease; *see* **Erythroblastosis, fetal**

Fetal macrosomia

Increased cesarean delivery rate: no effect on brachial plexus palsy (Gherman) (Letter); (Conway and Langer) (Reply). 1998;179:1378-9

More (and less) on shoulder dystocia (Plante) (Letter); (Conway and Langer) (Reply). 1998;179:837-8

Shoulder dystocia and associated risk factors with macrosomic infants born in California (Nesbitt et al). 1998;179:476-80

Fetal membranes

Can we decrease postdatism in women with an unfavorable cervix and a negative fetal fibronectin test result at term by serial membrane sweeping? (Magann et al). 1998;179:890-4

Human fetal membranes release a Ca^{++} channel inhibitor (Emery et al). 1998;179:989-93

A role for matrix metalloproteinase-9 in spontaneous rupture of the fetal membranes (Athayde et al). 1998;179:1248-53

Fetal membranes, premature rupture

An increase in fetal plasma cortisol but not dehydroepiandrosterone sulfate is followed by the onset of preterm labor in patients with preterm premature rupture of the membranes (Yoon et al). 1998;179:1107-14

Induction of labor with misoprostol for premature rupture of membranes beyond thirty-six weeks' gestation (Wing and Paul). 1998;179:94-9

International Multicenter Term PROM Study: evaluation of predictors of neonatal infection in infants born to patients with premature rupture of membranes at term (Seaward et al). 1998;179:635-9

Plasma ferritin, premature rupture of membranes, and pregnancy outcome (Goldenberg et al). 1998;179:1599-604

A relaxin-mediated pathway to preterm premature rupture of the fetal membranes that is independent of infection (Millar et al). 1998;179:126-34

A role for matrix metalloproteinase-9 in spontaneous rupture of the fetal membranes (Athayde et al). 1998;179:1248-53

Transabdominal intra-amniotic endoscopic assessment of previable premature rupture of membranes (Quintero et al). 1998;179:71-6

What goes around comes around (Rowland). 1998;179:283-91 (Pres. address)

Fetal middle cerebral arteries; *see* **Cerebral arteries**

Fetal monitoring

Antepartum cervical ripening: applying prostaglandin E_2 gel in conjunction with scheduled nonstress tests in postdate pregnancies (Lien et al). 1998;179:453-8

Déjà vu, again (Sacks and Greenspoon) (Letter); (Kühnert et al) (Reply). 1998;179:1100

Electronic fetal heart rate monitoring: research guidelines for interpretation (Sandmire and DeMott) (Letter); (Parer) (Reply). 1998;179:276-7

Interpretation of intrapartum fetal heart rate tracings (Cibils) (Letter); (Parer) (Reply). 1998;179:1099-100

Population differences affect the interpretation of fetal nonstress test results (Johnson et al). 1998;179:779-83

Some concerns about the new research guidelines for interpretation of electronic fetal heart rate monitoring (Bernardes and Pereira) (Letter); (Parer) (Reply). 1998;179:560-1

Fetal organ maturity

Placebo-controlled comparison between a single dose and a multidose of betamethasone in accelerating lung maturation of mice offspring (Stewart et al). 1998;179:1241-7

Fetal outcome; *see* **Pregnancy outcome**

Fetal surgery
Pulmonary edema in obstetric patients is rapidly resolved except in the presence of infection or of nitroglycerin tocolysis after open fetal surgery (DiFederico et al). 1998;179:925-33
Fetal weight; *see* **Birth weight**
Fetofetal transfusion
Fetal blood sampling immediately before and within 24 hours of death in monochorionic twin pregnancies complicated by single intrauterine death (Nicolini et al). 1998;179:800-3
Fetal and neonatal echocardiographic findings in twin-twin transfusion syndrome (Fesslova et al). 1998;179:1056-62
Twin-to-twin transfusion syndrome (Hershey). 1998;179:1380-1 (Letter)
Fetus
Evidence for mechanisms of the acute-phase response to endotoxin in late-gestation fetal goats (Yoneyama et al). 1998;179:750-5
Expression of cyclooxygenases in ductus arteriosus of fetal and newborn pigs (Guerguerian et al). 1998;179:1618-26
The fetal inflammatory response syndrome (Gomez et al). 1998;179:194-202
The fetal-pelvic index has minimal utility in predicting fetal-pelvic disproportion (Ferguson et al). 1998;179:1186-92
A fetal systemic inflammatory response is followed by the spontaneous onset of preterm parturition (Romero et al). 1998;179:186-93
Genetic differentiation of complete hydatidiform moles coexisting with normal fetuses by short tandem repeat–derived deoxyribonucleic acid polymorphism analysis (Ishii et al). 1998;179:628-34
Immunoreactive adrenomedullin in human fetoplacental tissues (Marinoni et al). 1998;179:784-7
An increase in fetal plasma cortisol but not dehydroepiandrosterone sulfate is followed by the onset of preterm labor in patients with preterm premature rupture of the membranes (Yoon et al). 1998;179:1107-14
Measurement of fetal nasal width by ultrasonography (Allanson) (Letter); (Pinette) (Reply). 1998;179:277-8
Microbial invasion of the amniotic cavity with *Ureaplasma urealyticum* is associated with a robust host response in fetal, amniotic, and maternal compartments (Yoon et al). 1998;179:1254-60
Phasic flow events at the aortic isthmus–ductus arteriosus junction and branch pulmonary artery evaluated by multimodal ultrasonography in fetal lambs (Schmidt et al). 1998;179:1338-47
Fetus, abnormalities
Abnormal ductus venosus blood flow in trisomy 21 fetuses during early pregnancy (Borrell et al). 1998;179:1612-17
Fetal heart rate patterns in postasphyxiated fetal lambs with brain damage (Ikeda et al). 1998;179:1329-37
Fetus, drug effects
Potential consequences of widespread antepartal use of ampicillin (Towers et al). 1998;179:879-83
The safety of omeprazole during pregnancy: a multicenter prospective controlled study (Lalkin et al). 1998;179:727-30
Fibroblasts
The role of cytokines in cervical ripening: correlations between the concentrations of cytokines and hyaluronic acid in cervical mucus and the induction of hyaluronic acid production by inflammatory cytokines by human cervical fibroblasts (Ogawa et al). 1998;179:105-10
Fibroma
Been there—done that: surgical challenges (Underwood). 1998;179:330-5
Fibronectins
Can we decrease postdatism in women with an unfavorable cervix and a negative fetal fibronectin test result at term by serial membrane sweeping? (Magann et al). 1998;179:890-4
Effect of sexual intercourse on fetal fibronectin concentration in cervicovaginal secretions (Shimoya et al). 1998;179:255-6
Fetal fibronectin detection in preterm labor: evaluation of a prototype bedside dipstick technique and cervical assessment (Coleman et al). 1998;179:1553-8
Fetal fibronectin as a marker to discriminate between ectopic and intrauterine pregnancies (Ness et al). 1998;179:697-702
Plasma homocysteine concentration is increased in preeclampsia and is associated with evidence of endothelial activation (Powers et al). 1998;179:1605-11
First trimester of pregnancy; *see* **Pregnancy trimester, first**
Fish oils
Prevention of preeclampsia: a big disappointment (Sibai). 1998;179:1275-8 (Clin. opinion)
Flow, blood; *see* **Blood flow velocity**
Flow cytometry
Prenatal diagnosis with use of fetal cells isolated from maternal blood: five-color fluorescent in situ hybridization analysis on flow-sorted cells for chromosomes X, Y, 13, 18, and 21 (Bischoff et al). 1998;179:203-9
Fluid, amniotic; *see* **Amniotic fluid**
Fluorescent in situ hybridization; *see* **In situ hybridization, fluorescence**
Folic acid
Effects of folic acid and vitamin B_6 supplementation on women with hyperhomocysteinemia and a history of preeclampsia or fetal growth restriction (Leeda et al). 1998;179:135-9
FSH
Outcome comparison of in vitro fertilization treatment with highly purified subcutaneous follicle-stimulating hormone (Fertinex, a urofollitropin) versus intramuscular menotropins (Crain et al). 1998;179:299-307
Fusobacterium nucleatum
Preterm labor and bacterial intraamniotic infection: arachidonic acid liberation by phospholipase A_2 of *Fusobacterium nucleatum* (Mikamo et al). 1998;179:1579-82

G

Gamma-glutamyltransferase
Expression of γ-glutamyl transpeptidase in stage III and IV ovarian surface epithelial carcinomas does not alter response to primary cisplatin-based chemotherapy (Hanigan et al). 1998;179:363-7
Gangrene
Uterine leiomyoma as a rare cause of acute abdomen and intestinal gangrene (Sheikh). 1998;179:830-1
Gels
Antepartum cervical ripening: applying prostaglandin E_2 gel in conjunction with scheduled nonstress tests in postdate pregnancies (Lien et al). 1998;179:453-8
Effectiveness of prostaglandin E_2 intracervical gel (Prepidil), with immediate oxytocin, versus vaginal insert (Cervidil) for induction of labor (Stewart et al). 1998;179:1175-80
Pre-eclampsia and induction of labor: a randomized comparison of prostaglandin E_2 as an intracervical gel, with oxytocin immediately, or as a sustained-release vaginal insert (Hennessey et al). 1998;179:1204-9

Gels—cont'd
A randomized clinical trial of prostaglandin E_2 intracervical gel and a slow release vaginal pessary for preinduction cervical ripening (Ottinger et al). 1998;179:349-53
Gene expression
Oxytocin and vasopressin 1a receptor gene expression in the cycling or pregnant human uterus (Helmer et al). 1998;179:1572-8
The urinary bladder of a woman is a novel site of luteinizing hormone–human chorionic gonadotropin receptor gene expression (Tao et al). 1998;179:1026-31
Genes
Further evidence that the *WT1* gene does not have a role in the development of the derivatives of the müllerian duct (van Lingen et al). 1998;179:597-603
Genetic screening
An alternative for women initially declining genetic amniocentesis: individual Down syndrome odds on the basis of maternal age and multiple ultrasonographic markers (Bahado-Singh et al). 1998;179:514-9
Genetics
Age-specific variation in aneuploidy incidence among biochemical screening programs (Sokol et al). 1998;179:971-3
BRCA1 and BRCA2 gene mutations in hereditary and sporadic ovarian cancer and the clinical implications (Farghaly) (Letter); (Zweemer et al) (Reply). 1998;179:1101-2
An economic evaluation of second-trimester genetic ultrasonography for prenatal detection of Down syndrome (Vintzileos et al). 1998;179:1214-9
Etiology and pathogenesis of preeclampsia: current concepts (Dekker and Sibai). 1998;179:1359-75 (AJOG reviews)
Familial occurrence of dystocia (Berg-Lekås et al). 1998;179:117-21
Genetic differentiation of complete hydatidiform moles coexisting with normal fetuses by short tandem repeat–derived deoxyribonucleic acid polymorphism analysis (Ishii et al). 1998;179:628-34
Genetic susceptibility to pregnancy-related venous thromboembolism: roles of factor V Leiden, prothrombin G20210A, and methylenetetrahydrofolate reductase C677T mutations (Grandone et al). 1998;179:1324-8
Risk factors for familial and sporadic ovarian cancer among French Canadians: a case-control study (Godard et al). 1998;179:403-10
Germany
Oral contraceptives and venous thromboembolic disease: the findings from database studies in the United Kingdom and Germany (Farmer and Lawrenson). 1998;179:S78-86
Gestational age
Estimating date of confinement in in vitro fertilization pregnancies (Hutchon) (Letter); (Chervenak et al) (Reply). 1998;179:1381
Preterm birth and maternal smoking: risks related to gestational age and onset of delivery (Kyrklund-Blomberg and Cnattingius). 1998;179:1051-5
Gestational diabetes mellitus; *see* **Diabetes, gestational**
Gestational hormones; *see* **Hormones**
Gestational hypertension; *see* **Hypertension**
Gestodene
Effects on hemostatic variables of desogestrel- and gestodene-containing oral contraceptives in comparison with levonorgestrel-containing oral contraceptives: a review (Winkler). 1998;179:S51-61
Glandular cell neoplasms; *see* **Neoplasms, glandular epithelial**
Glucocorticoids
Comparison between oral and intramuscular dexamethasone in suppressing unconjugated estriol levels during the third trimester (Egerman et al). 1998;179:1234-6
Fetal growth restriction induced by cortisone 40 years ago (Kalter) (Letter); (Jobe and Ikegami) (Reply). 1998;179:835
Regulation of monocyte to macrophage differentiation by antiglucocorticoids and antioxidants (Roberts et al). 1998;179:354-62
Glucose
Evaluating rapid diagnostic tests of intra-amniotic infection: gram stain, amniotic fluid glucose level, and amniotic fluid to serum glucose level ratio (Hussey et al). 1998;179:650-6
Glucose tolerance test
Longitudinal changes in body composition and energy balance in lean women with normal and abnormal glucose tolerance during pregnancy (Catalano et al). 1998;179:156-65
The relationship between abnormal glucose tolerance and hypertensive disorders of pregnancy in healthy nulliparous women (Joffe et al). 1998;179:1032-7
Which cutoff level should be used in screening for glucose intolerance in pregnancy? (Bonomo et al). 1998;179:179-85
Glycosylation
Effect of glycosylated hemoglobin on endothelium-dependent relaxation of omental arteries from pregnant women (Vedernikov et al). 1998;179:1047-50
Gonadorelin
The failed suppression of serum estradiol level by gonadotropin-releasing hormone agonist in a case of pelvic endometriosis (Tamaya et al). 1998;179:828-9
Gonadotropins, chorionic
β-Human chorionic gonadotropin in cervicovaginal secretions as a predictor of preterm delivery (Bernstein et al). 1998;179:870-3
Midtrimester urine human chorionic gonadotropin β-subunit core fragment levels and the subsequent development of preeclampsia (Bahado-Singh et al). 1998;179:738-41
Gram stain; *see* **Stains and staining**
Granulocyte colony-stimulating factor
A randomized pilot trial of administration of granulocyte colony-stimulating factor to women before preterm delivery (Calhoun and Christensen). 1998;179:766-71
Gravidin
The role of the endogenous anti-inflammatory compound gravidin in pre-eclampsia (Crocker et al). 1998;179:1305-11
Great Britain
Oral contraceptives and venous thromboembolic disease: the findings from database studies in the United Kingdom and Germany (Farmer and Lawrenson). 1998;179:S78-86
Group B streptococci; *see* ***Streptococcus agalactiae***
Growth
Specific binding and growth-promoting activity of insulin in endometrial cancer cells in culture (Nagamani and Stuart). 1998;179:6-12
Growth substances
Preeclampsia is associated with reduced serum levels of placenta growth factor (Torry et al). 1998;179:1539-44
Guanyl cyclase
Both soluble guanylate cyclase and particulate guanylate cyclase regulate myometrial contractility (Syal et al). 1998;179:111-6
Gynecology
Ethical issues in managed care for the obstetrician and gynecologist (Finnerty and Pinkerton). 1998;179:308-15

The obstetrician/gynecologist's role in the practical management of polycystic ovary syndrome (Berga). 1998;179:S109-13
What goes around comes around (Rowland). 1998;179:283-91 (Pres. address)

H

Health
The epidemiology of oral contraceptive use: a critical review of the studies on oral contraceptives and the health of young women (Lewis). 1998;179:1086-97 (AJOG reviews)
Selective estrogen receptor modulators: a new category of therapeutic agents for extending the health of postmenopausal women (Goldstein). 1998;179:1479-84 (Clin. opinion)
Heart, fetal, abnormalities; *see* **Fetal heart, abnormalities**
Heart atrium
Atrial and ventricular fetal heart rate patterns in isolated congenital complete heart block detected by magnetocardiography (Wakai et al). 1998;179:258-60
Heart block
Atrial and ventricular fetal heart rate patterns in isolated congenital complete heart block detected by magnetocardiography (Wakai et al). 1998;179:258-60
Heart defects, congenital
Altered apoptosis levels in hearts of human fetuses with Down syndrome (Saphier and Yeh). 1998;179:962-5
Atrial and ventricular fetal heart rate patterns in isolated congenital complete heart block detected by magnetocardiography (Wakai et al). 1998;179:258-60
Clinical and ultrasonographic features of dextroposition of the fetal heart (Borgida et al). 1998;179:982-4
Monozygotic twins discordant for single umbilical artery and congenital heart disease (Nakayama et al). 1998;179:256-7
Obstetric management of 219 infants with hypoplastic left heart syndrome (Reis et al). 1998;179:1150-4
Heart function tests
The sequential effects of estrogen administration and hypertension on cardiac function in ewes (Jacobson et al). 1998;179:610-9
Heart rate, fetal
Antepartum cervical ripening: applying prostaglandin E_2 gel in conjunction with scheduled nonstress tests in postdate pregnancies (Lien et al). 1998;179:453-8
Atrial and ventricular fetal heart rate patterns in isolated congenital complete heart block detected by magnetocardiography (Wakai et al). 1998;179:258-60
Déjà vu, again (Sacks and Greenspoon) (Letter); (Kühnert et al) (Reply). 1998;179:1100
The effect of maternal position on fetal heart rate during epidural or intrathecal labor analgesia (Eberle et al). 1998;179:150-5
Electronic fetal heart rate monitoring: research guidelines for interpretation (Sandmire and DeMott) (Letter); (Parer) (Reply). 1998;179:276-7
Fetal heart rate patterns in postasphyxiated fetal lambs with brain damage (Ikeda et al). 1998;179:1329-37
Hypoxic-ischemic fetal insult resulting from maternal aortic root replacement, with normal fetal heart rate at term (Mul et al). 1998;179:825-7
Interpretation of intrapartum fetal heart rate tracings (Cibils) (Letter); (Parer) (Reply). 1998;179:1099-100
Some concerns about the new research guidelines for interpretation of electronic fetal heart rate monitoring (Bernardes and Pereira) (Letter); (Parer) (Reply). 1998;179:560-1
Heart ventricle
Atrial and ventricular fetal heart rate patterns in isolated congenital complete heart block detected by magnetocardiography (Wakai et al). 1998;179:258-60
HELLP syndrome
Intrahepatic cholangiocarcinoma masquerading as the HELLP syndrome (hemolysis, elevated liver enzymes, and low platelet count) in pregnancy: case report (Balderston et al). 1998;179:823-4
Neurofibromatosis type 1 with pregnancy-associated renovascular hypertension and the syndrome of hemolysis, elevated liver enzymes, and low platelets (Hagymásy et al). 1998;179:272-4
Hematoma
Cephalhematoma and caput succedaneum: Do they always occur in labor? (Petrikovsky et al). 1998;179:906-8
Hematopoietic stem cells
Quantitative immunophenotypic characterization, cryopreservation, and enrichment of second- and third-trimester human fetal cord blood hematopoietic stem cells (progenitor cells) (Surbek et al). 1998;179:1228-33
Hemodynamics
Persistent abnormalities in plasma volume and renal hemodynamics in patients with a history of preeclampsia (van Beek et al). 1998;179:690-6
Hemoglobin
Effect of glycosylated hemoglobin on endothelium-dependent relaxation of omental arteries from pregnant women (Vedernikov et al). 1998;179:1047-50
Hemolysis
Intrahepatic cholangiocarcinoma masquerading as the HELLP syndrome (hemolysis, elevated liver enzymes, and low platelet count) in pregnancy: case report (Balderston et al). 1998;179:823-4
Neurofibromatosis type 1 with pregnancy-associated renovascular hypertension and the syndrome of hemolysis, elevated liver enzymes, and low platelets (Hagymásy et al). 1998;179:272-4
Hemolytic disease of newborn; *see* **Erythroblastosis, fetal**
Hemostasis
Effects on hemostatic variables of desogestrel- and gestodene-containing oral contraceptives in comparison with levonorgestrel-containing oral contraceptives: a review (Winkler). 1998;179:S51-61
Hemostasis in the uteroplacental and peripheral circulations in normotensive and pre-eclamptic pregnancies (Higgins et al). 1998;179:520-6
Hereditary diseases
BRCA1 and BRCA2 gene mutations in hereditary and sporadic ovarian cancer and the clinical implications (Farghaly) (Letter); (Zweemer et al) (Reply). 1998;179:1101-2
Hernia
An anatomic and functional assessment of the discrete defect rectocele repair (Cundiff et al). 1998;179:1451-7
Site-specific fascial defects in the diagnosis and surgical management of enterocele (Miklos et al). 1998;179:1418-23
Herpes genitalis
Pharmacokinetics of oral valacyclovir and acyclovir in late pregnancy (Kimberlin et al). 1998;179:846-51
Herpes simplex
Prevention of herpes simplex virus infection and latency by prophylactic treatment with acyclovir in a weanling mouse model (Dobson et al). 1998;179:527-32

High-density lipoproteins, cholesterol; *see* **Lipoproteins, HDL cholesterol**

Hirsutism

Polycystic ovary syndrome: symptomatology, pathophysiology, and epidemiology (Guzick). 1998;179:S89-93

Histocompatibility complex; *see* **Major histocompatibility complex**

HIV

A "bloodless cesarean section" and perinatal transmission of the human immunodeficiency virus (Towers et al). 1998;179:708-14

Placental transfer of ritonavir with zidovudine in the ex vivo placental perfusion model (Casey and Bawdon). 1998;179:758-61

HLA antigens

Cervical cancer in older women: a molecular analysis of human papillomavirus types, HLA types, and p53 mutations (Gostout et al). 1998;179:56-61

Homeostasis

Circulating vascular cell adhesion molecule–1 in pre-eclampsia, gestational hypertension, and normal pregnancy: evidence of selective dysregulation of vascular cell adhesion molecule–1 homeostasis in pre-eclampsia (Higgins et al). 1998;179:464-9

Homocysteine

Effects of folic acid and vitamin B_6 supplementation on women with hyperhomocysteinemia and a history of preeclampsia or fetal growth restriction (Leeda et al). 1998;179:135-9

Plasma homocysteine concentration is increased in preeclampsia and is associated with evidence of endothelial activation (Powers et al). 1998;179:1605-11

Hormone replacement therapy; *see* **Estrogen replacement therapy**

Hormones

Leptin in human pregnancy: the relationship with gestational hormones (Sivan et al). 1998;179:1128-32

Hospital discharge; *see* **Patient discharge**

Hospitalization

Neonatal mortality for very low birth weight deliveries in South Carolina by level of hospital perinatal service (Menard et al). 1998;179:374-81

Rehospitalizations and outpatient contacts of mothers and neonates after hospital discharge after vaginal delivery (Meikle et al). 1998;179:166-71

Hospitals

Institutional influences on the primary cesarean section rate in Utah, 1992 to 1995 (Clark et al). 1998;179:841-5

Human cervical fibroblasts; *see* **Fibroblasts**

Human chorionic gonadotropin receptors; *see* **Receptors, gonadotropin**

Human chorionic gonadotropins; *see* **Gonadotropins, chorionic**

Human immunodeficiency virus; *see* **HIV**

Hyaluronic acid

The role of cytokines in cervical ripening: correlations between the concentrations of cytokines and hyaluronic acid in cervical mucus and the induction of hyaluronic acid production by inflammatory cytokines by human cervical fibroblasts (Ogawa et al). 1998;179:105-10

Hydatidiform mole

Genetic differentiation of complete hydatidiform moles coexisting with normal fetuses by short tandem repeat–derived deoxyribonucleic acid polymorphism analysis (Ishii et al). 1998;179:628-34

Hydrocortisone

An increase in fetal plasma cortisol but not dehydroepiandrosterone sulfate is followed by the onset of preterm labor in patients with preterm premature rupture of the membranes (Yoon et al). 1998;179:1107-14

Hydrogen-ion concentration

Déjà vu, again (Sacks and Greenspoon) (Letter); (Kühnert et al) (Reply). 1998;179:1100

Hydrops fetalis

Long-term neurodevelopmental outcome after intrauterine transfusion for the treatment of fetal hemolytic disease (Hudon et al). 1998;179:858-63

Management of parvovirus infection in pregnancy and outcomes of hydrops: a survey of members of the Society of Perinatal Obstetricians (Rodis et al). 1998;179:985-8

Hydrosonography; *see* **Ultrasonography**

Hyperemesis gravidarum

The efficacy of methylprednisolone in the treatment of hyperemesis gravidarum: a randomized, double-blind, controlled study (Safari et al). 1998;179:921-4

Hyperemesis gravidarum is not associated with hypofunction of the pituitary-adrenal axis (la Marca et al). 1998;179:1381-2 (Letter)

Hypertension

Aortic coarctation diagnosed after hypertension in pregnancy (Lip et al). 1998;179:814-5

Circulating vascular cell adhesion molecule–1 in pre-eclampsia, gestational hypertension, and normal pregnancy: evidence of selective dysregulation of vascular cell adhesion molecule–1 homeostasis in pre-eclampsia (Higgins et al). 1998;179:464-9

Comparison of total blood volume in normal, preeclamptic, and nonproteinuric gestational hypertensive pregnancy by simultaneous measurement of red blood cell and plasma volumes (Silver et al). 1998;179:87-93

The relationship between abnormal glucose tolerance and hypertensive disorders of pregnancy in healthy nulliparous women (Joffe et al). 1998;179:1032-7

The sequential effects of estrogen administration and hypertension on cardiac function in ewes (Jacobson et al). 1998;179:610-9

Variation in cerebral perfusion pressure with different hypertensive states in pregnancy (Williams and Wilson). 1998;179:1200-3

Vasoactive mediators in pregnancy-induced hypertensive disorders: a longitudinal study (Paarlberg et al). 1998;179:1559-64

Hypertension, pulmonary

Emergency mitral valve replacement in the setting of severe pulmonary hypertension and acute cardiovascular decompensation after evacuation of twins at fifteen weeks' gestation (Tio et al). 1998;179:270-2

Hypertension, renovascular

Neurofibromatosis type 1 with pregnancy-associated renovascular hypertension and the syndrome of hemolysis, elevated liver enzymes, and low platelets (Hagymásy et al). 1998;179:272-4

Hyperthyroidism

Papillary thyroid carcinoma manifesting as thyroid storm of pregnancy: case report (Tewari et al). 1998;179:818-9

Primary hepatoid carcinoma of ovary in pregnancy (Maymon et al). 1998;179:820-2

Hyponatremia

Dilutional hyponatremia in pre-eclampsia (Hayslett et al). 1998;179:1312-6

Regulation of hypothalamic arginine vasopressin messenger ribonucleic acid and pituitary arginine vasopressin content in fetal sheep: effects of acute tonicity alterations and fetal maturation (Zhao et al). 1998;179:899-905

Hypoplastic left heart syndrome; *see* **Heart defects, congenital**
Hypothalamus
Regulation of hypothalamic arginine vasopressin messenger ribonucleic acid and pituitary arginine vasopressin content in fetal sheep: effects of acute tonicity alterations and fetal maturation (Zhao et al). 1998;179:899-905
Hypoxia; *see* **Anoxia**
Hysterectomy
Metabolic and inflammatory responses after laparoscopic and abdominal hysterectomy (Yuen et al). 1998;179:1-5
A prospective study of transvaginal hydrosonography in the evaluation of abnormal uterine bleeding (Williams and Marshburn). 1998;179:292-8
Hysterectomy, vaginal
Comparison of ureteral and cervical descents during vaginal hysterectomy for uterine prolapse (DeLancey et al). 1998;179:1405-10
How to increase the proportion of hysterectomies performed vaginally (Davies et al). 1998;179:1008-12
Minilaparotomy hysterectomy (Hoffman and Lynch). 1998;179:316-20
Sacrospinous ligament fixation and modified McCall culdoplasty during vaginal hysterectomy for advanced uterovaginal prolapse (Colombo and Milani). 1998;179:13-20
Vaginal hysterectomy in women with history of previous cesarean delivery (Unger and Meeks). 1998;179:1473-8
Hysteroscopy
A prospective study of transvaginal hydrosonography in the evaluation of abnormal uterine bleeding (Williams and Marshburn). 1998;179:292-8
A randomized trial on the use of ultrasonography or office hysteroscopy for endometrial assessment in postmenopausal patients with breast cancer who were treated with tamoxifen (Timmerman et al). 1998;179:62-70

I

ICAM-1; *see* **Cell adhesion molecules**
Immune system
The effect of a high partial pressure of carbon dioxide environment on metabolism and immune functions of human peritoneal cells—relevance to carbon dioxide pneumoperitoneum (Kopernik et al). 1998;179:1503-10
Immunohistochemistry
Immunohistochemical localization of inducible nitric oxide synthase on human fetal amnion in intra-amniotic infection (Hsu et al). 1998;179:1271-4
Immunolocalization
Expression and specific immunolocalization of the human parathyroid hormone parathyroid hormone—related protein receptor in the uteroplacental unit (Ferguson et al). 1998;179:321-9
Immunophenotyping
Quantitative immunophenotypic characterization, cryopreservation, and enrichment of second- and third-trimester human fetal cord blood hematopoietic stem cells (progenitor cells) (Surbek et al). 1998;179:1228-33
In situ hybridization, fluorescence
Prenatal diagnosis with use of fetal cells isolated from maternal blood: five-color fluorescent in situ hybridization analysis on flow-sorted cells for chromosomes X, Y, 13, 18, and 21 (Bischoff et al). 1998;179:203-9
In vitro fertilization; *see* **Fertilization in vitro**
Indigent patients; *see* **Poverty**
Induction of labor; *see* **Labor, induced**
Infant, diseases
Potentially asphyxiating conditions and spastic cerebral palsy in infants of normal birth weight (Nelson and Grether). 1998;179:507-13
Infant, drug effects
Methadone maintenance in pregnancy: a reappraisal (Brown et al). 1998;179:459-63
Infant, low birth weight
Neonatal mortality for very low birth weight deliveries in South Carolina by level of hospital perinatal service (Menard et al). 1998;179:374-81
Outcomes of very low birth weight twins cared for in the National Institute of Child Health and Human Development Neonatal Research Network's intensive care units (Donovan et al). 1998;179:742-9
Very low birth weight outcomes of the National Institute of Child Health and Human Development Neonatal Research Network, January 1993 through December 1994 (Stevenson et al). 1998;179:1632-9
Infant, newborn
Compliance with the Centers for Disease Control and Prevention antenatal culture protocol for preventing group B streptococcal neonatal sepsis (Cheon-Lee and Amstey). 1998;179:77-9
Delayed delivery of multiple gestations: maternal and neonatal outcomes (Kalchbrenner et al). 1998;179:1145-9
Fetal and neonatal echocardiographic findings in twin-twin transfusion syndrome (Fesslova et al). 1998;179:1056-62
In pregnancies with gestational diabetes mellitus and intensive therapy, perinatal outcome is worse in small-for-gestational-age newborns (García-Patterson et al). 1998;179:481-5
Impact of a risk-based prevention policy on neonatal group B streptococcal disease (Factor et al). 1998;179:1568-71
Limited usefulness of fetal weight in predicting neonatal brachial plexus injury (Bryant et al). 1998;179:686-9
Neonatal outcomes in triplet gestations after a trial of labor (Grobman et al). 1998;179:942-5
Perinatal and neonatal outcomes in multiple gestations: assisted reproduction versus spontaneous conception (Fitzsimmons et al). 1998;179:1162-7
Prevention of herpes simplex virus infection and latency by prophylactic treatment with acyclovir in a weanling mouse model (Dobson et al). 1998;179:527-32
A randomized, controlled trial of oral and intramuscular dexamethasone in the prevention of neonatal respiratory distress syndrome (Egerman et al). 1998;179:1120-3
Rehospitalizations and outpatient contacts of mothers and neonates after hospital discharge after vaginal delivery (Meikle et al). 1998;179:166-71
Infant, newborn, diseases
An animal model for hemolytic disease of the fetus or newborn in New Zealand White and New Zealand Red rabbits: newborn effects (Moise et al). 1998;179:1353-8
Expression of cyclooxygenases in ductus arteriosus of fetal and newborn pigs (Guerguerian et al). 1998;179:1618-26
Hypoxic-ischemic tolerance phenomenon observed in neonatal rat brain (Ota et al). 1998;179:1075-8
International Multicenter Term PROM Study: evaluation of predictors of neonatal infection in infants born to patients with premature rupture of membranes at term (Seaward et al). 1998;179:635-9

Infant, newborn, diseases—cont'd

Neonatal mortality for very low birth weight deliveries in South Carolina by level of hospital perinatal service (Menard et al). 1998;179:374-81

Obstetric management of 219 infants with hypoplastic left heart syndrome (Reis et al). 1998;179:1150-4

Infant, premature

Effects of fetal sex and race on risk of very preterm birth in twins (Cooperstock et al). 1998;179:762-5

A randomized pilot trial of administration of granulocyte colony-stimulating factor to women before preterm delivery (Calhoun and Christensen). 1998;179:766-71

Very low birth weight outcomes of the National Institute of Child Health and Human Development Neonatal Research Network, January 1993 through December 1994 (Stevenson et al). 1998;179:1632-9

Infant, small for gestational age

In pregnancies with gestational diabetes mellitus and intensive therapy, perinatal outcome is worse in small-for-gestational-age newborns (García-Patterson et al). 1998;179:481-5

Infant care

Neonatal mortality for very low birth weight deliveries in South Carolina by level of hospital perinatal service (Menard et al). 1998;179:374-81

Infant mortality

Delayed delivery of multiple gestations: maternal and neonatal outcomes (Kalchbrenner et al). 1998;179:1145-9

Neonatal mortality for very low birth weight deliveries in South Carolina by level of hospital perinatal service (Menard et al). 1998;179:374-81

Tocolytic magnesium sulfate: Are the epidemiologic data reassuring? (Mittendorf and Pryde) (Letter); (Grether et al) (Reply). 1998;179:280

Infection

Elevated amniotic fluid levels of leukemia inhibitory factor, interleukin-6, and interleukin 8 in intra-amniotic infection (Hsu et al). 1998;179:1267-70

Evaluating rapid diagnostic tests of intra-amniotic infection: gram stain, amniotic fluid glucose level, and amniotic fluid to serum glucose level ratio (Hussey et al). 1998;179:650-6

Immunohistochemical localization of inducible nitric oxide synthase on human fetal amnion in intra-amniotic infection (Hsu et al). 1998;179:1271-4

International Multicenter Term PROM Study: evaluation of predictors of neonatal infection in infants born to patients with premature rupture of membranes at term (Seaward et al). 1998;179:635-9

Microbial invasion of the amniotic cavity with *Ureaplasma urealyticum* is associated with a robust host response in fetal, amniotic, and maternal compartments (Yoon et al). 1998;179:1254-60

Pulmonary edema in obstetric patients is rapidly resolved except in the presence of infection or of nitroglycerin tocolysis after open fetal surgery (DiFederico et al). 1998;179:925-33

A relaxin-mediated pathway to preterm premature rupture of the fetal membranes that is independent of infection (Millar et al). 1998;179:126-34

Synthetic graft placement in the treatment of fascial dehiscence with necrosis and infection (McNeeley et al). 1998;179:1430-5

Infertility, female

The detection of diminished ovarian reserve in infertile women (Sharara et al). 1998;179:804-12 (AJOG reviews)

Polycystic ovary syndrome: symptomatology, pathophysiology, and epidemiology (Guzick). 1998;179:S89-93

Inflammation

The fetal inflammatory response syndrome (Gomez et al). 1998;179:194-202

A fetal systemic inflammatory response is followed by the spontaneous onset of preterm parturition (Romero et al). 1998;179:186-93

Metabolic and inflammatory responses after laparoscopic and abdominal hysterectomy (Yuen et al). 1998;179:1-5

Normal pregnancy and preeclampsia both produce inflammatory changes in peripheral blood leukocytes akin to those of sepsis (Sacks et al). 1998;179:80-6

Infusion pumps

Terbutaline pump maintenance therapy for prevention of preterm delivery: a double-blind trial (Guinn et al). 1998;179:874-8

Infusions, intravenous

Adjustment of magnesium sulfate infusion rate in patients with preterm labor (Simchen et al). 1998;179:994-8

Inhibin

Maternal serum α-fetoprotein and dimeric inhibin A detect aneuploidies other than Down syndrome (Wenstrom et al). 1998;179:966-70

Injections, intramuscular

Comparison between oral and intramuscular dexamethasone in suppressing unconjugated estriol levels during the third trimester (Egerman et al). 1998;179:1234-6

Outcome comparison of in vitro fertilization treatment with highly purified subcutaneous follicle-stimulating hormone (Fertinex, a urofollitropin) versus intramuscular menotropins (Crain et al). 1998;179:299-307

A randomized, controlled trial of oral and intramuscular dexamethasone in the prevention of neonatal respiratory distress syndrome (Egerman et al). 1998;179:1120-3

Injections, intravenous

Intravenous nitroglycerin in obstetrics: a new indication (Dessard et al). 1998;179:813

Injections, spinal

The effect of maternal position on fetal heart rate during epidural or intrathecal labor analgesia (Eberle et al). 1998;179:150-5

Insulin

Amniotic fluid insulin testing in gestational diabetes: safety and acceptance of amniocentesis (Haeusler et al). 1998;179:917-20

Specific binding and growth-promoting activity of insulin in endometrial cancer cells in culture (Nagamani and Stuart). 1998;179:6-12

Insulin resistance

The obstetrician/gynecologist's role in the practical management of polycystic ovary syndrome (Berga). 1998;179:S109-13

Polycystic ovary syndrome: current and future treatment paradigms (Legro). 1998;179:S101-8

Polycystic ovary syndrome—metabolic challenges and new treatment approaches (Bachmann). 1998;179:S87-8

Understanding the underlying metabolic abnormalities of PCOS and their implications (Taylor). 1998;179:S94-100

Intensive care units, neonatal

Outcomes of very low birth weight twins cared for in the National

Institute of Child Health and Human Development Neonatal Research Network's intensive care units (Donovan et al). 1998;179:742-9

Intercellular adhesion molecule; *see* **Cell adhesion molecules**

Interleukin-1

Interleukin-1β and interleukin-8 in cervicovaginal fluid during pregnancy (Tanaka et al). 1998;179:644-9

Interleukin-6

Elevated amniotic fluid levels of leukemia inhibitory factor, interleukin-6, and interleukin 8 in intra-amniotic infection (Hsu et al). 1998;179:1267-70

The fetal inflammatory response syndrome (Gomez et al). 1998;179:194-202

Is amniotic fluid analysis the key to preterm labor? A model using interleukin-6 for predicting rapid delivery (Greci et al). 1998;179:172-8

Interleukin-8

The effect of transforming growth factor and interleukin-10 on interleukin-8 release by human amniochorion may regulate histologic chorioamnionitis (Fortunato et al). 1998;179:794-9

Elevated amniotic fluid levels of leukemia inhibitory factor, interleukin-6, and interleukin 8 in intra-amniotic infection (Hsu et al). 1998;179:1267-70

Interleukin-1β and interleukin-8 in cervicovaginal fluid during pregnancy (Tanaka et al). 1998;179:644-9

Regulation of interleukin-8 production in the term human placenta during labor and by antigestagens (Elliott et al). 1998;179:215-20

Interleukin-10

The effect of transforming growth factor and interleukin-10 on interleukin-8 release by human amniochorion may regulate histologic chorioamnionitis (Fortunato et al). 1998;179:794-9

Internship and residency

Teaching the Pelvic Organ Prolapse Quantitation system (Steele et al). 1998;179:1458-64

Intestines

Uterine leiomyoma as a rare cause of acute abdomen and intestinal gangrene (Sheikh). 1998;179:830-1

Intracervical gel; *see* **Gels**

Intramuscular administration; *see* **Injections, intramuscular**

Intrathecal administration; *see* **Injections, spinal**

Intrauterine death; *see* **Fetal death**

Intrauterine growth; *see* **Fetal development**

Intrauterine growth retardation; *see* **Fetal growth retardation**

Intrauterine transfusion; *see* **Blood transfusion, intrauterine**

Ischemia

Hypoxic-ischemic fetal insult resulting from maternal aortic root replacement, with normal fetal heart rate at term (Mul et al). 1998;179:825-7

Hypoxic-ischemic tolerance phenomenon observed in neonatal rat brain (Ota et al). 1998;179:1075-8

Ischial periosteum; *see* **Periosteum**

Items

Items. 1998;179:281-2, 566-8, 839-40, 1105-6, 1385-6, ???

K

Karyotyping

Success rate of cytogenetic analysis at the time of second-trimester dilation and evacuation (Bernick et al). 1998;179:957-61

Kidney

The acute pressure natriuresis response blunted and the blood pressure response reset in the normal pregnant rat (Masilamani et al). 1998;179:486-91

Endotoxin-induced atrial natriuretic factor release: in vivo and in vitro studies (Rao et al). 1998;179:21-7

Left-sided laparoscopic para-aortic lymphadenectomy: anatomy of the ventral tributaries of the infrarenal vena cava (Possover et al). 1998;179:1295-7

Neurofibromatosis type 1 with pregnancy-associated renovascular hypertension and the syndrome of hemolysis, elevated liver enzymes, and low platelets (Hagymásy et al). 1998;179:272-4

Persistent abnormalities in plasma volume and renal hemodynamics in patients with a history of preeclampsia (van Beek et al). 1998;179:690-6

L

Labor

Cephalhematoma and caput succedaneum: Do they always occur in labor? (Petrikovsky et al). 1998;179:906-8

Diurnal rhythms of labor and delivery (Jakobovits) (Letter); (Cagnacci and Volpe) (Reply). 1998;179:836-7

The effect of maternal position on fetal heart rate during epidural or intrathecal labor analgesia (Eberle et al). 1998;179:150-5

Human fetal membranes release a Ca^{++} channel inhibitor (Emery et al). 1998;179:989-93

The influence of epidural analgesia on cesarean delivery rates: a randomized, prospective clinical trial (Clark et al). 1998;179:1527-33

Is the attenuation of β-adrenergic agonist efficacy during labor caused by elevated prostaglandin E levels? (Lye et al). 1998;179:1168-74

Maternal corticotropin-releasing hormone levels in the early third trimester predict length of gestation in human pregnancy (Wadhwa et al). 1998;179:1079-85

Regulation of interleukin-8 production in the term human placenta during labor and by antigestagens (Elliott et al). 1998;179:215-20

Uterine relaxation responses to calcitonin gene–related peptide and calcitonin gene–related peptide receptors decreased during labor in rats (Dong et al). 1998;179:497-506

Labor, induced

Effectiveness of prostaglandin E_2 intracervical gel (Prepidil), with immediate oxytocin, versus vaginal insert (Cervidil) for induction of labor (Stewart et al). 1998;179:1175-80

Induction of labor with misoprostol for premature rupture of membranes beyond thirty-six weeks' gestation (Wing and Paul). 1998;179:94-9

Pre-eclampsia and induction of labor: a randomized comparison of prostaglandin E_2 as an intracervical gel, with oxytocin immediately, or as a sustained-release vaginal insert (Hennessey et al). 1998;179:1204-9

Preterm birth and maternal smoking: risks related to gestational age and onset of delivery (Kyrklund-Blomberg and Cnattingius). 1998;179:1051-5

A randomized clinical trial of prostaglandin E_2 intracervical gel and a slow release vaginal pessary for preinduction cervical ripening (Ottinger et al). 1998;179:349-53

Labor, induced—cont'd

Severe preeclampsia remote from term: Labor induction or elective cesarean delivery? (Nassar et al). 1998;179:1210-3

Labor, premature

Adjustment of magnesium sulfate infusion rate in patients with preterm labor (Simchen et al). 1998;179:994-8

The effect of cytokine mediators on prostaglandin inhibition by human decidual cells (Kim et al). 1998;179:146-9

Effect of sexual intercourse on fetal fibronectin concentration in cervicovaginal secretions (Shimoya et al). 1998;179:255-6

Fetal fibronectin detection in preterm labor: evaluation of a prototype bedside dipstick technique and cervical assessment (Coleman et al). 1998;179:1553-8

The fetal inflammatory response syndrome (Gomez et al). 1998;179:194-202

A fetal systemic inflammatory response is followed by the spontaneous onset of preterm parturition (Romero et al). 1998;179:186-93

β-Human chorionic gonadotropin in cervicovaginal secretions as a predictor of preterm delivery (Bernstein et al). 1998;179:870-3

An increase in fetal plasma cortisol but not dehydroepiandrosterone sulfate is followed by the onset of preterm labor in patients with preterm premature rupture of the membranes (Yoon et al). 1998;179:1107-14

Is amniotic fluid analysis the key to preterm labor? A model using interleukin-6 for predicting rapid delivery (Greci et al). 1998;179:172-8

Preterm birth and maternal smoking: risks related to gestational age and onset of delivery (Kyrklund-Blomberg and Cnattingius). 1998;179:1051-5

Preterm labor and bacterial intraamniotic infection: arachidonic acid liberation by phospholipase A_2 of *Fusobacterium nucleatum* (Mikamo et al). 1998;179:1579-82

Specific detection of 16 micro-organisms in amniotic fluid by polymerase chain reaction and its correlation with preterm delivery occurrence (Oyarzún et al). 1998;179:1115-9

Terbutaline pump maintenance therapy for prevention of preterm delivery: a double-blind trial (Guinn et al). 1998;179:874-8

Transabdominal intra-amniotic endoscopic assessment of previable premature rupture of membranes (Quintero et al). 1998;179:71-6

Ultrasonographic estimate of birth weight at 24 to 34 weeks: a multicenter study (Chauhan et al). 1998;179:909-16

What goes around comes around (Rowland). 1998;179:283-91 (Pres. address)

Labor presentation

Cost-effective delivery management of the vertex and nonvertex twin gestation (Mauldin et al). 1998;179:864-9

Labor stage, first

Antepartum cervical ripening: applying prostaglandin E_2 gel in conjunction with scheduled nonstress tests in postdate pregnancies (Lien et al). 1998;179:453-8

Effectiveness of prostaglandin E_2 intracervical gel (Prepidil), with immediate oxytocin, versus vaginal insert (Cervidil) for induction of labor (Stewart et al). 1998;179:1175-80

Pre-eclampsia and induction of labor: a randomized comparison of prostaglandin E_2 as an intracervical gel, with oxytocin immediately, or as a sustained-release vaginal insert (Hennessey et al). 1998;179:1204-9

Progression of labor in twin versus singleton gestations (Schiff et al). 1998;179:1181-5

A randomized clinical trial of prostaglandin E_2 intracervical gel and a slow release vaginal pessary for preinduction cervical ripening (Ottinger et al). 1998;179:349-53

The role of cytokines in cervical ripening: correlations between the concentrations of cytokines and hyaluronic acid in cervical mucus and the induction of hyaluronic acid production by inflammatory cytokines by human cervical fibroblasts (Ogawa et al). 1998;179:105-10

Laboratories

Qualification of atypical squamous cells of undetermined significance in an independent laboratory: Is it useful or significant? (Lachman and Cavallo-Calvanese). 1998;179:421-9

Lactation

Treatment for lactation suppression: little progress in one hundred years (Spitz et al). 1998;179:1485-90 (Clin. opinion)

Laparoscopic surgery; *see* **Surgery, laparoscopic**

Laparotomy

Minilaparotomy hysterectomy (Hoffman and Lynch). 1998;179:316-20

Late pregnancy; *see* **Pregnancy trimester, third**

Lecithin; *see* **Phosphatidylcholines**

Leiden mutation; *see* **Mutation**

Leiomyoma

Effects of raloxifene in a guinea pig model for leiomyomas (Porter et al). 1998;179:1283-7

Oxytocin receptor and its messenger ribonucleic acid in human leiomyoma and myometrium (Lee et al). 1998;179:620-7

Telomere shortening in uterine leiomyomas (Bonatz et al). 1998;179:591-6

Uterine leiomyoma as a rare cause of acute abdomen and intestinal gangrene (Sheikh). 1998;179:830-1

Leptin

Leptin in human pregnancy: the relationship with gestational hormones (Sivan et al). 1998;179:1128-32

Letters

Letters. 1998;179:275-80, 557-65, 835-8, 1098-104, 1376-82, 1654

Leukemia

Elevated amniotic fluid levels of leukemia inhibitory factor, interleukin-6, and interleukin 8 in intra-amniotic infection (Hsu et al). 1998;179:1267-70

Leukocytes

Normal pregnancy and preeclampsia both produce inflammatory changes in peripheral blood leukocytes akin to those of sepsis (Sacks et al). 1998;179:80-6

Levonorgestrel

Effects on hemostatic variables of desogestrel- and gestodene-containing oral contraceptives in comparison with levonorgestrel-containing oral contraceptives: a review (Winkler). 1998;179:S51-61

LH

The urinary bladder of a woman is a novel site of luteinizing hormone–human chorionic gonadotropin receptor gene expression (Tao et al). 1998;179:1026-31

Lifestyle

Hormone replacement therapy and body size: How much does lifestyle explain? (Parazzini et al) (Letter); (Luoto et al) (Reply). 1998;179:1103

Ligands
Urocortin in pregnancy (Glynn et al). 1998;179:533-9
Lipoprotein(a)
Elevated levels of lipoprotein(a) in women with preeclampsia (van Pampus et al) (Letter); (Wang and Trudinger) (Reply). 1998;179:1103-4
Lipoproteins, HDL cholesterol
Elevated high-density lipoprotein cholesterol and dietary fat intake in women with cyclic mastopathy (Goodwin et al). 1998;179:430-7
Liver
Fatty acid desaturase activities and polyunsaturated fatty acid composition in human liver between the seventeenth and thirty-sixth gestational weeks (Rodriguez et al). 1998;179:1063-70
Intrahepatic cholangiocarcinoma masquerading as the HELLP syndrome (hemolysis, elevated liver enzymes, and low platelet count) in pregnancy: case report (Balderston et al). 1998;179:823-4
Neurofibromatosis type 1 with pregnancy-associated renovascular hypertension and the syndrome of hemolysis, elevated liver enzymes, and low platelets (Hagymásy et al). 1998;179:272-4
Liver diseases
Pregnancy complicated by symptomatic adult polycystic liver disease (Kesby). 1998;179:266-7
Liver neoplasms
Intrahepatic cholangiocarcinoma masquerading as the HELLP syndrome (hemolysis, elevated liver enzymes, and low platelet count) in pregnancy: case report (Balderston et al). 1998;179:823-4
Lumbar epidural anesthesia; *see* **Anesthesia, epidural**
Lung
Phasic flow events at the aortic isthmus–ductus arteriosus junction and branch pulmonary artery evaluated by multimodal ultrasonography in fetal lambs (Schmidt et al). 1998;179:1338-47
Placebo-controlled comparison between a single dose and a multidose of betamethasone in accelerating lung maturation of mice offspring (Stewart et al). 1998;179:1241-7
Pulmonary edema in obstetric patients is rapidly resolved except in the presence of infection or of nitroglycerin tocolysis after open fetal surgery (DiFederico et al). 1998;179:925-33
Lung neoplasms
Fetal lung lesions: management and outcome (Adzick et al). 1998;179:884-9
Lupus erythematosus, systemic
Placental pathology in systemic lupus erythematosus: a prospective study (Magid et al). 1998;179:226-34
Luteinizing hormone; *see* **LH**
Lymph node excision
Left-sided laparoscopic para-aortic lymphadenectomy: anatomy of the ventral tributaries of the infrarenal vena cava (Possover et al). 1998;179:1295-7
Surgical procedure for para-aortic lymphadenectomy in stage IB and stage II cervical carcinoma (Morice et al) (Letter); (Schneider and Possover) (Reply). 1998;179:1098-9
Lysis
The temporal efficacy of early second-look lysis of adhesions in reducing postoperative adhesions in a murine model (Haney and Doty). 1998;179:368-73

M

Macaca fascicularis
Coadministration of nomegestrol acetate does not diminish the beneficial effects of estradiol on coronary artery dilator responses in nonhuman primates (*Macaca fascicularis*) (Williams et al). 1998;179:1288-94
Macrophages
Regulation of monocyte to macrophage differentiation by antiglucocorticoids and antioxidants (Roberts et al). 1998;179:354-62
Macrosomic infants; *see* **Fetal macrosomia**
Magnesium
Prevention of preeclampsia: a big disappointment (Sibai). 1998;179:1275-8 (Clin. opinion)
Risk of magnesium for respiratory failure in pregnancy (Carson and Khurana). 1998;179:558 (Letter)
Magnesium sulfate
Adjustment of magnesium sulfate infusion rate in patients with preterm labor (Simchen et al). 1998;179:994-8
Individually determined postpartum magnesium sulfate therapy with clinical parameters to safely and cost-effectively shorten treatment for pre-eclampsia (Ascarelli et al). 1998;179:952-6
Tocolytic magnesium sulfate: Are the epidemiologic data reassuring? (Mittendorf and Pryde) (Letter); (Grether et al) (Reply). 1998;179:280
Magnetic resonance spectroscopy; *see* **Nuclear magnetic resonance**
Magnetocardiography
Atrial and ventricular fetal heart rate patterns in isolated congenital complete heart block detected by magnetocardiography (Wakai et al). 1998;179:258-60
Major histocompatibility complex
Retinoic acid up-regulates the expression of major histocompatibility complex molecules and adhesion/costimulation molecules (specifically, intercellular adhesion molecule ICAM-1) in human cervical cancer (Santin et al). 1998;179:1020-5
Malcarbohydrate metabolism; *see* **Carbohydrates**
Malpractice
The influence of obstetric no-fault compensation on obstetricians' practice patterns (Sloan et al). 1998;179:671-6
Managed care programs
Declining cesarean delivery rates in California: An effect of managed care? (Weinstein and Trussell). 1998;179:657-64
Ethical issues in managed care for the obstetrician and gynecologist (Finnerty and Pinkerton). 1998;179:308-15
What goes around comes around (Rowland). 1998;179:283-91 (Pres. address)
Marfan syndrome
Hypoxic-ischemic fetal insult resulting from maternal aortic root replacement, with normal fetal heart rate at term (Mul et al). 1998;179:825-7
Mass screening
Assessment of uterine arterial notching as a screening test for adverse pregnancy outcome (Mires et al). 1998;179:1317-23
Cervical screening adjuncts: recent advances (Spitzer). 1998;179:544-56 (AJOG reviews)
Death of the Papanicolaou smear? A tale of three reasons (Boronow). 1998;179:391-6 (Clin. opinion)

Mass screening—cont'd
Group B streptococci during pregnancy: a comparison of two screening and treatment protocols (Hafner et al). 1998;179:677-81
New Down syndrome screening algorithm: ultrasonographic biometry and multiple serum markers combined with maternal age (Bahado-Singh et al). 1998;179:1627-31
Routine maternal platelet count: an assessment of a technologically driven screening practice (Rouse et al). 1998;179:573-6 (Clin. opinion)
Which cutoff level should be used in screening for glucose intolerance in pregnancy? (Bonomo et al). 1998;179:179-85
Mastopathy; *see* **Breast**
Maternal age
An alternative for women initially declining genetic amniocentesis: individual Down syndrome odds on the basis of maternal age and multiple ultrasonographic markers (Bahado-Singh et al). 1998;179:514-9
New Down syndrome screening algorithm: ultrasonographic biometry and multiple serum markers combined with maternal age (Bahado-Singh et al). 1998;179:1627-31
Maternal behavior
The effect of maternal position on fetal heart rate during epidural or intrathecal labor analgesia (Eberle et al). 1998;179:150-5
Preterm birth and maternal smoking: risks related to gestational age and onset of delivery (Kyrklund-Blomberg and Cnattingius). 1998;179:1051-5
Maternal blood; *see* **Blood**
Maternal diabetes; *see* **Pregnancy in diabetes**
Maternal-fetal exchange
Placental transfer of ritonavir with zidovudine in the ex vivo placental perfusion model (Casey and Bawdon). 1998;179:758-61
Maternal weight; *see* **Body weight**
May-Hegglin anomaly
May-Hegglin anomaly: a case of vaginal delivery when both mother and fetus are affected (Urato and Repke). 1998;179:260-1
McCall culdoplasty; *see* **Vagina, surgery**
Meconium
Meconium has no lecithin or sphingomyelin but affects the lecithin/sphingomyelin ratio (Longo et al). 1998;179:1640-2
Medicaid
The influence of obstetric no-fault compensation on obstetricians' practice patterns (Sloan et al). 1998;179:671-6
Medroxyprogesterone
Compliance with depot medroxyprogesterone acetate: a randomized, controlled trial of intensive reminders (Keder et al). 1998;179:583-5
Membranes, fetal; *see* **Fetal membranes**
Memory
Explicit memory in pregnant women (Keenan et al). 1998;179:731-7
Meningomyelocele
The optimal route of delivery for fetal meningomyelocele (Merrill et al). 1998;179:235-40
Menopause
Postmenopausal diagnosis of testicular feminization (Lentz and Cappellari). 1998;179:268-9
A randomized trial on the use of ultrasonography or office hysteroscopy for endometrial assessment in postmenopausal patients with breast cancer who were treated with tamoxifen (Timmerman et al). 1998;179:62-70
Selective estrogen receptor modulators: a new category of therapeutic agents for extending the health of postmenopausal women (Goldstein). 1998;179:1479-84 (Clin. opinion)
The urinary bladder of a woman is a novel site of luteinizing hormone–human chorionic gonadotropin receptor gene expression (Tao et al). 1998;179:1026-31
Menorrhagia
Prevalence of sexual assault history among women with common gynecologic symptoms (Golding et al). 1998;179:1013-9
Menotropins
Outcome comparison of in vitro fertilization treatment with highly purified subcutaneous follicle-stimulating hormone (Fertinex, a urofollitropin) versus intramuscular menotropins (Crain et al). 1998;179:299-307
Menstrual cycle
Elevated high-density lipoprotein cholesterol and dietary fat intake in women with cyclic mastopathy (Goodwin et al). 1998;179:430-7
Mersilene mesh sling; *see* **Urinary incontinence, stress**
Messenger ribonucleic acid; *see* **RNA, messenger**
Metabolism
The effect of a high partial pressure of carbon dioxide environment on metabolism and immune functions of human peritoneal cells—relevance to carbon dioxide pneumoperitoneum (Kopernik et al). 1998;179:1503-10
Metabolic and endocrine effects of the desogestrel-containing oral contraceptive Mircette™ (Berga). 1998;179:S9-17
Metabolic and inflammatory responses after laparoscopic and abdominal hysterectomy (Yuen et al). 1998;179:1-5
Polycystic ovary syndrome—metabolic challenges and new treatment approaches (Bachmann). 1998;179:S87-8
Recurrent candidiasis and "malcarbohydrate metabolism" (Smith) (Letter); (Sobel) (Reply). 1998;179:557-8
Understanding the underlying metabolic abnormalities of PCOS and their implications (Taylor). 1998;179:S94-100
Metalloproteinases
A role for matrix metalloproteinase-9 in spontaneous rupture of the fetal membranes (Athayde et al). 1998;179:1248-53
Methadone
Methadone maintenance in pregnancy: a reappraisal (Brown et al). 1998;179:459-63
Methotrexate
Methotrexate effects on trophoblast and the corpus luteum in early pregnancy (Creinin et al). 1998;179:604-9
Treating ectopic pregnancy with the combination of mifepristone and methotrexate: a phase II nonrandomized study (Perdu et al). 1998;179:640-3
Methylenetetrahydrofolate
Genetic susceptibility to pregnancy-related venous thromboembolism: roles of factor V Leiden, prothrombin G20210A, and methylenetetrahydrofolate reductase C677T mutations (Grandone et al). 1998;179:1324-8
Methylprednisolone
The efficacy of methylprednisolone in the treatment of hyperemesis gravidarum: a randomized, double-blind, controlled study (Safari et al). 1998;179:921-4
Hyperemesis gravidarum is not associated with hypofunction of the pituitary-adrenal axis (la Marca et al). 1998;179:1381-2 (Letter)
Micro-organisms; *see* **Bacteria**
Microbial invasion; *see* **Infection**
Midtrimester of pregnancy; *see* **Pregnancy trimester, second**

Mifepristone
Mifepristone-misoprostol medical abortion: Who will use it and why? (Blinder et al). 1998;179:1376 (Letter)
Treating ectopic pregnancy with the combination of mifepristone and methotrexate: a phase II nonrandomized study (Perdu et al). 1998;179:640-3
Minilaparotomy; *see* **Laparotomy**
Miscarriage; *see* **Abortion, spontaneous**
Misoprostol
Induction of labor with misoprostol for premature rupture of membranes beyond thirty-six weeks' gestation (Wing and Paul). 1998;179:94-9
Mifepristone-misoprostol medical abortion: Who will use it and why? (Blinder et al). 1998;179:1376 (Letter)
Rectal misoprostol in the prevention of postpartum hemorrhage: a placebo-controlled trial (Bamigboye et al). 1998;179:1043-6
Mitral valve
Emergency mitral valve replacement in the setting of severe pulmonary hypertension and acute cardiovascular decompensation after evacuation of twins at fifteen weeks' gestation (Tio et al). 1998;179:270-2
Monocytes
The effect of monocyte chemotactic protein 1 in intraperitoneal adhesion formation in a mouse model (Zeyneloglu et al). 1998;179:438-43
Regulation of monocyte to macrophage differentiation by antiglucocorticoids and antioxidants (Roberts et al). 1998;179:354-62
Monozygotic twins; *see* **Twins, monozygotic**
Müllerian ducts
Further evidence that the *WT1* gene does not have a role in the development of the derivatives of the müllerian duct (van Lingen et al). 1998;179:597-603
Multifetal pregnancy reduction; *see* **Abortion**
Multiple pregnancy; *see* **Pregnancy, multiple**
Muscle, smooth, vascular
Vascular smooth muscle oxygen consumption is reversibly stimulated by sera from women with preeclampsia (Bearchell et al). 1998;179:1534-8
Mutation
BRCA1 and BRCA2 gene mutations in hereditary and sporadic ovarian cancer and the clinical implications (Farghaly) (Letter); (Zweemer et al) (Reply). 1998;179:1101-2
Cervical cancer in older women: a molecular analysis of human papillomavirus types, HLA types, and p53 mutations (Gostout et al). 1998;179:56-61
Genetic susceptibility to pregnancy-related venous thromboembolism: roles of factor V Leiden, prothrombin G20210A, and methylenetetrahydrofolate reductase C677T mutations (Grandone et al). 1998;179:1324-8
Resistance to activated protein C and the Leiden mutation: high prevalence in patients with abruptio placentae (Wiener-Megnagi et al). 1998;179:1565-7
Myocardial infarction
Myocardial infarction and stroke in young women: What is the impact of oral contraceptives? (Lewis). 1998;179:S68-77
Myoma
Been there—done that: surgical challenges (Underwood). 1998;179:330-5
Myometrium
Both soluble guanylate cyclase and particulate guanylate cyclase regulate myometrial contractility (Syal et al). 1998;179:111-6
The initiation, continuation, and termination of spontaneous episodes of circus movements in the pregnant myometrium of the rat (Lammers and Hamid). 1998;179:1515-26
Oxytocin receptor and its messenger ribonucleic acid in human leiomyoma and myometrium (Lee et al). 1998;179:620-7
Parathyroid hormone–related peptide (1 to 34) inhibits in vitro oxytocin-stimulated activity of pregnant baboon myometrium (Pitera et al). 1998;179:492-6
Relaxation of isolated human myometrial muscle by β_2-adrenergic receptors but not β_1-adrenergic receptors (Liu et al). 1998;179:895-8
Myotonia atrophica
Myotonic dystrophy is a significant cause of idiopathic polyhydramnios (Esplin et al). 1998;179:974-7

N

Natriuresis
The acute pressure natriuresis response blunted and the blood pressure response reset in the normal pregnant rat (Masilamani et al). 1998;179:486-91
Necrosis
Synthetic graft placement in the treatment of fascial dehiscence with necrosis and infection (McNeeley et al). 1998;179:1430-5
Neonatal intensive care units; *see* **Intensive care units, neonatal**
Neonatal mortality; *see* **Infant mortality**
Neonate; *see* **Infant, newborn**
Neoplasms, glandular epithelial
Atypical glandular cells of undetermined significance: a five-year retrospective histopathologic study (Veljovich et al). 1998;179:382-90
Nephrotic syndrome
Dilutional hyponatremia in pre-eclampsia (Hayslett et al). 1998;179:1312-6
Neural conduction
The initiation, continuation, and termination of spontaneous episodes of circus movements in the pregnant myometrium of the rat (Lammers and Hamid). 1998;179:1515-26
Neural tube defects
The optimal route of delivery for fetal meningomyelocele (Merrill et al). 1998;179:235-40
Neurilemmoma
Benign schwannoma of the obturator nerve: a case report (Scotto et al). 1998;179:816-7
Neurofibromatosis
Brachial artery rupture complicating a pregnancy with neurofibromatosis: a case report (Tidwell and Copas). 1998;179:832-4
Neurofibromatosis 1
Neurofibromatosis type 1 with pregnancy-associated renovascular hypertension and the syndrome of hemolysis, elevated liver enzymes, and low platelets (Hagymásy et al). 1998;179:272-4
Neutrophils
A randomized pilot trial of administration of granulocyte colony-stimulating factor to women before preterm delivery (Calhoun and Christensen). 1998;179:766-71
The role of the endogenous anti-inflammatory compound gravidin in pre-eclampsia (Crocker et al). 1998;179:1305-11
New Zealand
An animal model for hemolytic disease of the fetus or newborn in New Zealand White and New Zealand Red rabbits: newborn effects (Moise et al). 1998;179:1353-8

Newborn infant; *see* **Infant, newborn**
Nitrates
Long-term high-altitude hypoxia increases plasma nitrate levels in pregnant ewes and their fetuses (Zhang et al). 1998;179:1594-8
Nitric oxide
The effects of nitric oxide on the contractility of isolated uterine and aortic rings from pregnant rats (Okawa et al). 1998;179:721-6
Immunohistochemical localization of inducible nitric oxide synthase on human fetal amnion in intra-amniotic infection (Hsu et al). 1998;179:1271-4
Uterine relaxation responses to calcitonin gene–related peptide and calcitonin gene–related peptide receptors decreased during labor in rats (Dong et al). 1998;179:497-506
Nitroglycerin
Effects of transdermal nitroglycerin on impedance to flow in the uterine, umbilical, and fetal middle cerebral arteries in pregnancies complicated by preeclampsia and intrauterine growth retardation (Cacciatore et al). 1998;179:140-5
Intravenous nitroglycerin in obstetrics: a new indication (Dessard et al). 1998;179:813
Pulmonary edema in obstetric patients is rapidly resolved except in the presence of infection or of nitroglycerin tocolysis after open fetal surgery (DiFederico et al). 1998;179:925-33
No-fault compensation; *see* **Fees and charges**
Noble-Mengert-Fish operation; *see* **Perineum, surgery**
Nomegestrol
Coadministration of nomegestrol acetate does not diminish the beneficial effects of estradiol on coronary artery dilator responses in nonhuman primates (*Macaca fascicularis*) (Williams et al). 1998;179:1288-94
Nomenclature
Understanding miscarriage or insensitive abortion: Time for more defined terminology? (Hutchon). 1998;179:397-8 (Clin. opinion)
Nonstress test; *see* **Fetal monitoring**
Nonvertex presentation; *see* **Labor presentation**
Nose
Measurement of fetal nasal width by ultrasonography (Allanson) (Letter); (Pinette) (Reply). 1998;179:277-8
Nuclear magnetic resonance
Proton magnetic resonance spectroscopy of fetal lamb brain during hypoxia (van Cappellen van Walsum et al). 1998;179:756-7
Nulliparity; *see* **Parity**

O

Obesity
Understanding the underlying metabolic abnormalities of PCOS and their implications (Taylor). 1998;179:S94-100
Obstetric management; *see* **Prenatal care**
Obstetric ultrasonography; *see* **Ultrasonography, prenatal**
Obstetrics
Ethical issues in managed care for the obstetrician and gynecologist (Finnerty and Pinkerton). 1998;179:308-15
The influence of obstetric no-fault compensation on obstetricians' practice patterns (Sloan et al). 1998;179:671-6
Intravenous nitroglycerin in obstetrics: a new indication (Dessard et al). 1998;179:813
The obstetrician/gynecologist's role in the practical management of polycystic ovary syndrome (Berga). 1998;179:S109-13
What goes around comes around (Rowland). 1998;179:283-91 (Pres. address)
Obturator membrane
Paravaginal repair of lateral vaginal wall defects by fixation to the ischial periosteum and obturator membrane (Scotti et al). 1998;179:1436-45
Obturator nerve
Benign schwannoma of the obturator nerve: a case report (Scotto et al). 1998;179:816-7
Older women; *see* **Aged**
Omentum, blood supply
Effect of glycosylated hemoglobin on endothelium-dependent relaxation of omental arteries from pregnant women (Vedernikov et al). 1998;179:1047-50
Omeprazole
The safety of omeprazole during pregnancy: a multicenter prospective controlled study (Lalkin et al). 1998;179:727-30
Oral administration; *see* **Administration, oral**
Oral contraceptives; *see* **Contraceptives, oral**
Osmolar concentrations
Extracoelomic fluid osmometry and electrolyte composition during early gestation in the baboon (Santolaya-Forgas et al). 1998;179:1124-7
Osteitis pubis; *see* **Pubic symphysis**
Osteomyelitis
Osteitis pubis after Marshall-Marchetti-Krantz urethropexy: a pubic osteomyelitis (Kammerer-Doak et al). 1998;179:586-90
Outcome of pregnancy; *see* **Pregnancy outcome**
Outpatient care; *see* **Ambulatory care**
Ovarian hyperstimulation syndrome
Recurrent spontaneous ovarian hyperstimulation syndrome (Zalel). 1998;179:835-6 (Letter)
Ovarian neoplasms
BRCA1 and BRCA2 gene mutations in hereditary and sporadic ovarian cancer and the clinical implications (Farghaly) (Letter); (Zweemer et al) (Reply). 1998;179:1101-2
The detection of struma ovarii in two patients by radioimmunoscintigraphy (Lieberman et al). 1998;179:262-3
Expression of γ-glutamyl transpeptidase in stage III and IV ovarian surface epithelial carcinomas does not alter response to primary cisplatin-based chemotherapy (Hanigan et al). 1998;179:363-7
Primary hepatoid carcinoma of ovary in pregnancy (Maymon et al). 1998;179:820-2
Risk factors for familial and sporadic ovarian cancer among French Canadians: a case-control study (Godard et al). 1998;179:403-10
Ovary
Been there—done that: surgical challenges (Underwood). 1998;179:330-5
The detection of diminished ovarian reserve in infertile women (Sharara et al). 1998;179:804-12 (AJOG reviews)
Ovarian activity in women taking an oral contraceptive containing 20 μg ethinyl estradiol and 150 μg desogestrel: effects of low estrogen doses during the hormone-free interval (Killick et al). 1998;179:S18-24
Saralasin-induced inhibition of ovulation in the in vitro perfused rat ovary is not replicated by the angiotensin II type-2 receptor antagonist PD123319 (Mikuni et al). 1998;179:35-40
Ovulation
Omitting the first oral contraceptive pills of the cycle does not automatically lead to ovulation (Elomaa et al). 1998;179:41-6

Saralasin-induced inhibition of ovulation in the in vitro perfused rat ovary is not replicated by the angiotensin II type-2 receptor antagonist PD123319 (Mikuni et al). 1998;179:35-40

Oxygen

Déjà vu, again (Sacks and Greenspoon) (Letter); (Kühnert et al) (Reply). 1998;179:1100

Vascular smooth muscle oxygen consumption is reversibly stimulated by sera from women with preeclampsia (Bearchell et al). 1998;179:1434-8

Oxytocin

Effectiveness of prostaglandin E_2 intracervical gel (Prepidil), with immediate oxytocin, versus vaginal insert (Cervidil) for induction of labor (Stewart et al). 1998;179:1175-80

Oxytocin receptor and its messenger ribonucleic acid in human leiomyoma and myometrium (Lee et al). 1998;179:620-7

Oxytocin and vasopressin 1a receptor gene expression in the cycling or pregnant human uterus (Helmer et al). 1998;179:1572-8

Parathyroid hormone–related peptide (1 to 34) inhibits in vitro oxytocin-stimulated activity of pregnant baboon myometrium (Pitera et al). 1998;179:492-6

Pre-eclampsia and induction of labor: a randomized comparison of prostaglandin E_2 as an intracervical gel, with oxytocin immediately, or as a sustained-release vaginal insert (Hennessey et al). 1998;179:1204-9

P

p53 mutation; *see* **Mutation**

Papanicolaou smear; *see* **Vaginal smears**

Papillary carcinoma; *see* **Carcinoma, papillary**

Papillomaviruses

Cervical cancer in older women: a molecular analysis of human papillomavirus types, HLA types, and p53 mutations (Gostout et al). 1998;179:56-61

A population-based study of human papillomavirus deoxyribonucleic acid testing for predicting cervical intraepithelial neoplasia (Kjellberg et al). 1998;179:1497-502

Para-aorta; *see* **Aorta**

Paralysis

Erb's palsy without shoulder dystocia (Spellacy) (Letter); (Gherman) (Reply). 1998;179:561-2

Parathyroid hormones

Expression and specific immunolocalization of the human parathyroid hormone/parathyroid hormone–related protein receptor in the uteroplacental unit (Ferguson et al). 1998;179:321-9

Parathyroid hormone–related peptide (1 to 34) inhibits in vitro oxytocin-stimulated activity of pregnant baboon myometrium (Pitera et al). 1998;179:492-6

Parity

Diurnal rhythms of labor and delivery (Jakobovits) (Letter); (Cagnacci and Volpe) (Reply). 1998;179:836-7

The relationship between abnormal glucose tolerance and hypertensive disorders of pregnancy in healthy nulliparous women (Joffe et al). 1998;179:1032-7

Parvovirus infections

Management of parvovirus infection in pregnancy and outcomes of hydrops: a survey of members of the Society of Perinatal Obstetricians (Rodis et al). 1998;179:985-8

Patient compliance

Compliance with depot medroxyprogesterone acetate: a randomized, controlled trial of intensive reminders (Keder et al). 1998;179:583-5

Patient discharge

Rehospitalizations and outpatient contacts of mothers and neonates after hospital discharge after vaginal delivery (Meikle et al). 1998;179:166-71

Patient education

Compliance with depot medroxyprogesterone acetate: a randomized, controlled trial of intensive reminders (Keder et al). 1998;179:583-5

The detection of diminished ovarian reserve in infertile women (Sharara et al). 1998;179:804-12 (AJOG reviews)

Oral contraceptive discontinuation: a prospective evaluation of frequency and reasons (Rosenberg and Waugh). 1998;179:577-82

Patient readmission

Rehospitalizations and outpatient contacts of mothers and neonates after hospital discharge after vaginal delivery (Meikle et al). 1998;179:166-71

Patients

Obstetric ultrasonography: a biophysical consideration of patient safety—the "rules" have changed (Miller et al). 1998;179:241-54 (AJOG reviews)

PCOS; *see* **Polycystic ovary syndrome**

Pelvis

Been there—done that: surgical challenges (Underwood). 1998;179:330-5

The failed suppression of serum estradiol level by gonadotropin-releasing hormone agonist in a case of pelvic endometriosis (Tamaya et al). 1998;179:828-9

The fetal-pelvic index has minimal utility in predicting fetal-pelvic disproportion (Ferguson et al). 1998;179:1186-92

Teaching the Pelvic Organ Prolapse Quantitation system (Steele et al). 1998;179:1458-64

Peptides

Parathyroid hormone–related peptide (1 to 34) inhibits in vitro oxytocin-stimulated activity of pregnant baboon myometrium (Pitera et al). 1998;179:492-6

Perfusion

Variation in cerebral perfusion pressure with different hypertensive states in pregnancy (Williams and Wilson). 1998;179:1200-3

Perinatal care; *see* **Infant care**

Perineum, surgery

The Noble-Mengert-Fish operation—revisited: a composite approach for persistent rectovaginal fistulas and complex perineal defects (Veronikis et al). 1998;179:1411-7

Periodicals

Comments on the quality of citations in journals (Hoeffel). 1998;179:836 (Letter)

Periosteum

Paravaginal repair of lateral vaginal wall defects by fixation to the ischial periosteum and obturator membrane (Scotti et al). 1998;179:1436-45

Peripheral blood; *see* **Blood**

Peripheral circulation; *see* **Blood circulation**

Peritoneum

The effect of a high partial pressure of carbon dioxide environment on metabolism and immune functions of human peritoneal cells—relevance to carbon dioxide pneumoperitoneum (Kopernik et al). 1998;179:1503-10

Peritoneum—cont'd
The effect of monocyte chemotactic protein 1 in intraperitoneal adhesion formation in a mouse model (Zeyneloglu et al). 1998;179:438-43
Pessaries
Effectiveness of prostaglandin E_2 intracervical gel (Prepidil), with immediate oxytocin, versus vaginal insert (Cervidil) for induction of labor (Stewart et al). 1998;179:1175-80
A randomized clinical trial of prostaglandin E_2 intracervical gel and a slow release vaginal pessary for preinduction cervical ripening (Ottinger et al). 1998;179:349-53
Pharmacokinetics
Pharmacokinetics of oral valacyclovir and acyclovir in late pregnancy (Kimberlin et al). 1998;179:846-51
Phosphatidylcholines
Meconium has no lecithin or sphingomyelin but affects the lecithin/sphingomyelin ratio (Longo et al). 1998;179:1640-2
Phospholipases A
Preterm labor and bacterial intraamniotic infection: arachidonic acid liberation by phospholipase A_2 of *Fusobacterium nucleatum* (Mikamo et al). 1998;179:1579-82
Physician's practice patterns
Envelopes (Drukker). 1998;179:1400-4 (Pres. address)
The influence of obstetric no-fault compensation on obstetricians' practice patterns (Sloan et al). 1998;179:671-6
Pituitary gland
Hyperemesis gravidarum is not associated with hypofunction of the pituitary-adrenal axis (la Marca et al). 1998;179:1381-2 (Letter)
Regulation of hypothalamic arginine vasopressin messenger ribonucleic acid and pituitary arginine vasopressin content in fetal sheep: effects of acute tonicity alterations and fetal maturation (Zhao et al). 1998;179:899-905
Placenta
Abundant vascular anastomoses in monoamniotic versus diamniotic monochorionic placentas (Bajoria). 1998;179:788-93
Apoptosis in human placenta (Chan et al) (Letter); (Smith et al) (Reply). 1998;179:1377-8
Expression and specific immunolocalization of the human parathyroid hormone/parathyroid hormone–related protein receptor in the uteroplacental unit (Ferguson et al). 1998;179:321-9
Hemostasis in the uteroplacental and peripheral circulations in normotensive and pre-eclamptic pregnancies (Higgins et al). 1998;179:520-6
Immunoreactive adrenomedullin in human fetoplacental tissues (Marinoni et al). 1998;179:784-7
Maternal diabetes alters extracellular matrix protein levels in rat placentas (Forsberg et al). 1998;179:772-8
Placental pathology in systemic lupus erythematosus: a prospective study (Magid et al). 1998;179:226-34
Placental transfer of ritonavir with zidovudine in the ex vivo placental perfusion model (Casey and Bawdon). 1998;179:758-61
Preeclampsia is associated with reduced serum levels of placenta growth factor (Torry et al). 1998;179:1539-44
Regulation of interleukin-8 production in the term human placenta during labor and by antigestagens (Elliott et al). 1998;179:215-20
Urocortin in pregnancy (Glynn et al). 1998;179:533-9
Placenta previa
Cervical cerclage: An alternative for the management of placenta previa? (Cobo et al). 1998;179:122-5
Placental transfer; *see* **Maternal-fetal exchange**
Plasma
Adrenomedullin concentrations in umbilical cord plasma of uncomplicated term pregnancies (Hoeldtke et al). 1998;179:1071-4
Elevated levels of lipoprotein(a) in women with preeclampsia (van Pampus et al) (Letter); (Wang and Trudinger) (Reply). 1998;179:1103-4
An increase in fetal plasma cortisol but not dehydroepiandrosterone sulfate is followed by the onset of preterm labor in patients with preterm premature rupture of the membranes (Yoon et al). 1998;179:1107-14
Long-term high-altitude hypoxia increases plasma nitrate levels in pregnant ewes and their fetuses (Zhang et al). 1998;179:1594-8
Plasma ferritin, premature rupture of membranes, and pregnancy outcome (Goldenberg et al). 1998;179:1599-604
Plasma homocysteine concentration is increased in preeclampsia and is associated with evidence of endothelial activation (Powers et al). 1998;179:1605-11
Plasma volume
Comparison of total blood volume in normal, preeclamptic, and nonproteinuric gestational hypertensive pregnancy by simultaneous measurement of red blood cell and plasma volumes (Silver et al). 1998;179:87-93
Persistent abnormalities in plasma volume and renal hemodynamics in patients with a history of preeclampsia (van Beek et al). 1998;179:690-6
Platelet count
Intrahepatic cholangiocarcinoma masquerading as the HELLP syndrome (hemolysis, elevated liver enzymes, and low platelet count) in pregnancy: case report (Balderston et al). 1998;179:823-4
Neurofibromatosis type 1 with pregnancy-associated renovascular hypertension and the syndrome of hemolysis, elevated liver enzymes, and low platelets (Hagymásy et al). 1998;179:272-4
Routine maternal platelet count: an assessment of a technologically driven screening practice (Rouse et al). 1998;179:573-6 (Clin. opinion)
Pneumoperitoneum
The effect of a high partial pressure of carbon dioxide environment on metabolism and immune functions of human peritoneal cells—relevance to carbon dioxide pneumoperitoneum (Kopernik et al). 1998;179:1503-10
Polycystic liver disease; *see* **Liver diseases**
Polycystic ovary syndrome
Is it polycystic ovary syndrome causing the hyperstimulation again? (Karabacak et al). 1998;179:838 (Letter)
The obstetrician/gynecologist's role in the practical management of polycystic ovary syndrome (Berga). 1998;179:S109-13
Polycystic ovary syndrome: current and future treatment paradigms (Legro). 1998;179:S101-8
Polycystic ovary syndrome—metabolic challenges and new treatment approaches (Bachmann). 1998;179:S87-8
Polycystic ovary syndrome: symptomatology, pathophysiology, and epidemiology (Guzick). 1998;179:S89-93
Understanding the underlying metabolic abnormalities of PCOS and their implications (Taylor). 1998;179:S94-100
Polyhydramnios
Abundant vascular anastomoses in monoamniotic versus diamniotic monochorionic placentas (Bajoria). 1998;179:788-93
Myotonic dystrophy is a significant cause of idiopathic polyhydramnios (Esplin et al). 1998;179:974-7

Polymerase chain reaction
Specific detection of 16 micro-organisms in amniotic fluid by polymerase chain reaction and its correlation with preterm delivery occurrence (Oyarzún et al). 1998;179:1115-9
Polymorphism
Genetic differentiation of complete hydatidiform moles coexisting with normal fetuses by short tandem repeat–derived deoxyribonucleic acid polymorphism analysis (Ishii et al). 1998;179:628-34
Polyunsaturated fatty acids; *see* **Fatty acids, unsaturated**
Population
Population differences affect the interpretation of fetal nonstress test results (Johnson et al). 1998;179:779-83
Postamniocentesis; *see* **Amniocentesis**
Postasphyxia; *see* **Asphyxia**
Postdate pregnancy; *see* **Pregnancy, prolonged**
Postmenopausal women; *see* **Menopause**
Postoperative complications
The temporal efficacy of early second-look lysis of adhesions in reducing postoperative adhesions in a murine model (Haney and Doty). 1998;179:368-73
Postpartum hemorrhage
Rectal misoprostol in the prevention of postpartum hemorrhage: a placebo-controlled trial (Bamigboye et al). 1998;179:1043-6
Postpartum period; *see* **Puerperium**
Treatment for lactation suppression: little progress in one hundred years (Spitz et al). 1998;179:1485-90 (Clin. opinion)
Poverty
Accurate detection of anomalies by routine ultrasonography in an indigent clinic population (Magriples and Copel). 1998;179:978-81
Prasterone
An increase in fetal plasma cortisol but not dehydroepiandrosterone sulfate is followed by the onset of preterm labor in patients with preterm premature rupture of the membranes (Yoon et al). 1998;179:1107-14
Predictive value of tests
Fetal fibronectin detection in preterm labor: evaluation of a prototype bedside dipstick technique and cervical assessment (Coleman et al). 1998;179:1553-8
The fetal-pelvic index has minimal utility in predicting fetal-pelvic disproportion (Ferguson et al). 1998;179:1186-92
Maternal serum thromboxane B_2 concentrations do not predict improved outcomes in high-risk pregnancies in a low-dose aspirin trial (Hauth et al). 1998;179:1193-9
Predictors of pre-eclampsia in women at high risk (Caritis et al). 1998;179:946-51
Preeclampsia; *see also* **Pregnancy complications, cardiovascular**
Circulating vascular cell adhesion molecule–1 in pre-eclampsia, gestational hypertension, and normal pregnancy: evidence of selective dysregulation of vascular cell adhesion molecule–1 homeostasis in pre-eclampsia (Higgins et al). 1998;179:464-9
Comparison of total blood volume in normal, preeclamptic, and nonproteinuric gestational hypertensive pregnancy by simultaneous measurement of red blood cell and plasma volumes (Silver et al). 1998;179:87-93
Dilutional hyponatremia in pre-eclampsia (Hayslett et al). 1998;179:1312-6
Effects of folic acid and vitamin B_6 supplementation on women with hyperhomocysteinemia and a history of preeclampsia or fetal growth restriction (Leeda et al). 1998;179:135-9
Effects of transdermal nitroglycerin on impedance to flow in the uterine, umbilical, and fetal middle cerebral arteries in pregnancies complicated by preeclampsia and intrauterine growth retardation (Cacciatore et al). 1998;179:140-5
Elevated levels of lipoprotein(a) in women with preeclampsia (van Pampus et al) (Letter); (Wang and Trudinger) (Reply). 1998;179:1103-4
Etiology and pathogenesis of preeclampsia: current concepts (Dekker and Sibai). 1998;179:1359-75 (AJOG reviews)
Hemostasis in the uteroplacental and peripheral circulations in normotensive and pre-eclamptic pregnancies (Higgins et al). 1998;179:520-6
Individually determined postpartum magnesium sulfate therapy with clinical parameters to safely and cost-effectively shorten treatment for pre-eclampsia (Ascarelli et al). 1998;179:952-6
Maternal serum thromboxane B_2 concentrations do not predict improved outcomes in high-risk pregnancies in a low-dose aspirin trial (Hauth et al). 1998;179:1193-9
Midtrimester urine human chorionic gonadotropin β-subunit core fragment levels and the subsequent development of preeclampsia (Bahado-Singh et al). 1998;179:738-41
Normal pregnancy and preeclampsia both produce inflammatory changes in peripheral blood leukocytes akin to those of sepsis (Sacks et al). 1998;179:80-6
Persistent abnormalities in plasma volume and renal hemodynamics in patients with a history of preeclampsia (van Beek et al). 1998;179:690-6
Plasma homocysteine concentration is increased in preeclampsia and is associated with evidence of endothelial activation (Powers et al). 1998;179:1605-11
Predictors of pre-eclampsia in women at high risk (Caritis et al). 1998;179:946-51
Preeclampsia is associated with reduced serum levels of placenta growth factor (Torry et al). 1998;179:1539-44
Pre-eclampsia and induction of labor: a randomized comparison of prostaglandin E_2 as an intracervical gel, with oxytocin immediately, or as a sustained-release vaginal insert (Hennessey et al). 1998;179:1204-9
Prevention of preeclampsia: a big disappointment (Sibai). 1998;179:1275-8 (Clin. opinion)
Regulation of the sodium pump in pregnancy-related tissues in preeclampsia (Maxwell et al). 1998;179:28-34
The relationship between abnormal glucose tolerance and hypertensive disorders of pregnancy in healthy nulliparous women (Joffe et al). 1998;179:1032-7
The role of the endogenous anti-inflammatory compound gravidin in pre-eclampsia (Crocker et al). 1998;179:1305-11
Serum from preeclamptic women induces vascular cell adhesion molecule-1 expression on human endothelial cells in vitro: a possible role of increased circulating levels of free fatty acids (Endresen et al). 1998;179:665-70
Severe preeclampsia remote from term: Labor induction or elective cesarean delivery? (Nassar et al). 1998;179:1210-3
Thrombopoietin in normal pregnancy and preeclampsia (Frölich et al). 1998;179:100-4
Variation in cerebral perfusion pressure with different hypertensive states in pregnancy (Williams and Wilson). 1998;179:1200-3
Vascular smooth muscle oxygen consumption is reversibly stimulated by sera from women with preeclampsia (Bearchell et al). 1998;179:1534-8

Preeclampsia; *see also* **Pregnancy complications, cardiovascular—cont'd**

Vasoactive mediators in pregnancy-induced hypertensive disorders: a longitudinal study (Paarlberg et al). 1998;179:1559-64

Pregnancy, ectopic

Fetal fibronectin as a marker to discriminate between ectopic and intrauterine pregnancies (Ness et al). 1998;179:697-702

Treating ectopic pregnancy with the combination of mifepristone and methotrexate: a phase II nonrandomized study (Perdu et al). 1998;179:640-3

Pregnancy, multiple

Abundant vascular anastomoses in monoamniotic versus diamniotic monochorionic placentas (Bajoria). 1998;179:788-93

Cost-effective delivery management of the vertex and nonvertex twin gestation (Mauldin et al). 1998;179:864-9

Delayed delivery of multiple gestations: maternal and neonatal outcomes (Kalchbrenner et al). 1998;179:1145-9

Effects of fetal sex and race on risk of very preterm birth in twins (Cooperstock et al). 1998;179:762-5

Emergency mitral valve replacement in the setting of severe pulmonary hypertension and acute cardiovascular decompensation after evacuation of twins at fifteen weeks' gestation (Tio et al). 1998;179:270-2

Fetal blood sampling immediately before and within 24 hours of death in monochorionic twin pregnancies complicated by single intrauterine death (Nicolini et al). 1998;179:800-3

Fetal and neonatal echocardiographic findings in twin-twin transfusion syndrome (Fesslova et al). 1998;179:1056-62

How small is too small in a twin pregnancy? (Hamilton et al). 1998;179:682-5

The importance of early weight gain in the intrauterine growth and birth weight of twins (Luke et al). 1998;179:1155-61

Monozygotic twins discordant for single umbilical artery and congenital heart disease (Nakayama et al). 1998;179:256-7

Multifetal pregnancy reduction is not associated with an increased risk of intrauterine growth restriction, except for very-high-order multiples (Torok et al). 1998;179:221-5

Neonatal outcomes in triplet gestations after a trial of labor (Grobman et al). 1998;179:942-5

Outcomes of very low birth weight twins cared for in the National Institute of Child Health and Human Development Neonatal Research Network's intensive care units (Donovan et al). 1998;179:742-9

Perinatal and neonatal outcomes in multiple gestations: assisted reproduction versus spontaneous conception (Fitzsimmons et al). 1998;179:1162-7

Preliminary experience with a prospective protocol for planned vaginal delivery of triplet gestations (Alamia et al). 1998;179:1133-5

Progression of labor in twin versus singleton gestations (Schiff et al). 1998;179:1181-5

Selective delivery in a twin gestation (Porreco et al). 1998;179:264-5

Twin-to-twin transfusion syndrome (Hershey). 1998;179:1380-1 (Letter)

Pregnancy, physiology

The acute pressure natriuresis response blunted and the blood pressure response reset in the normal pregnant rat (Masilamani et al). 1998;179:486-91

Adrenomedullin concentrations in umbilical cord plasma of uncomplicated term pregnancies (Hoeldtke et al). 1998;179:1071-4

Circulating vascular cell adhesion molecule–1 in pre-eclampsia, gestational hypertension, and normal pregnancy: evidence of selective dysregulation of vascular cell adhesion molecule–1 homeostasis in pre-eclampsia (Higgins et al). 1998;179:464-9

Comparison of total blood volume in normal, preeclamptic, and nonproteinuric gestational hypertensive pregnancy by simultaneous measurement of red blood cell and plasma volumes (Silver et al). 1998;179:87-93

Effect of glycosylated hemoglobin on endothelium-dependent relaxation of omental arteries from pregnant women (Vedernikov et al). 1998;179:1047-50

The effects of nitric oxide on the contractility of isolated uterine and aortic rings from pregnant rats (Okawa et al). 1998;179:721-6

Immunoreactive adrenomedullin in human fetoplacental tissues (Marinoni et al). 1998;179:784-7

The initiation, continuation, and termination of spontaneous episodes of circus movements in the pregnant myometrium of the rat (Lammers and Hamid). 1998;179:1515-26

Interleukin-1β and interleukin-8 in cervicovaginal fluid during pregnancy (Tanaka et al). 1998;179:644-9

Leptin in human pregnancy: the relationship with gestational hormones (Sivan et al). 1998;179:1128-32

Long-term high-altitude hypoxia increases plasma nitrate levels in pregnant ewes and their fetuses (Zhang et al). 1998;179:1594-8

Maternal corticotropin-releasing hormone levels in the early third trimester predict length of gestation in human pregnancy (Wadhwa et al). 1998;179:1079-85

Normal pregnancy and preeclampsia both produce inflammatory changes in peripheral blood leukocytes akin to those of sepsis (Sacks et al). 1998;179:80-6

Oxytocin and vasopressin 1a receptor gene expression in the cycling or pregnant human uterus (Helmer et al). 1998;179:1572-8

Parathyroid hormone–related peptide (1 to 34) inhibits in vitro oxytocin-stimulated activity of pregnant baboon myometrium (Pitera et al). 1998;179:492-6

Regional variations in contractile responses to prostaglandins and prostanoid receptor messenger ribonucleic acid in pregnant baboon uterus (Smith et al). 1998;179:1545-52

Relaxation of isolated human myometrial muscle by β_2-adrenergic receptors but not β_1-adrenergic receptors (Liu et al). 1998;179:895-8

The sequential effects of estrogen administration and hypertension on cardiac function in ewes (Jacobson et al). 1998;179:610-9

Thrombopoietin in normal pregnancy and preeclampsia (Frölich et al). 1998;179:100-4

Urocortin in pregnancy (Glynn et al). 1998;179:533-9

Vascular cell adhesion molecule in pregnancy (Raynor and Parthasarathy) (Letter); (Beckmann and Wallenburg) (Reply). 1998;179:279

Pregnancy, prolonged

Antepartum cervical ripening: applying prostaglandin E_2 gel in conjunction with scheduled nonstress tests in postdate pregnancies (Lien et al). 1998;179:453-8

Can we decrease postdatism in women with an unfavorable cervix and a negative fetal fibronectin test result at term by serial membrane sweeping? (Magann et al). 1998;179:890-4

Pregnancy complications

Amniotic fluid insulin testing in gestational diabetes: safety and acceptance of amniocentesis (Haeusler et al). 1998;179:917-20

Cervical cerclage: An alternative for the management of placenta previa? (Cobo et al). 1998;179:122-5

Effects of folic acid and vitamin B_6 supplementation on women with hyperhomocysteinemia and a history of preeclampsia or fetal growth restriction (Leeda et al). 1998;179:135-9

The efficacy of methylprednisolone in the treatment of hyperemesis gravidarum: a randomized, double-blind, controlled study (Safari et al). 1998;179:921-4

Fetal fibronectin as a marker to discriminate between ectopic and intrauterine pregnancies (Ness et al). 1998;179:697-702

Hyperemesis gravidarum is not associated with hypofunction of the pituitary-adrenal axis (la Marca et al). 1998;179:1381-2 (Letter)

In pregnancies with gestational diabetes mellitus and intensive therapy, perinatal outcome is worse in small-for-gestational-age newborns (García-Patterson et al). 1998;179:481-5

Longitudinal changes in body composition and energy balance in lean women with normal and abnormal glucose tolerance during pregnancy (Catalano et al). 1998;179:156-65

Myotonic dystrophy is a significant cause of idiopathic polyhydramnios (Esplin et al). 1998;179:974-7

Nonobstetric emergencies in pregnancy (Jelsema). 1998;179:558-9 (Letter)

Obstetric management of 219 infants with hypoplastic left heart syndrome (Reis et al). 1998;179:1150-4

The optimal route of delivery for fetal meningomyelocele (Merrill et al). 1998;179:235-40

Placental pathology in systemic lupus erythematosus: a prospective study (Magid et al). 1998;179:226-34

Postamniocentesis fluid leakage (McGrath) (Letter); (_ener et al) (Reply). 1998;179:278-9

Pregnancy complicated by symptomatic adult polycystic liver disease (Kesby). 1998;179:266-7

Recurrent spontaneous ovarian hyperstimulation syndrome (Zalel). 1998;179:835-6 (Letter)

Which cutoff level should be used in screening for glucose intolerance in pregnancy? (Bonomo et al). 1998;179:179-85

Pregnancy complications, cardiovascular

Aortic coarctation diagnosed after hypertension in pregnancy (Lip et al). 1998;179:814-5

Circulating vascular cell adhesion molecule–1 in pre-eclampsia, gestational hypertension, and normal pregnancy: evidence of selective dysregulation of vascular cell adhesion molecule–1 homeostasis in pre-eclampsia (Higgins et al). 1998;179:464-9

Comparison of total blood volume in normal, preeclamptic, and nonproteinuric gestational hypertensive pregnancy by simultaneous measurement of red blood cell and plasma volumes (Silver et al). 1998;179:87-93

Hemostasis in the uteroplacental and peripheral circulations in normotensive and pre-eclamptic pregnancies (Higgins et al). 1998;179:520-6

Pulmonary edema in obstetric patients is rapidly resolved except in the presence of infection or of nitroglycerin tocolysis after open fetal surgery (DiFederico et al). 1998;179:925-33

Regulation of the sodium pump in pregnancy-related tissues in preeclampsia (Maxwell et al). 1998;179:28-34

The relationship between abnormal glucose tolerance and hypertensive disorders of pregnancy in healthy nulliparous women (Joffe et al). 1998;179:1032-7

Risk of magnesium for respiratory failure in pregnancy (Carson and Khurana). 1998;179:558 (Letter)

Variation in cerebral perfusion pressure with different hypertensive states in pregnancy (Williams and Wilson). 1998;179:1200-3

Vasoactive mediators in pregnancy-induced hypertensive disorders: a longitudinal study (Paarlberg et al). 1998;179:1559-64

Pregnancy complications, hematologic

Brachial artery rupture complicating a pregnancy with neurofibromatosis: a case report (Tidwell and Copas). 1998;179:832-4

Effects of transdermal nitroglycerin on impedance to flow in the uterine, umbilical, and fetal middle cerebral arteries in pregnancies complicated by preeclampsia and intrauterine growth retardation (Cacciatore et al). 1998;179:140-5

Genetic susceptibility to pregnancy-related venous thromboembolism: roles of factor V Leiden, prothrombin G20210A, and methylenetetrahydrofolate reductase C677T mutations (Grandone et al). 1998;179:1324-8

May-Hegglin anomaly: a case of vaginal delivery when both mother and fetus are affected (Urato and Repke). 1998;179:260-1

Persistent abnormalities in plasma volume and renal hemodynamics in patients with a history of preeclampsia (van Beek et al). 1998;179:690-6

A reduced consumption in the alloimmunized fetus of maternal red blood cells compared with those of volunteers is still questionable (Egberts) (Letter); (El-Azeem et al) (Reply). 1998;179:1102-3

Pregnancy complications, infectious

A "bloodless cesarean section" and perinatal transmission of the human immunodeficiency virus (Towers et al). 1998;179:708-14

Chorioamnionitis: Is continuation of antibiotic therapy necessary after cesarean section? (Turnquest et al). 1998;179:1261-6

The effect of transforming growth factor and interleukin-10 on interleukin-8 release by human amniochorion may regulate histologic chorioamnionitis (Fortunato et al). 1998;179:794-9

Elevated amniotic fluid levels of leukemia inhibitory factor, interleukin-6, and interleukin 8 in intra-amniotic infection (Hsu et al). 1998;179:1267-70

Evaluating rapid diagnostic tests of intra-amniotic infection: gram stain, amniotic fluid glucose level, and amniotic fluid to serum glucose level ratio (Hussey et al). 1998;179:650-6

The fetal inflammatory response syndrome (Gomez et al). 1998;179:194-202

A fetal systemic inflammatory response is followed by the spontaneous onset of preterm parturition (Romero et al). 1998;179:186-93

Group B streptococci during pregnancy: a comparison of two screening and treatment protocols (Hafner et al). 1998;179:677-81

Immunohistochemical localization of inducible nitric oxide synthase on human fetal amnion in intra-amniotic infection (Hsu et al). 1998;179:1271-4

Management of parvovirus infection in pregnancy and outcomes of hydrops: a survey of members of the Society of Perinatal Obstetricians (Rodis et al). 1998;179:985-8

Microbial invasion of the amniotic cavity with *Ureaplasma urealyticum* is associated with a robust host response in fetal, amniotic, and maternal compartments (Yoon et al). 1998;179:1254-60

Pharmacokinetics of oral valacyclovir and acyclovir in late pregnancy (Kimberlin et al). 1998;179:846-51

Preterm labor and bacterial intraamniotic infection: arachidonic acid liberation by phospholipase A_2 of *Fusobacterium nucleatum* (Mikamo et al). 1998;179:1579-82

Prevention of herpes simplex virus infection and latency by prophylactic treatment with acyclovir in a weanling mouse model (Dobson et al). 1998;179:527-32

A randomized pilot trial of administration of granulocyte colony-stimulating factor to women before preterm delivery (Calhoun and Christensen). 1998;179:766-71

A relaxin-mediated pathway to preterm premature rupture of the fetal membranes that is independent of infection (Millar et al). 1998;179:126-34

A role for matrix metalloproteinase-9 in spontaneous rupture of the fetal membranes (Athayde et al). 1998;179:1248-53

Specific detection of 16 micro-organisms in amniotic fluid by polymerase chain reaction and its correlation with preterm delivery occurrence (Oyarzún et al). 1998;179:1115-9

Pregnancy complications, neoplastic

Intrahepatic cholangiocarcinoma masquerading as the HELLP syndrome (hemolysis, elevated liver enzymes, and low platelet count) in pregnancy: case report (Balderston et al). 1998;179:823-4

Is it polycystic ovary syndrome causing the hyperstimulation again? (Karabacak et al). 1998;179:838 (Letter)

Papillary thyroid carcinoma manifesting as thyroid storm of pregnancy: case report (Tewari et al). 1998;179:818-9

Primary hepatoid carcinoma of ovary in pregnancy (Maymon et al). 1998;179:820-2

The role of ultrasonography in the detection and management of adnexal masses during the second and third trimesters of pregnancy (Hill et al). 1998;179:703-7

Pregnancy in diabetes

Increased cesarean delivery rate: no effect on brachial plexus palsy (Gherman) (Letter); (Conway and Langer) (Reply). 1998;179:1378-9

Maternal diabetes alters extracellular matrix protein levels in rat placentas (Forsberg et al). 1998;179:772-8

More (and less) on shoulder dystocia (Plante) (Letter); (Conway and Langer) (Reply). 1998;179:837-8

Pregnancy loss; *see* **Abortion, spontaneous**

Pregnancy outcome

Assessment of uterine arterial notching as a screening test for adverse pregnancy outcome (Mires et al). 1998;179:1317-23

Delayed delivery of multiple gestations: maternal and neonatal outcomes (Kalchbrenner et al). 1998;179:1145-9

Fetal lung lesions: management and outcome (Adzick et al). 1998;179:884-9

How small is too small in a twin pregnancy? (Hamilton et al). 1998;179:682-5

In pregnancies with gestational diabetes mellitus and intensive therapy, perinatal outcome is worse in small-for-gestational-age newborns (García-Patterson et al). 1998;179:481-5

Is adverse pregnancy outcome predictable after blunt abdominal trauma? (Pak et al). 1998;179:1140-4

Management of parvovirus infection in pregnancy and outcomes of hydrops: a survey of members of the Society of Perinatal Obstetricians (Rodis et al). 1998;179:985-8

Maternal serum thromboxane B_2 concentrations do not predict improved outcomes in high-risk pregnancies in a low-dose aspirin trial (Hauth et al). 1998;179:1193-9

Methadone maintenance in pregnancy: a reappraisal (Brown et al). 1998;179:459-63

Neonatal outcomes in triplet gestations after a trial of labor (Grobman et al). 1998;179:942-5

Outcome of cardiovascular surgery and pregnancy: a systematic review of the period 1984–1996 (Weiss et al). 1998;179:1643-53 (AJOG reviews)

Outcomes of very low birth weight twins cared for in the National Institute of Child Health and Human Development Neonatal Research Network's intensive care units (Donovan et al). 1998;179:742-9

Perinatal and neonatal outcomes in multiple gestations: assisted reproduction versus spontaneous conception (Fitzsimmons et al). 1998;179:1162-7

Placental pathology in systemic lupus erythematosus: a prospective study (Magid et al). 1998;179:226-34

Plasma ferritin, premature rupture of membranes, and pregnancy outcome (Goldenberg et al). 1998;179:1599-604

The safety of omeprazole during pregnancy: a multicenter prospective controlled study (Lalkin et al). 1998;179:727-30

Ultrasonographic prediction of fetal outcome in suspected skeletal dysplasias with use of the femur length–to–abdominal circumference ratio (Ramus et al). 1998;179:1348-52

Very low birth weight outcomes of the National Institute of Child Health and Human Development Neonatal Research Network, January 1993 through December 1994 (Stevenson et al). 1998;179:1632-9

Pregnancy trimester, first

Abnormal ductus venosus blood flow in trisomy 21 fetuses during early pregnancy (Borrell et al). 1998;179:1612-7

Discordant uterine artery velocity waveforms as a predictor of subsequent miscarriage in early viable pregnancies (Leible et al). 1998;179:1587-93

The efficacy of methylprednisolone in the treatment of hyperemesis gravidarum: a randomized, double-blind, controlled study (Safari et al). 1998;179:921-4

Ethanol-induced expression of cytokines in a first-trimester trophoblast cell line (Svinarich et al). 1998;179:470-5

Hyperemesis gravidarum is not associated with hypofunction of the pituitary-adrenal axis (la Marca et al). 1998;179:1381-2 (Letter)

The importance of early weight gain in the intrauterine growth and birth weight of twins (Luke et al). 1998;179:1155-61

Methotrexate effects on trophoblast and the corpus luteum in early pregnancy (Creinin et al). 1998;179:604-9

Pregnancy trimester, second

Altered apoptosis levels in hearts of human fetuses with Down syndrome (Saphier and Yeh). 1998;179:962-5

An economic evaluation of second-trimester genetic ultrasonography for prenatal detection of Down syndrome (Vintzileos et al). 1998;179:1214-9

Emergency mitral valve replacement in the setting of severe pulmonary hypertension and acute cardiovascular decompensation after evacuation of twins at fifteen weeks' gestation (Tio et al). 1998;179:270-2

Fatty acid desaturase activities and polyunsaturated fatty acid composition in human liver between the seventeenth and thirty-sixth gestational weeks (Rodriguez et al). 1998;179:1063-70

Midtrimester urine human chorionic gonadotropin β-subunit core fragment levels and the subsequent development of preeclampsia (Bahado-Singh et al). 1998;179:738-41

Quantitative immunophenotypic characterization, cryopreservation, and enrichment of second- and third-trimester human fetal cord blood hematopoietic stem cells (progenitor cells) (Surbek et al). 1998;179:1228-33

The role of ultrasonography in the detection and management of adnexal masses during the second and third trimesters of pregnancy (Hill et al). 1998;179:703-7

Success rate of cytogenetic analysis at the time of second-trimester dilation and evacuation (Bernick et al). 1998;179:957-61

Transvaginal versus transperineal ultrasonography: a blinded comparison in the assessment of cervical length at midgestation (Kurtzman et al). 1998;179:852-7

Pregnancy trimester, third

Comparison between oral and intramuscular dexamethasone in suppressing unconjugated estriol levels during the third trimester (Egerman et al). 1998;179:1234-6

Evidence for mechanisms of the acute-phase response to endotoxin in late-gestation fetal goats (Yoneyama et al). 1998;179:750-5

Fatty acid desaturase activities and polyunsaturated fatty acid composition in human liver between the seventeenth and thirty-sixth gestational weeks (Rodriguez et al). 1998;179:1063-70

Maternal corticotropin-releasing hormone levels in the early third trimester predict length of gestation in human pregnancy (Wadhwa et al). 1998;179:1079-85

Pharmacokinetics of oral valacyclovir and acyclovir in late pregnancy (Kimberlin et al). 1998;179:846-51

Quantitative immunophenotypic characterization, cryopreservation, and enrichment of second- and third-trimester human fetal cord blood hematopoietic stem cells (progenitor cells) (Surbek et al). 1998;179:1228-33

The role of ultrasonography in the detection and management of adnexal masses during the second and third trimesters of pregnancy (Hill et al). 1998;179:703-7

Premature rupture of membranes; *see* **Fetal membranes, premature rupture**

Premenstrual syndrome

Calcium carbonate and the premenstrual syndrome: effects on premenstrual and menstrual symptoms (Thys-Jacobs et al). 1998;179:444-52

Prenatal care

Obstetric management of 219 infants with hypoplastic left heart syndrome (Reis et al). 1998;179:1150-4

Potential consequences of widespread antepartal use of ampicillin (Towers et al). 1998;179:879-83

Prenatal diagnosis

Abnormal ductus venosus blood flow in trisomy 21 fetuses during early pregnancy (Borrell et al). 1998;179:1612-7

An abortus with double trisomy (48, XY, +4, +7) (Gogineni and Verma). 1998;179:1654 (Letter)

Accurate detection of anomalies by routine ultrasonography in an indigent clinic population (Magriples and Copel). 1998;179:978-81

Age-specific variation in aneuploidy incidence among biochemical screening programs (Sokol et al). 1998;179:971-3

Altered apoptosis levels in hearts of human fetuses with Down syndrome (Saphier and Yeh). 1998;179:962-5

An alternative for women initially declining genetic amniocentesis: individual Down syndrome odds on the basis of maternal age and multiple ultrasonographic markers (Bahado-Singh et al). 1998;179:514-9

Cephalhematoma and caput succedaneum: Do they always occur in labor? (Petrikovsky et al). 1998;179:906-8

Clinical and ultrasonographic features of dextroposition of the fetal heart (Borgida et al). 1998;179:982-4

The construction and utility of an amniocentesis trainer (Maher et al). 1998;179:1225-7

Detection of fetal messenger ribonucleic acid in maternal blood to determine fetal RhD status as a strategy for noninvasive prenatal diagnosis (Al-Mufti et al). 1998;179:210-4

An economic evaluation of prenatal strategies for detection of trisomy 18 (Vintzileos et al). 1998;179:1220-4

An economic evaluation of second-trimester genetic ultrasonography for prenatal detection of Down syndrome (Vintzileos et al). 1998;179:1214-9

Extracoelomic fluid osmometry and electrolyte composition during early gestation in the baboon (Santolaya-Forgas et al). 1998;179:1124-7

Further evidence that the *WT1* gene does not have a role in the development of the derivatives of the müllerian duct (van Lingen et al). 1998;179:597-603

Maternal serum α-fetoprotein and dimeric inhibin A detect aneuploidies other than Down syndrome (Wenstrom et al). 1998;179:966-70

Measurement of fetal nasal width by ultrasonography (Allanson) (Letter); (Pinette) (Reply). 1998;179:277-8

Myotonic dystrophy is a significant cause of idiopathic polyhydramnios (Esplin et al). 1998;179:974-7

New Down syndrome screening algorithm: ultrasonographic biometry and multiple serum markers combined with maternal age (Bahado-Singh et al). 1998;179:1627-31

Prenatal diagnosis with use of fetal cells isolated from maternal blood: five-color fluorescent in situ hybridization analysis on flow-sorted cells for chromosomes X, Y, 13, 18, and 21 (Bischoff et al). 1998;179:203-9

Ultrasonographic prediction of fetal outcome in suspected skeletal dysplasias with use of the femur length–to–abdominal circumference ratio (Ramus et al). 1998;179:1348-52

Prepidil; *see* **Gels**

Presidential address

Presidential address. 1998;179:283-91, 1400-4

Preterm birth; *see* **Labor, premature**

Preterm infant; *see* **Infant, premature**

Preterm labor; *see* **Labor, premature**

Preterm premature rupture of membranes; *see* **Fetal membranes, premature rupture**

Preventive medicine

Impact of a risk-based prevention policy on neonatal group B streptococcal disease (Factor et al). 1998;179:1568-71

Primates

Coadministration of nomegestrol acetate does not diminish the beneficial effects of estradiol on coronary artery dilator responses in nonhuman primates (*Macaca fascicularis*) (Williams et al). 1998;179:1288-94

Progenitor cells, hematopoietic; *see* **Hematopoietic stem cells**

Progestational hormones

Coadministration of nomegestrol acetate does not diminish the beneficial effects of estradiol on coronary artery dilator responses in nonhuman primates (*Macaca fascicularis*) (Williams et al). 1998;179:1288-94

Progestational hormones—cont'd
A critical analysis of progestins and VT—introduction (Mishell). 1998;179:S37
An open-label, multicenter, noncomparative safety and efficacy study of Mircette™, a low-dose estrogen-progestin oral contraceptive (Mircette™). 1998;179:S2-8
Promethazine
The efficacy of methylprednisolone in the treatment of hyperemesis gravidarum: a randomized, double-blind, controlled study (Safari et al). 1998;179:921-4
Prophylaxis
Prevention of herpes simplex virus infection and latency by prophylactic treatment with acyclovir in a weanling mouse model (Dobson et al). 1998;179:527-32
Prostaglandin E_2; *see* **Dinoprostone**
Prostaglandin-endoperoxide synthase
Expression of cyclooxygenases in ductus arteriosus of fetal and newborn pigs (Guerguerian et al). 1998;179:1618-26
Prostaglandins
The effect of cytokine mediators on prostaglandin inhibition by human decidual cells (Kim et al). 1998;179:146-9
Is the attenuation of β-adrenergic agonist efficacy during labor caused by elevated prostaglandin E levels? (Lye et al). 1998;179:1168-74
Regional variations in contractile responses to prostaglandins and prostanoid receptor messenger ribonucleic acid in pregnant baboon uterus (Smith et al). 1998;179:1545-52
Protein C
Resistance to activated protein C and the Leiden mutation: high prevalence in patients with abruptio placentae (Wiener-Megnagi et al). 1998;179:1565-7
Protein 1; *see* **Synapsins**
Proteins
Expression and specific immunolocalization of the human parathyroid hormone/parathyroid hormone–related protein receptor in the uteroplacental unit (Ferguson et al). 1998;179:321-9
Prothrombin
Genetic susceptibility to pregnancy-related venous thromboembolism: roles of factor V Leiden, prothrombin G20210A, and methylenetetrahydrofolate reductase C677T mutations (Grandone et al). 1998;179:1324-8
Protocols, clinical; *see* **Clinical protocols**
Protons
Proton magnetic resonance spectroscopy of fetal lamb brain during hypoxia (van Cappellen van Walsum et al). 1998;179:756-7
Psychosexual dysfunction
Prevalence of sexual assault history among women with common gynecologic symptoms (Golding et al). 1998;179:1013-9
Pubic symphysis
Osteitis pubis after Marshall-Marchetti-Krantz urethropexy: a pubic osteomyelitis (Kammerer-Doak et al). 1998;179:586-90
Publications
Comments on the quality of citations in journals (Hoeffel). 1998;179:836 (Letter)
Puerperium
Explicit memory in pregnant women (Keenan et al). 1998;179:731-7
Individually determined postpartum magnesium sulfate therapy with clinical parameters to safely and cost-effectively shorten treatment for pre-eclampsia (Ascarelli et al). 1998;179:952-6
Pulmonary artery
Phasic flow events at the aortic isthmus–ductus arteriosus junction and branch pulmonary artery evaluated by multimodal ultrasonography in fetal lambs (Schmidt et al). 1998;179:1338-47
Pulmonary edema
Pulmonary edema in obstetric patients is rapidly resolved except in the presence of infection or of nitroglycerin tocolysis after open fetal surgery (DiFederico et al). 1998;179:925-33
Pulmonary hypertension; *see* **Hypertension, pulmonary**
Pumps, infusion; *see* **Infusion pumps**
Pyridoxine
Effects of folic acid and vitamin B_6 supplementation on women with hyperhomocysteinemia and a history of preeclampsia or fetal growth restriction (Leeda et al). 1998;179:135-9

Q

Quality of health care
Envelopes (Drukker). 1998;179:1400-4 (Pres. address)
Quality of life
A health-related quality-of-life instrument for symptomatic patients with endometriosis: a validation study (Colwell et al). 1998;179:47-55

R

Race
Effects of fetal sex and race on risk of very preterm birth in twins (Cooperstock et al). 1998;179:762-5
Radioimmunodetection
The detection of struma ovarii in two patients by radioimmunoscintigraphy (Lieberman et al). 1998;179:262-3
Raloxifene
Effects of raloxifene in a guinea pig model for leiomyomas (Porter et al). 1998;179:1283-7
Selective estrogen receptor modulators: a new category of therapeutic agents for extending the health of postmenopausal women (Goldstein). 1998;179:1479-84 (Clin. opinion)
Rape
Follow-up of sexual assault victims (Holmes et al). 1998;179:336-42
Prevalence of sexual assault history among women with common gynecologic symptoms (Golding et al). 1998;179:1013-9
Receptors, adrenergic, beta
Relaxation of isolated human myometrial muscle by β_2-adrenergic receptors but not β_1-adrenergic receptors (Liu et al). 1998;179:895-8
Receptors, angiotensin
Saralasin-induced inhibition of ovulation in the in vitro perfused rat ovary is not replicated by the angiotensin II type-2 receptor antagonist PD123319 (Mikuni et al). 1998;179:35-40
Receptors, estrogen
Selective estrogen receptor modulators: a new category of therapeutic agents for extending the health of postmenopausal women (Goldstein). 1998;179:1479-84 (Clin. opinion)
Receptors, gonadotropin
The urinary bladder of a woman is a novel site of luteinizing hormone–human chorionic gonadotropin receptor gene expression (Tao et al). 1998;179:1026-31
Receptors, vasopressin
Oxytocin and vasopressin 1a receptor gene expression in the cycling or pregnant human uterus (Helmer et al). 1998;179:1572-8
Rectal administration; *see* **Administration, rectal**
Rectocele; *see* **Hernia**

Rectovaginal fistula
Been there—done that: surgical challenges (Underwood). 1998;179:330-5
The Noble-Mengert-Fish operation—revisited: a composite approach for persistent rectovaginal fistulas and complex perineal defects (Veronikis et al). 1998;179:1411-7
Rectum
An anatomic and functional assessment of the discrete defect rectocele repair (Cundiff et al). 1998;179:1451-7
Red blood cells; *see* **Erythrocytes**
Rehospitalization; *see* **Patient readmission**
Relaxin
A relaxin-mediated pathway to preterm premature rupture of the fetal membranes that is independent of infection (Millar et al). 1998;179:126-34
Renovascular hypertension; *see* **Hypertension, renovascular**
Repetitive sequences, nucleic acid
Genetic differentiation of complete hydatidiform moles coexisting with normal fetuses by short tandem repeat–derived deoxyribonucleic acid polymorphism analysis (Ishii et al). 1998;179:628-34
Reproducibility of results
A health-related quality-of-life instrument for symptomatic patients with endometriosis: a validation study (Colwell et al). 1998;179:47-55
Reproduction techniques
Perinatal and neonatal outcomes in multiple gestations: assisted reproduction versus spontaneous conception (Fitzsimmons et al). 1998;179:1162-7
Research
Electronic fetal heart rate monitoring: research guidelines for interpretation (Sandmire and DeMott) (Letter); (Parer) (Reply). 1998;179:276-7
Some concerns about the new research guidelines for interpretation of electronic fetal heart rate monitoring (Bernardes and Pereira) (Letter); (Parer) (Reply). 1998;179:560-1
Respiratory distress syndrome
A randomized, controlled trial of oral and intramuscular dexamethasone in the prevention of neonatal respiratory distress syndrome (Egerman et al). 1998;179:1120-3
Respiratory failure
Risk of magnesium for respiratory failure in pregnancy (Carson and Khurana). 1998;179:558 (Letter)
Retinoic acid; *see* **Tretinoin**
Rh-Hr blood-group system
Detection of fetal messenger ribonucleic acid in maternal blood to determine fetal RhD status as a strategy for noninvasive prenatal diagnosis (Al-Mufti et al). 1998;179:210-4
Rh isoimmunization
A reduced consumption in the alloimmunized fetus of maternal red blood cells compared with those of volunteers is still questionable (Egberts) (Letter); (El-Azeem et al) (Reply). 1998;179:1102-3
Risk factors
Effects of fetal sex and race on risk of very preterm birth in twins (Cooperstock et al). 1998;179:762-5
Endometrial carcinoma after endometrial ablation: high-risk factors predicting its occurrence (Valle and Baggish). 1998;179:569-72 (Clin. opinion)
Impact of a risk-based prevention policy on neonatal group B streptococcal disease (Factor et al). 1998;179:1568-71
Multifetal pregnancy reduction is not associated with an increased risk of intrauterine growth restriction, except for very-high-order multiples (Torok et al). 1998;179:221-5
Predictors of pre-eclampsia in women at high risk (Caritis et al). 1998;179:946-51
Preterm birth and maternal smoking: risks related to gestational age and onset of delivery (Kyrklund-Blomberg and Cnattingius). 1998;179:1051-5
Recurrence of gestational diabetes: Who is at risk? (Major et al). 1998;179:1038-42
The risk of cystocele after sacrospinous ligament fixation (Smilen et al). 1998;179:1465-72
Risk factors for familial and sporadic ovarian cancer among French Canadians: a case-control study (Godard et al). 1998;179:403-10
Risk of magnesium for respiratory failure in pregnancy (Carson and Khurana). 1998;179:558 (Letter)
Shoulder dystocia and associated risk factors with macrosomic infants born in California (Nesbitt et al). 1998;179:476-80
Ritonavir
Placental transfer of ritonavir with zidovudine in the ex vivo placental perfusion model (Casey and Bawdon). 1998;179:758-61
RNA, messenger
Detection of fetal messenger ribonucleic acid in maternal blood to determine fetal RhD status as a strategy for noninvasive prenatal diagnosis (Al-Mufti et al). 1998;179:210-4
Oxytocin receptor and its messenger ribonucleic acid in human leiomyoma and myometrium (Lee et al). 1998;179:620-7
Regional variations in contractile responses to prostaglandins and prostanoid receptor messenger ribonucleic acid in pregnant baboon uterus (Smith et al). 1998;179:1445-52
Regulation of hypothalamic arginine vasopressin messenger ribonucleic acid and pituitary arginine vasopressin content in fetal sheep: effects of acute tonicity alterations and fetal maturation (Zhao et al). 1998;179:899-905

S

Sacrospinous ligament fixation; *see* **Uterine prolapse**
Safety
Amniotic fluid insulin testing in gestational diabetes: safety and acceptance of amniocentesis (Haeusler et al). 1998;179:917-20
Obstetric ultrasonography: a biophysical consideration of patient safety—the "rules" have changed (Miller et al). 1998;179:241-54 (AJOG reviews)
An open-label, multicenter, noncomparative safety and efficacy study of Mircette™, a low-dose estrogen-progestin oral contraceptive (Mircette™). 1998;179:S2-8
The safety of omeprazole during pregnancy: a multicenter prospective controlled study (Lalkin et al). 1998;179:727-30
Saralasin
Saralasin-induced inhibition of ovulation in the in vitro perfused rat ovary is not replicated by the angiotensin II type-2 receptor antagonist PD123319 (Mikuni et al). 1998;179:35-40
Scalp
Cephalhematoma and caput succedaneum: Do they always occur in labor? (Petrikovsky et al). 1998;179:906-8
Schwannoma; *see* **Neurilemmoma**
Screening. **Mass screening**; *see* **Mass screening**
Seasons
Are there seasonal effects on obstetric circadian rhythms? (Cooperstock) (Letter); (Cagnacci and Volpe) (Reply). 1998;179:563-4

Seasons—cont'd
Diurnal rhythms of labor and delivery (Jakobovits) (Letter); (Cagnacci and Volpe) (Reply). 1998;179:836-7
Second trimester of pregnancy; *see* **Pregnancy trimester, second**
Secretions
Effect of sexual intercourse on fetal fibronectin concentration in cervicovaginal secretions (Shimoya et al). 1998;179:255-6
Selective delivery; *see* **Abortion**
Septicemia
Compliance with the Centers for Disease Control and Prevention antenatal culture protocol for preventing group B streptococcal neonatal sepsis (Cheon-Lee and Amstey). 1998;179:77-9
Normal pregnancy and preeclampsia both produce inflammatory changes in peripheral blood leukocytes akin to those of sepsis (Sacks et al). 1998;179:80-6
Sex
Effects of fetal sex and race on risk of very preterm birth in twins (Cooperstock et al). 1998;179:762-5
Sexual assault; *see* **Rape**
Sexual intercourse; *see* **Coitus**
Shock, septic
Endotoxin-induced atrial natriuretic factor release: in vivo and in vitro studies (Rao et al). 1998;179:21-7
Shoulder
Erb's palsy without shoulder dystocia (Spellacy) (Letter); (Gherman) (Reply). 1998;179:561-2
Increased cesarean delivery rate: no effect on brachial plexus palsy (Gherman) (Letter); (Conway and Langer) (Reply). 1998;179:1378-9
More (and less) on shoulder dystocia (Plante) (Letter); (Conway and Langer) (Reply). 1998;179:837-8
Objective definition of shoulder dystocia: a prospective evaluation (Beall et al). 1998;179:934-7
Obstetric maneuvers for shoulder dystocia (Iffy et al) (Letter); (Gherman and Goodwin) (Reply). 1998;179:1379-80
Shoulder dystocia and associated risk factors with macrosomic infants born in California (Nesbitt et al). 1998;179:476-80
Time for resolving shoulder dystocia (Beer and Folghera). 1998;179:1376-7 (Letter)
Skeletal dysplasia; *see* **Bone diseases**
Sleep
Umbilical cord accidents—time of death: continued (Collins) (Letter); (Lunshof) (Reply). 1998;179:275-6
Small for gestational age infant; *see* **Infant, small for gestational age**
Smoking
Can the number of cigarettes smoked predict high-grade cervical intraepithelial neoplasia among women with mildly abnormal cervical smears? (Daly et al). 1998;179:399-402
Preterm birth and maternal smoking: risks related to gestational age and onset of delivery (Kyrklund-Blomberg and Cnattingius). 1998;179:1051-5
Society of Gynecologic Surgeons
Transactions of the twenty-fourth scientific meeting of the Society of Gynecologic Surgeons. 1998;179:1400-4
Society of Perinatal Obstetricians
Transactions of the eighteenth annual meeting of the Society of Perinatal Obstetricians. 1998;179:841-998, 1107-274
Sodium-potassium pump
Regulation of the sodium pump in pregnancy-related tissues in preeclampsia (Maxwell et al). 1998;179:28-34
The South Atlantic Association of Obstetricians and Gynecologists
Transactions of the sixtieth annual meeting of The South Atlantic Association of Obstetricians and Gynecologists. 1998;179:283-390
Spastic cerebral palsy; *see* **Cerebral palsy**
Sphingomyelins
Meconium has no lecithin or sphingomyelin but affects the lecithin/sphingomyelin ratio (Longo et al). 1998;179:1640-2
Spontaneous abortion; *see* **Abortion, spontaneous**
Spontaneous conception; *see* **Fertilization**
Spouse abuse
Is adverse pregnancy outcome predictable after blunt abdominal trauma? (Pak et al). 1998;179:1140-4
Squamous cell carcinoma; *see* **Carcinoma, squamous cell**
Stains and staining
Evaluating rapid diagnostic tests of intra-amniotic infection: gram stain, amniotic fluid glucose level, and amniotic fluid to serum glucose level ratio (Hussey et al). 1998;179:650-6
Statistics
Databases and the statistical usage of (perinatal) results—reply (Nijland et al) (Letter); (Egberts) (Reply). 1998;179:559-60
Streptococcus agalactiae
Compliance with the Centers for Disease Control and Prevention antenatal culture protocol for preventing group B streptococcal neonatal sepsis (Cheon-Lee and Amstey). 1998;179:77-9
Group B streptococci during pregnancy: a comparison of two screening and treatment protocols (Hafner et al). 1998;179:677-81
Impact of a risk-based prevention policy on neonatal group B streptococcal disease (Factor et al). 1998;179:1568-71
International Multicenter Term PROM Study: evaluation of predictors of neonatal infection in infants born to patients with premature rupture of membranes at term (Seaward et al). 1998;179:635-9
Stress
Maternal corticotropin-releasing hormone levels in the early third trimester predict length of gestation in human pregnancy (Wadhwa et al). 1998;179:1079-85
Stroke; *see* **Cerebrovascular disorders**
Struma ovarii
The detection of struma ovarii in two patients by radioimmunoscintigraphy (Lieberman et al). 1998;179:262-3
Substance abuse
Methadone maintenance in pregnancy: a reappraisal (Brown et al). 1998;179:459-63
Sufentanil
The effect of maternal position on fetal heart rate during epidural or intrathecal labor analgesia (Eberle et al). 1998;179:150-5
Surgery, laparoscopic
Left-sided laparoscopic para-aortic lymphadenectomy: anatomy of the ventral tributaries of the infrarenal vena cava (Possover et al). 1998;179:1295-7
Metabolic and inflammatory responses after laparoscopic and abdominal hysterectomy (Yuen et al). 1998;179:1-5
Surgical procedure for para-aortic lymphadenectomy in stage IB and stage II cervical carcinoma (Morice et al) (Letter); (Schneider and Possover) (Reply). 1998;179:1098-9
Surgery, operative
Been there—done that: surgical challenges (Underwood). 1998;179:330-5
Conservative surgical management of Mersilene mesh suburethral sling erosion (Myers and LaSala). 1998;179:1424-9
Nonobstetric emergencies in pregnancy (Jelsema). 1998;179:558-9 (Letter)
Outcome of cardiovascular surgery and pregnancy: a systematic review of the period 1984–1996 (Weiss et al). 1998;179:1643-53 (AJOG reviews)

Surgical procedure for para-aortic lymphadenectomy in stage IB and stage II cervical carcinoma (Morice et al) (Letter); (Schneider and Possover) (Reply). 1998;179:1098-9

Surgical equipment

Conservative surgical management of Mersilene mesh suburethral sling erosion (Myers and LaSala). 1998;179:1424-9

Surgical wound dehiscence

Synthetic graft placement in the treatment of fascial dehiscence with necrosis and infection (McNeeley et al). 1998;179:1430-5

Sustained-release preparations; *see* **Delayed-action preparations**

Synapsins

The effect of monocyte chemotactic protein 1 in intraperitoneal adhesion formation in a mouse model (Zeyneloglu et al). 1998;179:438-43

Systemic lupus erythematosus; *see* **Lupus erythematosus, systemic**

T

Tamoxifen

A randomized trial on the use of ultrasonography or office hysteroscopy for endometrial assessment in postmenopausal patients with breast cancer who were treated with tamoxifen (Timmerman et al). 1998;179:62-70

Selective estrogen receptor modulators: a new category of therapeutic agents for extending the health of postmenopausal women (Goldstein). 1998;179:1479-84 (Clin. opinion)

Tandem repeat; *see* **Repetitive sequences, nucleic acid**

Technology

Routine maternal platelet count: an assessment of a technologically driven screening practice (Rouse et al). 1998;179:573-6 (Clin. opinion)

Telomere

Telomere shortening in uterine leiomyomas (Bonatz et al). 1998;179:591-6

Terbutaline

Terbutaline pump maintenance therapy for prevention of preterm delivery: a double-blind trial (Guinn et al). 1998;179:874-8

Terminology; *see* **Nomenclature**

Testicular feminization

Postmenopausal diagnosis of testicular feminization (Lentz and Cappellari). 1998;179:268-9

Third trimester of pregnancy; *see* **Pregnancy trimester, third**

Thrombocytopenia

Routine maternal platelet count: an assessment of a technologically driven screening practice (Rouse et al). 1998;179:573-6 (Clin. opinion)

Thromboembolism

Bias versus causality: interpreting recent evidence of oral contraceptive studies (Spitzer). 1998;179:S43-50

A critical analysis of progestins and VT—introduction (Mishell). 1998;179:S37

Effects on hemostatic variables of desogestrel- and gestodene-containing oral contraceptives in comparison with levonorgestrel-containing oral contraceptives: a review (Winkler). 1998;179:S51-61

The epidemiology of oral contraceptive use: a critical review of the studies on oral contraceptives and the health of young women (Lewis). 1998;179:1086-97 (AJOG reviews)

Genetic susceptibility to pregnancy-related venous thromboembolism: roles of factor V Leiden, prothrombin G20210A, and methylenetetrahydrofolate reductase C677T mutations (Grandone et al). 1998;179:1324-8

Myocardial infarction and stroke in young women: What is the impact of oral contraceptives? (Lewis). 1998;179:S68-77

Oral contraceptives and thrombosis: an overview of study methods and recent results (Westhoff). 1998;179:S38-42

Oral contraceptives and venous thromboembolic disease: the findings from database studies in the United Kingdom and Germany (Farmer and Lawrenson). 1998;179:S78-86

Thrombotic diseases in young women and the influence of oral contraceptives (Lidegaard). 1998;179:S62-7

Thrombopoietin

Thrombopoietin in normal pregnancy and preeclampsia (Frölich et al). 1998;179:100-4

Thrombosis

Oral contraceptives and arterial and venous thrombosis: a clinician's formulation (Speroff). 1998;179:S25-36

Oral contraceptives and thrombosis: an overview of study methods and recent results (Westhoff). 1998;179:S38-42

Thrombotic diseases in young women and the influence of oral contraceptives (Lidegaard). 1998;179:S62-7

Thromboxane B_2

Maternal serum thromboxane B_2 concentrations do not predict improved outcomes in high-risk pregnancies in a low-dose aspirin trial (Hauth et al). 1998;179:1193-9

Thyroid gland

Thyroid autoantibodies are not associated with recurrent pregnancy loss (Esplin et al). 1998;179:1583-6

Thyroid neoplasms

Papillary thyroid carcinoma manifesting as thyroid storm of pregnancy: case report (Tewari et al). 1998;179:818-9

Tocolysis

Tocolytic magnesium sulfate: Are the epidemiologic data reassuring? (Mittendorf and Pryde) (Letter); (Grether et al) (Reply). 1998;179:280

Trachelectomy

Pregnancies after radical vaginal trachelectomy for early-stage cervical cancer (Roy and Plante). 1998;179:1491-6

Transactions

Transactions of the eighteenth annual meeting of the Society of Perinatal Obstetricians. 1998;179:841-998, 1107-274

Transactions of the sixtieth annual meeting of The South Atlantic Association of Obstetricians and Gynecologists. 1998;179:283-390

Transactions of the twenty-fourth scientific meeting of the Society of Gynecologic Surgeons. 1998;179:1400-4

Transdermal administration; *see* **Administration, cutaneous**

Transforming growth factors

The effect of transforming growth factor and interleukin-10 on interleukin-8 release by human amniochorion may regulate histologic chorioamnionitis (Fortunato et al). 1998;179:794-9

Trauma; *see* **Wounds and injuries**

Treatment protocols; *see* **Clinical protocols**

Tretinoin

Retinoic acid up-regulates the expression of major histocompatibility complex molecules and adhesion/costimulation molecules (specifically, intercellular adhesion molecule ICAM-1) in human cervical cancer (Santin et al). 1998;179:1020-5

Trial of labor

Neonatal outcomes in triplet gestations after a trial of labor (Grobman et al). 1998;179:942-5

Trial of labor after cesarean delivery: the effect of previous vaginal delivery (Caughey et al). 1998;179:938-41

Triplets
Delayed delivery of multiple gestations: maternal and neonatal outcomes (Kalchbrenner et al). 1998;179:1145-9
Neonatal outcomes in triplet gestations after a trial of labor (Grobman et al). 1998;179:942-5
Preliminary experience with a prospective protocol for planned vaginal delivery of triplet gestations (Alamia et al). 1998;179:1133-5
Trisomy
An abortus with double trisomy (48,XY,+4,+7) (Gogineni and Verma). 1998;179:1654 (Letter)
An economic evaluation of prenatal strategies for detection of trisomy 18 (Vintzileos et al). 1998;179:1220-4
Trisomy 21; *see* **Down syndrome**
Trophoblast
Ethanol-induced expression of cytokines in a first-trimester trophoblast cell line (Svinarich et al). 1998;179:470-5
Methotrexate effects on trophoblast and the corpus luteum in early pregnancy (Creinin et al). 1998;179:604-9
Midtrimester urine human chorionic gonadotropin β-subunit core fragment levels and the subsequent development of preeclampsia (Bahado-Singh et al). 1998;179:738-41
Twin-to-twin transfusion syndrome; *see* **Fetofetal transfusion**
Twins
Abundant vascular anastomoses in monoamniotic versus diamniotic monochorionic placentas (Bajoria). 1998;179:788-93
Cost-effective delivery management of the vertex and nonvertex twin gestation (Mauldin et al). 1998;179:864-9
Delayed delivery of multiple gestations: maternal and neonatal outcomes (Kalchbrenner et al). 1998;179:1145-9
Effects of fetal sex and race on risk of very preterm birth in twins (Cooperstock et al). 1998;179:762-5
Emergency mitral valve replacement in the setting of severe pulmonary hypertension and acute cardiovascular decompensation after evacuation of twins at fifteen weeks' gestation (Tio et al). 1998;179:270-2
Fetal and neonatal echocardiographic findings in twin-twin transfusion syndrome (Fesslova et al). 1998;179:1056-62
How small is too small in a twin pregnancy? (Hamilton et al). 1998;179:682-5
The importance of early weight gain in the intrauterine growth and birth weight of twins (Luke et al). 1998;179:1155-61
Outcomes of very low birth weight twins cared for in the National Institute of Child Health and Human Development Neonatal Research Network's intensive care units (Donovan et al). 1998;179:742-9
Progression of labor in twin versus singleton gestations (Schiff et al). 1998;179:1181-5
Selective delivery in a twin gestation (Porreco et al). 1998;179:264-5
Twin-to-twin transfusion syndrome (Hershey). 1998;179:1380-1 (Letter)
Twins, monozygotic
Monozygotic twins discordant for single umbilical artery and congenital heart disease (Nakayama et al). 1998;179:256-7

U

Ultrasonography
A prospective study of transvaginal hydrosonography in the evaluation of abnormal uterine bleeding (Williams and Marshburn). 1998;179:292-8
A randomized trial on the use of ultrasonography or office hysteroscopy for endometrial assessment in postmenopausal patients with breast cancer who were treated with tamoxifen (Timmerman et al). 1998;179:62-70
Ultrasonography, prenatal
Abnormal ductus venosus blood flow in trisomy 21 fetuses during early pregnancy (Borrell et al). 1998;179:1612-17
Accurate detection of anomalies by routine ultrasonography in an indigent clinic population (Magriples and Copel). 1998;179:978-81
An alternative for women initially declining genetic amniocentesis: individual Down syndrome odds on the basis of maternal age and multiple ultrasonographic markers (Bahado-Singh et al). 1998;179:514-9
Cephalhematoma and caput succedaneum: Do they always occur in labor? (Petrikovsky et al). 1998;179:906-8
Clinical and ultrasonographic features of dextroposition of the fetal heart (Borgida et al). 1998;179:982-4
The construction and utility of an amniocentesis trainer (Maher et al). 1998;179:1225-7
An economic evaluation of second-trimester genetic ultrasonography for prenatal detection of Down syndrome (Vintzileos et al). 1998;179:1214-9
Fetal body composition and ultrasonographic estimates of fetal weight (Bernstein and Catalano). 1998;179:558 (Letter)
Measurement of fetal nasal width by ultrasonography (Allanson) (Letter); (Pinette) (Reply). 1998;179:277-8
New Down syndrome screening algorithm: ultrasonographic biometry and multiple serum markers combined with maternal age (Bahado-Singh et al). 1998;179:1627-31
Obstetric ultrasonography: a biophysical consideration of patient safety—the "rules" have changed (Miller et al). 1998;179:241-54 (AJOG reviews)
Phasic flow events at the aortic isthmus–ductus arteriosus junction and branch pulmonary artery evaluated by multimodal ultrasonography in fetal lambs (Schmidt et al). 1998;179:1338-47
The role of ultrasonography in the detection and management of adnexal masses during the second and third trimesters of pregnancy (Hill et al). 1998;179:703-7
Transvaginal versus transperineal ultrasonography: a blinded comparison in the assessment of cervical length at midgestation (Kurtzman et al). 1998;179:852-7
Ultrasonographic estimate of birth weight at 24 to 34 weeks: a multicenter study (Chauhan et al). 1998;179:909-16
Ultrasonographic prediction of fetal outcome in suspected skeletal dysplasias with use of the femur length–to–abdominal circumference ratio (Ramus et al). 1998;179:1348-52
Umbilical arteries
Doppler flow velocity waveforms of the umbilical arteries correlate with intravillous blood volume (Hitschold). 1998;179:540-3
Effects of transdermal nitroglycerin on impedance to flow in the uterine, umbilical, and fetal middle cerebral arteries in pregnancies complicated by preeclampsia and intrauterine growth retardation (Cacciatore et al). 1998;179:140-5
Monozygotic twins discordant for single umbilical artery and congenital heart disease (Nakayama et al). 1998;179:256-7
Umbilical cord
Adrenomedullin concentrations in umbilical cord plasma of uncomplicated term pregnancies (Hoeldtke et al). 1998;179:1071-4
Quantitative immunophenotypic characterization, cryopreservation, and enrichment of second- and third-trimester human fetal

cord blood hematopoietic stem cells (progenitor cells) (Surbek et al). 1998;179:1228-33

Umbilical cord accidents—time of death: continued (Collins) (Letter); (Lunshof) (Reply). 1998;179:275-6

United Kingdom; *see* **Great Britain**

Up-regulation

Retinoic acid up-regulates the expression of major histocompatibility complex molecules and adhesion/costimulation molecules (specifically, intercellular adhesion molecule ICAM-1) in human cervical cancer (Santin et al). 1998;179:1020-5

Ureaplasma urealyticum

Microbial invasion of the amniotic cavity with *Ureaplasma urealyticum* is associated with a robust host response in fetal, amniotic, and maternal compartments (Yoon et al).1998;179:254-60

Ureter

Comparison of ureteral and cervical descents during vaginal hysterectomy for uterine prolapse (DeLancey et al).1998;179: 1405-10

Urinary bladder; *see* **Bladder**

Urinary diversion

Urinary complications of Miami pouch: trend of conservative management (Angioli et al). 1998;179:343-8

Urinary incontinence

Comparative efficacy of behavioral interventions in the management of female urinary incontinence (Wyman et al). 1998;179:999-1007

Urinary incontinence, stress

Conservative surgical management of Mersilene mesh suburethral sling erosion (Myers and LaSala). 1998;179:1424-9

Role of fascial collagen in stress urinary incontinence (Rechberger et al). 1998;179:1511-4

Urinary reservoirs, continent

Urinary complications of Miami pouch: trend of conservative management (Angioli et al). 1998;179:343-8

Urine

Midtrimester urine human chorionic gonadotropin β-subunit core fragment levels and the subsequent development of preeclampsia (Bahado-Singh et al). 1998;179:738-41

Urocortin; *see* **Ligands**

Uterine arteries

Assessment of uterine arterial notching as a screening test for adverse pregnancy outcome (Mires et al). 1998;179:1317-23

Discordant uterine artery velocity waveforms as a predictor of subsequent miscarriage in early viable pregnancies (Leible et al). 1998;179:1587-93

Effects of transdermal nitroglycerin on impedance to flow in the uterine, umbilical, and fetal middle cerebral arteries in pregnancies complicated by preeclampsia and intrauterine growth retardation (Cacciatore et al). 1998;179:140-5

Uterine contraction

Both soluble guanylate cyclase and particulate guanylate cyclase regulate myometrial contractility (Syal et al). 1998;179:111-6

The effects of nitric oxide on the contractility of isolated uterine and aortic rings from pregnant rats (Okawa et al). 1998;179: 721-6

Regional variations in contractile responses to prostaglandins and prostanoid receptor messenger ribonucleic acid in pregnant baboon uterus (Smith et al). 1998;179:1445-52

Uterine hemorrhage

Endometrial carcinoma after endometrial ablation: high-risk factors predicting its occurrence (Valle and Baggish). 1998;179:569-72 (Clin. opinion)

A prospective study of transvaginal hydrosonography in the evaluation of abnormal uterine bleeding (Williams and Marshburn). 1998;179:292-8

Uterine neoplasms

Effects of raloxifene in a guinea pig model for leiomyomas (Porter et al). 1998;179:1283-7

Oxytocin receptor and its messenger ribonucleic acid in human leiomyoma and myometrium (Lee et al). 1998;179:620-7

Telomere shortening in uterine leiomyomas (Bonatz et al). 1998;179:591-6

Uterine leiomyoma as a rare cause of acute abdomen and intestinal gangrene (Sheikh). 1998;179:830-1

Uterine prolapse

Comparison of ureteral and cervical descents during vaginal hysterectomy for uterine prolapse (DeLancey et al). 1998;179: 1405-10

Paravaginal repair of lateral vaginal wall defects by fixation to the ischial periosteum and obturator membrane (Scotti et al). 1998;179:1436-45

Posterior vaginal prolapse and bowel function (Weber et al). 1998;179:1446-50

The risk of cystocele after sacrospinous ligament fixation (Smilen et al). 1998;179:1465-72

Sacrospinous ligament fixation and modified McCall culdoplasty during vaginal hysterectomy for advanced uterovaginal prolapse (Colombo and Milani). 1998;179:13-20

Teaching the Pelvic Organ Prolapse Quantitation system (Steele et al). 1998;179:1458-64

Uterus

Been there—done that: surgical challenges (Underwood). 1998;179:330-5

Expression and specific immunolocalization of the human parathyroid hormone/parathyroid hormone–related protein receptor in the uteroplacental unit (Ferguson et al). 1998;179:321-9

Hemostasis in the uteroplacental and peripheral circulations in normotensive and pre-eclamptic pregnancies (Higgins et al). 1998;179:520-6

How to increase the proportion of hysterectomies performed vaginally (Davies et al). 1998;179:1008-12

Oxytocin and vasopressin 1a receptor gene expression in the cycling or pregnant human uterus (Helmer et al). 1998;179: 1572-8

Uterine relaxation responses to calcitonin gene–related peptide and calcitonin gene–related peptide receptors decreased during labor in rats (Dong et al). 1998;179:497-506

V

Vagina

An anatomic and functional assessment of the discrete defect rectocele repair (Cundiff et al). 1998;179:1451-7

Effect of sexual intercourse on fetal fibronectin concentration in cervicovaginal secretions (Shimoya et al). 1998;179:255-6

β-Human chorionic gonadotropin in cervicovaginal secretions as a predictor of preterm delivery (Bernstein et al). 1998;179: 870-3

Interleukin-1β and interleukin-8 in cervicovaginal fluid during pregnancy (Tanaka et al). 1998;179:644-9

Posterior vaginal prolapse and bowel function (Weber et al). 1998;179:1446-50

Vagina, surgery
Paravaginal repair of lateral vaginal wall defects by fixation to the ischial periosteum and obturator membrane (Scotti et al). 1998;179:1436-45
Pregnancies after radical vaginal trachelectomy for early-stage cervical cancer (Roy and Plante). 1998;179:1491-6
The risk of cystocele after sacrospinous ligament fixation (Smilen et al). 1998;179:1465-72
Sacrospinous ligament fixation and modified McCall culdoplasty during vaginal hysterectomy for advanced uterovaginal prolapse (Colombo and Milani). 1998;179:13-20
Site-specific fascial defects in the diagnosis and surgical management of enterocele (Miklos et al). 1998;179:1418-23
Vaginal administration; *see* **Administration, intravaginal**
Vaginal birth after cesarean
Trial of labor after cesarean delivery: the effect of previous vaginal delivery (Caughey et al). 1998;179:938-41
What goes around comes around (Rowland). 1998;179:283-91 (Pres. address)
Vaginal delivery; *see* **Delivery**
Vaginal hysterectomy; *see* **Hysterectomy, vaginal**
Vaginal prolapse; *see* **Uterine prolapse**
Vaginal smears
Atypical glandular cells of undetermined significance: a five-year retrospective histopathologic study (Veljovich et al). 1998;179:382-90
Can the number of cigarettes smoked predict high-grade cervical intraepithelial neoplasia among women with mildly abnormal cervical smears? (Daly et al). 1998;179:399-402
Cervical screening adjuncts: recent advances (Spitzer). 1998;179:544-56 (AJOG reviews)
The cost-effectiveness of treating women with a cervical vaginal smear diagnosis of atypical squamous cells of undetermined significance (Raab et al). 1998;179:411-20
Death of the Papanicolaou smear? A tale of three reasons (Boronow). 1998;179:391-6 (Clin. opinion)
Qualification of atypical squamous cells of undetermined significance in an independent laboratory: Is it useful or significant? (Lachman and Cavallo-Calvanese). 1998;179:421-9
Valacyclovir
Pharmacokinetics of oral valacyclovir and acyclovir in late pregnancy (Kimberlin et al). 1998;179:846-51
Validity of results; *see* **Reproducibility of results**
Vascular anastomosis; *see* **Arteriovenous anastomosis**
Vascular cell adhesion molecules; *see* **Cell adhesion molecules**
Vascular smooth muscle; *see* **Muscle, smooth, vascular**
Vasoactive mediators
Vasoactive mediators in pregnancy-induced hypertensive disorders: a longitudinal study (Paarlberg et al). 1998;179:1559-64
Vasopressin receptors; *see* **Receptors, vasopressin**
Velocity, blood; *see* **Blood flow velocity**
Vena cava
Left-sided laparoscopic para-aortic lymphadenectomy: anatomy of the ventral tributaries of the infrarenal vena cava (Possover et al). 1998;179:1295-7
Venous thromboembolism; *see* **Thromboembolism**
Venous thrombosis; *see* **Thrombosis**
Ventricle; *see* **Heart ventricle**
Ventriculomegaly; *see* **Cerebral ventricles, abnormalities**
Version, fetal
Reattempting failed external cephalic version under epidural anesthesia (Neiger et al). 1998;179:1136-9
Vertex presentation; *see* **Labor presentation**
Very low birth weight infant; *see* **Infant, low birth weight**
Vitamin B_6; *see* **Pyridoxine**
VT; *see* **Thromboembolism**

W

Water
Dilutional hyponatremia in pre-eclampsia (Hayslett et al). 1998;179:1312-6
Weight gain
The importance of early weight gain in the intrauterine growth and birth weight of twins (Luke et al). 1998;179:1155-61
Recurrence of gestational diabetes: Who is at risk? (Major et al). 1998;179:1038-42
What goes around comes around (Rowland). 1998;179:283-91 (Pres. address)
Wounds and injuries
Is adverse pregnancy outcome predictable after blunt abdominal trauma? (Pak et al). 1998;179:1140-4
Nonobstetric emergencies in pregnancy (Jelsema). 1998;179:558-9 (Letter)
***WT1* gene**; *see* **Genes**

X

X chromosome
Prenatal diagnosis with use of fetal cells isolated from maternal blood: five-color fluorescent in situ hybridization analysis on flow-sorted cells for chromosomes X, Y, 13, 18, and 21 (Bischoff et al). 1998;179:203-9

Y

Y chromosome
Prenatal diagnosis with use of fetal cells isolated from maternal blood: five-color fluorescent in situ hybridization analysis on flow-sorted cells for chromosomes X, Y, 13, 18, and 21 (Bischoff et al). 1998;179:203-9

Z

Zidovudine
Placental transfer of ritonavir with zidovudine in the ex vivo placental perfusion model (Casey and Bawdon). 1998;179:758-61
Zinc
Prevention of preeclampsia: a big disappointment (Sibai). 1998;179:1275-8 (Clin. opinion)